

DESIGNATED AND GAZETTED ANALYTICAL LABORATORIES			
Laboratory	Functions	Parameters	Authorized Signatory
SGS Kenya Limited P.O Box 72118-00200 Nairobi Tel:020 2733693 Fax:020 2733664 Email:sgsinquiries-kenya@sgs.com Location:SGS House Shimazi Mombasa	Assessment/analysis of: Air emission Water Effluent Soil	Physical Chemical; Microbial	Environmental Service Manager Environmental Inspector Laboratory Manager
University of Nairobi Department of Civil Engineering Public Health Engineering Laboratories P.O Box 30197-00100,Nairobi Tel:020 318262 Ext 28394 Fax:020 245962 Email:dept-civilengineering Location: University of Nairobi-Main Campus	Assessment/analysis of: Air emission Water Effluent Soil	Physical Chemical	Chairman of Department
University of Nairobi Chemistry Department-Pesticide Research Laboratory P.O Box 99376-00100,Nairobi Tel:020 4446138 Location: University of Nairobi Chiromo Campus, Riverside Drive	Assessment/analysis of: Water Effluent Soil	Pesticides Hydrocarbons PCBs	Head of Pesticide Research Laboratory Lecturer Pesticide Research Laboratory Assistant Lecturer Pesticide Research Laboratory
Kenya Bureau of Standards (KEBS) Mombasa Laboratory P.O BOX 99376-80100 Tel:041 42317050-5 Fax: 041 422448 Email:kebs-mombasa@kebs.org Location:Ambalal House Mombasa	Assessment/analysis of Water Effluent	Microbiology	Regional Manager Head of Testing Services
Kenya Bureau of Standards (KEBS) P.O BOX 54974-00200,NAIROBI Tel:+254 020 605490, 605506 Fax:+254 020 609660 Email:info@kebs.org Location:KEBS Centre Popo Road, South C, Nairobi	Assessment/analysis of: Water and Effluent	Physical Chemical Microbial Pesticides	Chief Principal Laboratory Analyst (Head of Chemistry) Principal Laboratory Analyst (Deputy Head of Chemistry) Laboratory Analyst II
Mines and Geological Department, Chemistry Laboratory P.O Box 30009-00100,Nairobi Tel:020 558034 Fax:020 554366 Email:cmg@bidii.com Location:Machakos Road, Industrial Area Nairobi	Assessment/analysis of: Water Effluent and Soil	Physical Chemical	Senior Principal Chemist Senior Chief Chemist

<p>Jomo Kenyatta University of Agriculture and Technology (JKUAT) Environmental Engineering Laboratory P.O Box 62000,Nairobi Tel:067 52711 Location:Thika Road, Juja</p>	<p>Assessment/analysis of: Water Effluent Soils Sludge</p>	<p>Physical Chemical Microbial Petroleum</p>	<p>Senior Lecturer-Environmental Engineering Laboratories</p>
<p>Quest Laboratories Limited P.O Box 3097-00506,Nairobi Tel:020 551988/7 Fax:020 554636 Location: Baricho Road, Industrial Area Nairobi</p>	<p>Assessment/analysis of: Water Effluent and Soil</p>	<p>Physical Chemical Microbial</p>	<p>Technical Manager Laboratory Manager</p>
<p>Nairobi City Water and Sewerage Company Limited Kabete Central Laboratory P.O Box 30656-00100,Nairobi Tel:020 4181321,020-4184140 Fax:214780 Email:gmwsd@intersurf.com Location:Waiyaki Way, Opposite Kianda School</p>	<p>Assessment/analysis of: Water Effluent</p>	<p>Physical Chemical Microbial</p>	<p>Quality Assurance Manager Quality Assurance Coordinator</p>
<p>University of Nairobi Department of Land Resource Management and Agricultural Technology P.O Box 29053-0625 Nairobi Tel:020 631225 Fax:020 631253 Email: larmat@gmail.uoni.ac.ke Location: University of Nairobi, Upper Kabete Campus</p>	<p>Assessment/analysis of: Soil Water Plant material</p>	<p>Physical Chemical</p>	<p>Chairman of Department Chief Technologist Senior Technologist Technologist</p>
<p>Water Resources Management Authority Nakuru Laboratories P.O Box 15543,Nakuru Location: Opposite KFA</p>	<p>Assessment/analysis of: Water</p>	<p>Physical Chemical Microbial</p>	<p>Head of Laboratory Deputy Head of Laboratory</p>
<p>Lake Victoria North Catchment Area Water Laboratory P.o box 774-50100,Kakamega Tel:056-39826 Fax:056-30826 Email:wrmalvc@wananchonline.com Location: Kakamega,off Kakamega-Kisumu road</p>	<p>Assessment/analysis of: Water</p>	<p>Physical Chemical</p>	<p>Regional Manager-Lake Victoria North catchment area Regional Technical Manager Ground Water Officer Water Quality Officer</p>

Kenya Industrial Research and Development Institute (KIRDI) Laboratories P.O BOX 30650-00100,NAIROBI Tel:020 535966 Fax:020 555738 Email: dir@kirdi.go.ke Location: Ndungu Road, Industrial area Nairobi	Assessment/analysis of: Water Effluent Soils	Physical Chemical Microbial	Technical Manager of Laboratories Quality Manager of Laboratories Deputy Technical Manager of Laboratories
Kenya Agricultural Research Institute National Agricultural Research Laboratories P.O Box 14733-00800,Nairobi Tel:020 4444144/4444251 Fax:020 4443926 Email: ed@iconnect.co.ke Location: Waiyaki Way Kabete, Nairobi	Assessment/analysis of: Irrigation water Soil	Physical Nutrients	Soil Chemist Analytical Chemist
KARI Analytical Chemistry Laboratory Embu P.O Box 27 Tel:068 31116 Fax:068 30343 Email:kariembu@sipha.co.ke/kariembu@yahoo.com Location: Embu,off Embu-Meru road	Assessment/analysis of: Water Soil	Physical Chemical	Director KARI Research Center Deputy Director Research Center Research officer Research Center Laboratory Technologist I Analytical Chemistry Laboratory
Kenya Plant Health Inspectorate Services (KEPHIS) P.O BOX 49592,Nairobi Tel:882933 Fax:882265 Email:director@kephis.org Location: Karen Ololua Ridge, Nairobi	Assessment/analysis of: Water Effluent Soils Animal tissue Plant tissue	Physical Chemical Microbial	Deputy Head Technical Manager
University of Nairobi Department of Food Science, Nutrition and Technology Food Technology and Nutrition Laboratories P.O Box 29053-00625 Tel:020 3592734/5 Fax: dftn@uonbi.ac.ke Location: Upper Kabete Campus	Assessment/analysis of: Raw and Fresh material;(foods) Water	Physical Chemical Microbial	Deputy Head Technical Manager
Water Resources Management Authority Central Water Testing Laboratories P.O Box 45250-00100, Nairobi Tel:020-2344159 Location: National Water Conservation & Corporation Premises Industrial Area, Nairobi	Assessment/analysis of: Water Effluent	Physical Chemical Microbial	Assistant Technical coordination Manager
Government Chemist Department	Assessment/analysis		Government Chemistry

<p>P.O Box 20753-00200,Nairobi Tel:020 2725873/4 Fax:020 2717567 Location:KNH,Nairobi</p>	<p>of: Water Effluent Soils Animal tissue Plant tissue</p>	<p>Physical Chemical Microbial toxicology</p>	<p>Head, Water and Environment Section Deputy Head, Water and Environment Section Senior Chemist</p>
<p>Government Chemist Department Kisumu Laboratory P.o Box 200640100 Tel:057 2021985 Fax:057 2021985 Location: Paul Mboya Street</p>	<p>Assessment/analysis of: Water Effluent Soil</p>	<p>Physical Chemical Pesticides</p>	<p>Senior Government Analyst</p>
<p>Ergerton University, Chemistry Department P.O Box 536 Njoro Tel:051 62481 Location: Njoro-Mau Narok Road</p>	<p>Assessment/analysis of: Water Effluent Water sediments Soil Plant material</p>	<p>Physical Chemical Pesticides</p>	<p>Head of Laboratory Deputy Head of Laboratory</p>
<p>Jomo Kenyatta University of Agriculture and Technology (JKUAT) Chemistry Laboratories P.O Box 62000-00200,Nairobi Tel:067 52223 Fax:067 52164 Email: users@jkuat.ac.ke Location: Nairobi-Thika Road, Juja</p>	<p>Assessment/analysis of: Water Effluent Soil</p>	<p>Physical Chemical</p>	<p>Chairman of Department Associate Professor Chemistry Laboratory Chief Technician</p>
<p>University of Nairobi Department of Public Health, Pharmacology and Toxicology Laboratories P.O Box 29053-00626,Nairobi Tel:020 3592734 Ext 29079 Fax:020 631325 Email:dept-publichealth@uonbi.ac.ke Location: Upper Kabete Campus</p>	<p>Assessment/analysis of ; Plant material Water</p>	<p>Microbiology</p>	<p>Chairman of Department Head of Section (Public Health) Head of Section (Pharmacology & Toxicology) Principal Technologists</p>

Gazette Notice No.

THE ENVIRONMENTAL MANAGEMENT AND COORDINATION ACT

(Act 8 of 1999)

IN EXERCISE of the powers conferred by Section 119 of the Environmental Management and Coordination Act 1999 the Director General is mandated to designate laboratories by Gazette Notice for analytical or reference purposes.

The Director General hereby designates the following as analytical laboratories for purposes of the Act.

Laboratory	Functions	Parameters	Authorized Signatory
Universal Corporation Limited P.O Box 1748-00902Kikuyu Tel: 066-031458/32305/31758 Fax: 066-31461 Email: ucl.co.ke Location: Kikuyu Town Opp. Past Post Office	Assessment/ Analysis of <ul style="list-style-type: none">• Water• Effluent	<ul style="list-style-type: none">• Physical• Chemical• microbiology	<ul style="list-style-type: none">• Quality Assurance Manager/ Pharmacist• Quality Control Manager
Polucon Services (Kenya) Ltd P. O Box 99344-80100Mombasa. Tel. 041-4470777/3/4, 2003672 Email: laboratory@polucon.com Location: Nyali Road off Links Road, Nyali Mombasa	Assessment/ Analysis of <ul style="list-style-type: none">• Water• Effluent• Noise• Air• Soil	<ul style="list-style-type: none">• Physical• Chemical• Microbiology	<ul style="list-style-type: none">• Managing Director• Laboratory Manager• Head of Environmental Department• Assistant Laboratory Manager
Directorate of Occupational Safety & Health Services(DOSHS) Ministry of Labour & Human Resource Development P.O Box 34120-00100, Nairobi Tel: 550825/9663 Email: doshdept@yahoo.com Location: Commercial Street/ Industrial Area Nairobi	Assessment/ Analysis of <ul style="list-style-type: none">• Noise	<ul style="list-style-type: none">• Noise level	<ul style="list-style-type: none">• Senior Medical Officer• Principal Safety & occupation Health Officer• Assistant Director• Laboratory Technologist

<p>Quality Assurance Systems Ltd P.O Box 56871-00200. Nairobi Tel.020-2049892/2024681 Fax: info@quas-limited.com Location: QAS plaza Mombasa Road, Nairobi.</p>	<p>Assessment/ Analysis of :</p> <ul style="list-style-type: none"> • Noise 	<ul style="list-style-type: none"> • Noise level 	<ul style="list-style-type: none"> • Managing Director • Quality Manager • Deputy Quality Manager • Head of laboratory
<p>Catholic Diocese of Nakuru Water Programme Laboratory P.O Box 938,Nakuru Tel. 051 2216264/5 Fax. 021-2214151 Location: Nakuru-Nairobi Highway, Nakuru.</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Control Supervisor • Laboratory Supervisor
<p>University of Nairobi Institute of Nuclear Science and Technology P.O Box 30197-0010, Nairobi Tel. 020-318262 Ext 28483 Fax. 020-245566 Email. inst@uonbi.ac.ke Location; Main Campus, Harry Thuku Road Nairobi.</p>	<p>Assessment/ Analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent • Soil • Air 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Director • Lecturer
<p>Crop Nutrition Laboratory Services Ltd P.O Box 66437-00800 Nairobi Tel. 020 2044735/3561192 Fax:020 2044735 Email: healthy-soils@cropnuts.com Location; Coopers Centre, Kaptagat Road, Off Kagemi Flyover, Waiyaki way, Loresho Nairobi.</p>	<p>Assessment/ Analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent • soil 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing director • Technical manager • Laboratory officer in charge • Quality Control Officer
<p>Nakuru Water and Sewerage Company Ltd Water Quality Testing Laboratory P.O Box16314-20100 Nakuru Tel. 051-2212269/214148 Fax:051-2213532 Email: nawassco@wanachi.com Location: Lake Nakuru National Park, Nakuru.</p>	<p>Assessment/ Analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent • Sludge 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Technical Manager • Laboratory Officer in charge • Quality Control Assurance

<p>Saosa Tea Factory Laboratory James Finlay (Kenya) Limited P.O Box 160-20200 Kericho Tel. 052-21403 Fax.051-21018 Email: ftsk@fnlay.co.ke Location: Finlay inlet road, Kericho.</p>	<p>Assessment/ Analysis of:</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • General Manager • Quality Systems Manager • Quality Controller
<p>Intertek Testing Services (EA) PTY Ltd P.O Box 611-80100 Mombasa Tel.041-2224645/2224693 Fax: 041-2228251/222862 Email: ops.cbemombasa@intertek.com Location: David Kayanda Road, Kizingo Mombasa.</p>	<p>Assessment/ Analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Manager • Laboratory Supervisor • Laboratory Technician
<p>Analabs Ltd P.O Box 162-00625 Nairobi Tel: 020-3517832 Fax: 020-4182855 Email: admin@analabs.co.ke Location: Coopers Centre, Kaptagat Road, Loresho Nairobi</p>	<p>Assessment/ Analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Aflatoxins. 	<ul style="list-style-type: none"> • Managing Director • Technician Manager & Head of Laboratories. • Technician Manager • Deputy Technician Manager
<p>Eldoret Water and Sanitation Company Ltd P.O Box 8418-30100 Eldoret Tel. 053-2063403/2061915 Fax: 053-2063556 Email: info@eldowas.org Location: Kambi Somali Road, Eldoret</p>	<p>Assessment/ Analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent • Sludge 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Quality Assurance Manager • Head of Technical Services
<p>Aquatech Industries Ltd P.O Box 18573-00500 Nairobi. Tel. 2729405/2719186 Fax: 2719186 Email: aquatech@aquatech-industries.com Location: Abcon House, Masaba Road. Nairobi</p>	<p>Assessment/ Analysis of;</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Technical Manager • Laboratory Manager • Analyst

<p>Ivory Consult Ltd P.O Box 76604-0508 Nairobi Tel. +254 (20) 550631, 550622, 0721763851, 0738550684 Fax: +254 (20)550930 Email: laboratory@ivoryconsult.com Location: PJ Place, Enterprise Road, Industrial Area, Nairobi</p>	<p>Assessment/ Analysis of; <ul style="list-style-type: none"> • Water • Effluent </p>	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Operating Director
<p>Ecoserv Consultants Laboratory P.O Box 1303-0100 Nairobi Tel. 0722882879, 0722781275 Email.projects@ecoservekenya.kenya Location: Blessed House, Thika Road, after Total Petrol Station, before Safari Park Hotel. Nairobi</p>	<p>Assessment/ analysis of ; <ul style="list-style-type: none"> • Air • Noise </p>	<ul style="list-style-type: none"> • Air quality • Noise levels 	<ul style="list-style-type: none"> • Managing Director • Director • Quality Control Manager
<p>GMP Services Ltd P.O Box 39769-00623 Nairobi. Tel. +254 2713078/2713152/2609030/3216848 Fax: +254 2713121 Email: info@gmpaccl.com Location: PGC Complex, Woodlands Road Off Lenana Road, Hurligham Nairobi.</p>	<p>Assessment/ Analysis of; <ul style="list-style-type: none"> • Water • Effluent </p>	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Technical Manager • Quality Assurance Manager • Laboratory Heads

Signed: **Prof. Geoffrey Wahungu**

Director General

Date:.....

THE ENVIRONMENTAL MANAGEMENT AND COORDINATION ACT (CAP 387)

IN EXERCISE of the powers conferred by section 119 of the Environmental Management and Coordination Act CAP 387 the Director General is mandated to designate laboratories by gazette notice for analytical or reference purpose.

The Director General hereby designates the following as analytical laboratories for purposes of the act.

Laboratory	Function	Parameter	Authorized Signatory
Bureau Veritas Laboratory P.O Box 41622-80100 Mombasa Tel:+254(41)314463/314022 Fax +254 (41)226015 Email: It.d.mombasa@bureauveritus.com Location: Moi Avenue, Mombasa	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Branch Manager, • Laboratory Manager • Laboratory Analyst.
Precision Experts Limited Laboratory P.O Box 42806 -80100 Mombasa Tel+254729170640 Email: info@precisionexpert.co.ke Location: Shimanzi Road, Mombasa	Assessment/ Analysis <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Manager • Laboratory Head
Lake Victoria South Water Service Board P.O Box 3325-40100 Kisumu Tel:+254(0)57-2025128,+254(0)716525251 +254(00202157233, Fax:+254(0)572025127 Email: info@lvswaterboard.go.ke Location: Lavictors House, Millimani, Kisumu	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head
Spectralab Analytical Services Ltd P.O Box 50208-00200 Nairobi Tel:020651177,0775602222 Mobile:0774088111 Email: info@Spectralab.Co.Ke Location: Abc Bank Building, Dar-es-Salam Road, Nairobi	Assessment/ Analysis <ul style="list-style-type: none"> • Water • Effluent • Sludge • Soil • Plant material • Food • petroleum 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Pesticides • Hydrocarbons 	<ul style="list-style-type: none"> • Laboratory head • Technical manager • Senior chemist

Laboratory	Function	Parameter	Authorized Signatory
Aqualytic Laboratories Ltd P.O Box 4600-056 Nairobi Tel:0722547344,020-5249675 Email: lab@aqualiticlabs.com Location: Ramco Court, Mombasa Road	Assessment/ Analysis of <ul style="list-style-type: none"> • Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Manager • Technical Manager • Senior Laboratory Technologist
Inorganic Laboratory Gas Measurement Section KEBS P.O Box 54974-00200 Nairobi Tel;254206005490,6005506 Mobile:0722202137/8,07346004171/2 Email: info@kebs.org Location: Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Air quality 	<ul style="list-style-type: none"> • Regional Manager • Head of Testing
Angie Aqua Solutions Ltd P.O Box 20999-00200 Nairobi Tel: 0700220727, 0796177342 Email:angieaquasolution@gmail.com Location: Fair Bank Arcade, Maimahiu Road	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory head • Laboratory analyst
Lab Works (Ea) Ltd P.O Box 47846-00100 Nairobi Tel: 0726209641,0202724481 Email: info@labworksea.com Longonot Road, Upper hill.	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Air • Soil • Noise 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Noise level 	<ul style="list-style-type: none"> • Laboratory Manager • Technical Manager • Senior Field Supervisor
CSI International Ltd P. O Box 47846-00100 Nairobi Tel:0705204610,0725692535 Email: info@csinternationalke.co.ke Quick Mall Langata, Nairobi	Assessment /analysis of <ul style="list-style-type: none"> • Water • Effluent • Air 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Head of laboratory • Laboratory manager • Quality assurance manager

Laboratory	Function	Parameter	Authorized Signatory
Masinde Muliro University of Science & Technology (MMUST) P.O Box 190-50100, Kakamega Tel:0718282462,0702597361 , 056-30871. FAX: 056-302153 Email: info@mmust.ac.ke Location: Kakamega	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head (Chairman of Department)
Aquatreat Solutions Ltd P.O Box 26559-00100 Nairobi Tel;+,0202317314/81 Mobile: 0724083450,0722202189 Email: info@aquatreat.co.ke Location: Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Drinking Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Manager • Analyst
EUROLAB Services Ltd P.O Box 5050-00200 Nairobi Tel: 0722241766, 0752435126 Email: info@eurolabLtd.com Location: Utawala, Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Air • Noise 	<ul style="list-style-type: none"> • Air Quality • Noise Level 	<ul style="list-style-type: none"> • Deputy Head/ Technical Manager • Inspector • Director
Associated Battery Manufactures Ltd. P.O Box 47846-00100 Nairobi Tel: 0722206887,0206531218-25 Email: batman@abm.co.ke Location: Athi River, Machakos.	Assessment/ Analysis of <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Ambient Air Analysis 	<ul style="list-style-type: none"> • Process Coordinator • Technical Signatory

Signed: **PROF. GEOFFREY WAHUNGU**

DIRECTOR GENERAL

Date:13th April 2018.....