

iPlan CONSULT (Intl) LTD.

'Snnovative Spatial Use - Rlanning for the Suture

P.O. Box 28634 - 00100 NAIROBI

ENVIRONMENTAL IMPACT ASSESSMENT STUDY REPORT FOR THE PROPOSED RESIDENTIAL APARTMENTS ON PLOT L.R. NO. 209/870/7 AND 209/870/8 (AMALGAMATED) ALONG CITY PARK DRIVE, OFF LIMURU ROAD IN CITY PARK NAIROBI CITY COUNTY.



This Environmental Impact Assessment (EIA) Project Report is submitted to Kenya National Environmental Management Authority (NEMA) in conformity with the requirements of the Environmental Management and Coordination Act, 1999 and the Environmental (Impact Assessment and Audit) Regulations, 2003

<u>PROPONENT</u> MUTHAIGA BREEZES LIMITED, P.O. BOX 43045, NAIROBI.

APRIL 2017

Spatial Planners, Environmental Experts, GIS Experts, Land Management Consultants & Project Managers

DOCUMENT AUTHENTICATION

This Environmental Impact Assessment project report has been prepared by **iPlan Consult (Intl) Limited** (registered and licensed EIA /EA lead Experts No. 7597) in accordance with the Environmental Management and Coordination Act (EMCA) 1999 and the Environmental (Impact Assessment) and Audit regulations 2003 which requires that every development project must have an EIA report prepared for submission to the National Environmental Management Authority (NEMA). We the undersigned, certify that the particulars in this report are correct and righteous to the best of our knowledge.

EIA/EA LEAD EXPERT:

iPlan Consult (Intl) LTD (NEMA REG NO: 7597) P.O BOX 28634-00100 NAIROBI TEL: 02022251702 / 0203546499 CELL: 0721891005 EMAIL: <u>sk.mbuta@gmail.com</u>

Signature......Date......Date...... SHADRACK K. MBUTA (EIA/ EA Expert Reg. No. 6315).

| PROPONENT: | |
|--------------------------|------|
| MUTHAIGA BREEZES LIMITED |), |
| P.O. BOX 43045, | |
| NAIROBI. | |
| Signature | Date |

EXECUTIVE SUMMARY

Kenya being a developing country is urbanizing very fast and hence experiencing the challenges of urbanization. Our client has identified an investment opportunity in City Park area along City Park Drive. They intend to develop a 10 storey residential apartments with all attendant facilities such as parking and enough security on plot L.R. No. **209/870/7 AND 209/870/8.** Currently, the plot is undeveloped and according to Nairobi City county maps it is an area zoned for residential use.

Currently the rates of urbanization and population growth worldwide are increasing fast and with it come the need for improvement in service provision especially in our urban areas. Kenya's rates of urbanization are escalating and being a developing country; most of its urban population is forced to live in slums. It's in line with this thus there's need for improved provision of housing services and especially low cost housing to cater for the low and middle income earners who can't afford to build their own houses. This is a goal that is to be achieved through deliberate policies and plans that are aimed at spurring economic growth and social development. With the ever increasing rates of urbanization and increasing population growth rates the housing sector in Kenya if not well addressed is bound to impact negatively on the environmental attributes of the project areas and its surroundings.

The Kenyan government has attempted to provide decent housing to its urban population through several strategies one of which is through the private sector. This is intended to stimulate economic and social development of the residents through the provision of social amenities and services that would make life both meaningful and honorable. This Environmental Impact Assessment examined the potential positive and negative impacts of the project on the immediate surroundings with due regard to all the phases from construction, occupation and decommissioning. It encompassed all aspects pertaining to the physical, ecological, socio-cultural, health and safety conditions at the site and its environs during and after construction.

Environment, Health and Safety (EHS) section addresses environmental, health and safety concerns during projects' cycle. The main objective of the EHS on the proposed project is to develop guidelines for protecting, managing and responding, processes, situations/conditions that might compromise health, safety and security of workers and ecological wellbeing. To avoid or reduce negative environmental impacts, mitigation measures were proposed and an environmental management plan (EMP) formulated. The proponent is also expected to observe recommendations in the Environmental Management Plan (EMP) and carry out annual environmental audits once the project is in operation.

2

Overview of the Project

The primary objective of the proposed project is to develop a one block, 10 storey residential apartments with four basement floors. The main design components of the project include, but not limited to the following

- **BASEMENT 1 AND 2** parking area with 122 parking spaces plus 16 residential units.
- **BASEMENT 3 AND 4** parking area with 144 parking spaces in each floor.
- **GROUND TO 2ND FLOOR:** comprise of typical floor plan with 15 units in each floor.
- **3RD TO 9TH FLOOR**: comprise of typical floor plan with 15 units in each floor.
- 10TH FLOOR (ROOFTOP) comprises of a gymnasium, swimming pool and a hall for the residents

The project anticipates the following environmental impacts and proposes mitigation measures during construction, operations and decommissioning;

| PotentialNegativeEnvironmentalImpacts | Mitigation Measures |
|--|---|
| | Harmonize building scale with existing development in neighbourhood. Harmonize detail, material and finishes for roofs and walls with existing development in the neighbourhood. |
| | Development restricted to follow zoning policy/approved density – building line, plot coverage and plot ratio. Careful layout and orientation of buildings to respect wind and sun direction. Adequate provision of green and open space planted with grass, shrub and tree cover. Minimum use of reflective building material and finishes for roof, wall and pavement. |
| 3. Pollution and health Hazards Dust and other construction waste Noise generation from construction activities. | Damping down of site e.g. sprinkling water to dusty areas on construction site. Containment of noisy operation, including locating noise operations away from sensitive neighbors. Construction work limited to day time only and take shortest time possible. |
| Increased loading on Infrastructure services Increased vehicular and/or pedestrian | Have paved local access road and walkway system Encourage rainwater harvesting Provision of increased water storage capacity |

| traffic -Increased demand on water, sanitation services etc. -Increase surface runoff | • Provide adequate storm water drainage system |
|--|---|
| 5. Worker accidents and health infection | Employ skilled and trained workers, provide protective clothing. Prepare clear work schedule and the organization plan. Have adequate worker insurance cover Enforce occupational health and safety standards. |
| 6. Increased social conflict | Increased Housing stock in the area and Kenya Increased economic activities –employment generation, income earnings and housing capital stock formation Encourage formation of community policing and formation of neighbourhood associations |

Conclusions and Recommendations

The EIA process started early in the pre-feasibility stage and environmental aspects were therefore considered during the project design stages the proposal to have adequate waste water treatment plan. This proactive approach resulted in many significant environmental impacts being avoided, as the project team was able to amend design in order to manage environmental impacts, rather than manage the environmental impacts of particular designs.

In conclusion, results from EIA study show that the proposed residential apartments project has significant impacts on the environment. Implementation of an Environmental Management Plan will assist in dealing with environmental issues during the project cycle. There are also guidelines for addressing environmental health and safety. This project is recommendable for approval by the National Environment Management Authority (NEMA) for issuance of an EIA license subject to annual environmental audits after operating for one year. This will be in compliance with the Environmental Management and Coordination Act of 1999 and the Environmental Impact Assessment and Audit regulations, 2003

TABLE OF CONTENTS

| EXECUTIVE SUMMARY | |
|--|--------|
| TABLE OF CONTENTS | 5 |
| 1.3 NATIONAL HOUSING POLICY AND HOUSING NEEDS IN KENYA | |
| 1. TO IDENTIFY ENVIRONMENTAL ECONOMIC, SOCIAL AND HEALTH IMPACTS, | |
| 2. TO SOLICIT VIEWS/OPINION OF THE PUBLIC AND NEIGHBOURS ON THE IMPA | |
| 3. DEVELOP AN ENVIRONMENTAL MANAGEMENT PLAN FOR THE PROJECT | |
| 1.6 TERMS OF REFERENCE | |
| 2.1 INTRODUCTION | |
| 2.6 LOCAL GOVERNMENT ACT CAP 265 | |
| 2.7 PUBLIC HEALTH ACT (REVISED 1986) | |
| 2.8 NATIONAL ENVIRONMENTAL LEGISLATIVE AND REGULATORY FRAME | WORK19 |
| 2.9 THE ENVIRONMENT (IMPACT ASSESSMENT AND AUDIT) REGULATIONS | , 2003 |
| 2.11 WASTE MANAGEMENT | |
| 2.11.1 Legal Notice No. 121: Section 4-6 | |
| 2.12 Other relevant Provisions | |
| 3.1 NATURE OF THE PROJECT | |
| 3.2 Location of project site | |
| 3.3 Existing developments and current land use. | |
| 3.4 Neighbourhood Characteristics | |
| 3.5 Proposed Development | |
| 3.6 INFRASTRUCTURE | |
| 3.6.1 ELECTRICAL SYSTEM | |
| 3.6.4 SOLID WASTE | |
| 3.6.6 FIRE SAFETY | |
| 3.6.7 PARKING AREA | |
| 3.6.8 PERIMETER FENCE | |
| 3.6.9 LANDSCAPING | |
| 3.7 BUILDINGS CONSTRUCTION | |
| 3.8.1 Pre-construction Investigations | |
| 3.8.2 Sourcing and Transportation of Building Materials | |
| 3.8.3 Clearance of Vegetation. | |
| 3.8.4 Storage of Materials | |
| 3.8.5 Excavation and Foundation Works | |
| 3.8.6 Masonry, Concrete Work and Related Activities | |
| 4.1 LOCATION | |
| 4.1.1 Proposed Site and Zone Character | |
| 4.2 PHYSICAL ENVIRONMENT | |
| 4.2.1 Climate | |
| 4.2.2 Soils | |
| 4.3 BIOLOGICAL ENVIRONMENT | |
| 4.3.1 FLORA | |
| 4.3.2 Fauna | |
| 4.4 SOCIO-ECONOMIC ENVIRONMENT | |

| 4.4.1 LAND use: | 37 |
|---|----|
| 4.4.2 Economic Activity: | 37 |
| 4.4.3 Population | 37 |
| 4.4.4 Employment Trend | |
| 4.5 SOCIO-ECONOMIC IMPORTANCE OF THE PROPOSED PROJECT | 38 |
| CHAPTER FIVE: IMPACT ASSESSMENT METHODOLOGY AND ANALYSIS OF ALTERNATIVES | 40 |
| 5.1 INTRODUCTION | 40 |
| 5.2 METHODOLOGY | 40 |
| 5.3 ANALYSIS OF ALTERNATIVES | 40 |
| CHAPTER SIX: ANTICIPATED IMPACTS AND MITIGATION MEASURES | 43 |
| 6.1 NEGATIVES FACTORS | 43 |
| 6.1.1 Solid waste | 43 |
| 6.1.2 Liquid AND human waste | 43 |
| 6.1.3 Biodiversity | |
| 6.1.4 Increased water demand | |
| 6.1.5 Air pollution | |
| 6.1.6 Noise pollution | |
| 6.1.7 Traffic hazard | |
| 6.1.8 Health and safety of workers, students and neighbours | |
| 6.2 POSITIVE IMPACTS | |
| 6.2.1 Employment during Construction AND Operation | |
| 6.2.3 Increased housing facilities. | |
| 6.2.4 Land Use Intensification | |
| | |
| CHAPTER SEVEN: ENVIRONMENTAL MANAGEMENT PLAN (EMP) GUIDELINES | |
| 7.1 INTRODUCTION | |
| 7.2 Environmental Monitoring and Evaluation | 49 |
| CHAPTER EIGHT: ENVIRONMENTAL HEALTH AND SAFETY (EHS) | 60 |
| 8.1 EHS MANAGEMENT AND ADMINISTRATION | |
| 8.2 POLICY, ADMINISTRATIVE AND LEGISLATIVE FRAMEWORK | |
| 8.3 ORGANIZATION AND IMPLEMENTATION OF THE EHS MANAGEMENT PLAN | |
| 8.4 THE GUIDING PRINCIPLES TO BE ADOPTED BY THE CONTRACTOR | |
| 8.5 EHS MANAGEMENT STRATEGY TO BE ADOPTED BY THE CONTRACTOR | |
| 8.6 SAFETY AGENDA FOR BOTH THE PROPONENT AND CONTRACTOR | |
| 8.7 SAFETY REQUIREMENT AT THE PROJECT SITE DURING CONSTRUCTION AND OPERATION PERIOD | |
| 8.8 WELDING AT THE CONSTRUCTION SITE | |
| EMERGENCY PROCEDURE DURING CONSTRUCTION AND OPERATION | 63 |
| CHAPTER NINE: DECOMMISSIONING | |
| 9.1 Introduction | |
| CHAPTER TEN: CONCLUSION AND RECOMMENDATIONS | |
| 10.1 Overview | 67 |

| 10.2 CONCLUSION | |
|-----------------|--|
| REFERENCES | |

ABBREVIATIONS

| EIA | - | Environmental Impact Assessment |
|-------|---|---|
| NEMA | - | - National Environment Management Authority |
| EMCA | - | - Environmental Management and Coordination Act |
| NBSAP | - | National Bio-diversity Strategy and Action Plan |
| CBD | - | Convention on Biological Diversity |
| NEAP | - | National Environmental Action Plan |
| EMP | - | Environmental Management Plan |
| EHS | - | Environmental Health and Safety |
| KPLC | - | Kenya Power and Lighting Company |
| OHS | - | Occupational Health and Safety |
| TOR | - | Terms of Reference |
| EHS | - | Environmental Health and Safety |

CHAPTER ONE: INTRODUCTION

1.1 Background and rationale of the project

The proponent has identified an investment opportunity in City Park area. They intend to develop a Residential Apartment with parking spaces, apartment units, Residents lawn and party area, squash courts, games room and an infinity heated swimming pool. The project is located on plots **L.R. No. 209/870/7 AND 209/870/8** along Muthaiga breeze, off Limuru road in City Park, Nairobi City County.

The principle measure of sustainable development is that all activities which are carried out to achieve development must take into account the needs of environmental conservation. The sustainability of the ecosystem requires the balance between human settlement development and the natural ecosystem, which is a symbiotic relationship. This can be achieved through careful planning and the establishment of appropriate management systems. In modern times, the need to plan activities has become an essential component of the development process. Consequently a number of planning mechanisms have been put in place to ensure that minimum damage is caused to the environment. Environmental planning is also integrated with other planning processes such as physical planning, economic planning, and development planning. Environmental Impact Assessment (E.I.A) is considered part of environmental planning. EIAs are undertaken for proposed activities that are likely to have a significant adverse impact on the environment and are subject to a decision of a competent national authority. In Kenya, the competent authority is the National Environment Management Authority (NEMA).

The proponent has proposed to put up:

A one block, 10 storey residential apartments with four basement floors comprised of:

- **BASEMENT 1 AND 2** parking area with 61 parking spaces each plus 16 residential units.
- **BASEMENT 3 AND 4** parking space with 144 parking spaces each.
- **GROUND TO 2ND FLOOR:** comprise of typical floor plan with 15 units in each floor.
- **3RD TO 9TH FLOOR**: comprise of typical floor plan with 15 units in each floor.
- 10TH FLOOR (ROOFTOP) comprises of a gymnasium, swimming pool and a hall for the residents

As part of the EIA process, it is necessary to devise alternatives to avoid undesirable impacts. Besides the alternative, identification of impacts may also lead to the development of mitigation measures i.e. means of reducing the impacts. As a tool of environmental planning, E.I.A is therefore precautionary in nature. E.I.A is neither antidevelopment nor does it stop actions which impact the environment. It only requires that those impacts be considered. Most development activities impact the environment hence a "no impact" interpretation of environmental impact assessment could lead to no development. But a "considerable impact" interpretation of E.I.A will lead to better development. If environmental impacts are ignored, the project may not be sustainable in the long-run, in which case the money invested in it will have been wasted. In this development proposal, the proponent intends to construct Residential Apartments on Plots **L.R. NO. 209/870/7 AND 209/870/8**. It has been established that such projects have a potential of causing significant impacts on the environmental Impact Assessment (E.I.A) for the proposed project. Environmental Impact Assessment studies were carried out as per the provisions of the Environmental (Impact Assessment and Audit) Regulations, 2003 .This report is a product of the entire study and will be used in various decision making platforms including consideration for issuance of an EIA license by the National Environment Management Authority (NEMA)

1.2 Need for the Project

Rapid urbanization is a trend seen across the developing world, with the fastest rates of growth seen in Sub-Saharan Africa. Much of this is due to rural urban migration of people in search of jobs and or higher education or higher standards of living. Urbanization rates in Kenya have mirrored those seen in other Africa countries and just like in other areas, the housing sector is not growing in tandem with the rates of urbanization.

It must be appreciated that there is scarcity of residential premises in our urban areas. This has seen more and more residential buildings coming up to cater for the increased demand. The result of this has seen more and more agricultural land being converted to residential use and most urban areas set aside/ low rise residential developments convert to high raise Multi-family dwelling developments.

There is a glaring gap between the demand and availability of affordable residential facilities in various sections of Nairobi and the large metro region. This has been largely so because most of the more recent large scale developments in areas near the major towns have tended to focus more on commercial and office use developments.

The conceived project is designed to be within character of the current housing trend for parklands area in particular, where this survey revealed that apartments are allowed and are guaranteed of attracting the desired clientele. A survey sponsored by the proponent has established that demand exists for such development and that the target clientele would cherish an environment that meets the following criterion:

- A residence within reasonable distances to Nairobi CBD
- An environment that will allow occupants to interact but with strict rules regarding
 - Individual Privacy
 - Security of residents

The need therefore exists for providing flexible, modern and cost effective Housing establishments.

1.3 National Housing Policy and Housing Needs in Kenya

In August 2003, the government of Kenya through a Sessional Paper spelt out a Housing Policy whose overall goal was to facilitate the provision of adequate shelter and healthy living environment at an affordable cost to all socio-economic groups in Kenya in order to foster sustainable human settlements. The aim is to minimize the number of citizens living in shelters that are below the habitable living conditions.

Among other things, the policy aims at facilitating increased investment by the formal and informal private sector, in the provision of housing units for low and middle-income dwellers. The estimated current urban needs are 150,000 units per year, which can be achieved if the existing resources are fully utilized by the private sector with the enabling hand of the government. It is estimated that the current production of new housing in urban areas is only 20,000-30,000 units annually, giving a short fall of over 120,000 units per annum. The shortfall in housing has been met through the proliferation of squatter and informal settlements and overcrowding.

To alleviate the huge shortfall of urban housing mentioned above and to curb the mushrooming of informal settlements/slums, various interventions and strategies have to be adopted. In the Policy Paper, the government correctly accepts the fact that it cannot meet the housing shortfall on its own and that the best policy is to encourage the private sector (like the proponent) to chip in while the

government provides an enabling environment for development. The government will provide an enabling environment by doing the following:

- Facilitating the supply of serviced land at affordable prices in suitable locations
- Expanding and improving infrastructure facilities and services e.g. the current construction of the Southern by-pass and expansion of Mombasa road
- Using research findings as well as innovative but cheap conventional building materials and technologies to improve production of housing units.
- Harmonizing the Banking Act, the Building Society Act, the Insurance Act and the various Acts that have so far proved to be a hindrance to the sourcing of housing finance.
- Generally easing the path of funds from the private investor/government to the development project.
- Issuing workable guidelines on Estate Management and maintenance.

The promotion of this development is therefore well within the government current and long term policies of ensuring housing for all by 2030 (Vision 2030). The housing policy does not address the demand for affordable residential houses, which are addressed by this report.

1.4 Scope of the Project

The scope of the study includes carrying out of environmental investigations in line with current provisions on environmental legislations. This has been done in line with the requirements of Environmental Management and Coordination Act (EMCA) 1999 and Environmental (Impact Assessment) and Audit regulations 2003. The report is aimed at analyzing the physical extent of the project site and its immediate environs, implementation works of the proposed development (ground preparations, foundation, walling, roofing, fixtures and fitting among other activities) and installation of key utilities and other facilities required for the project to function optimally.

1.5 Overall Objective of the Project

The primary objective of the proposed project is to develop a Residential Apartment block with parking spaces, apartment units, Residents lawn and party area, squash courts, games room and an infinity heated swimming pool. This is meant to tap the readily available market in the project site area where such facilities are on demand. On the other hand, the EIA study objectives for the proposed project were:

- 1. To identify environmental economic, social and health impacts,
- 2. To solicit views/opinion of the public and neighbours on the impacts of the project, and
- 3. Develop an Environmental Management Plan for the project.

1.6 Terms of Reference

The TORs for this Project Report is the production of an EIA report to address the effects and impacts (Positive and Negative) of the proposed construction of residential apartments homes. The EIA firm of experts is under instructions from the project proponents to do a thorough environmental assessment with the aim getting approval from the National Environment Management Authority before commencement of the project. This report addresses the following key specific objectives:

- To review existing legal and institutional framework related to the proposed apartments complex project development.
- To collect and collate baseline information relevant to the proposed housing development
- To collect primary data through the community participatory process.
- To identify and assess positive and negative impacts of the proposed project
- To identify and analyze alternative options for the proposed project
- To develop mitigation measures and cost estimates for the negative impacts of project.
- To design an Environmental Management Plan (including cost estimates) and a monitoring framework for the environmental impact of the project.

1.7 Content of Project

The project assessment investigates and analyses the anticipated environmental impacts of the proposed development in line with the Environmental Impact Assessment and Audit regulations 2003 and in particular part II S 7[1] a-k. Consequently, the report will provide the following

- 1. Nature of project
- 2. The location of the project including the physical area that may be affected by the project"s activities.

- The activities that shall be undertaken during the project construction operation and design of the project
- 4. The materials to be used,
- Products and by-product including waste to be generated by the project and the methods of disposal.
- 6. The potential environmental impacts of the project and mitigation measures to be taken during and after the implementation of the project.
- 7. An action plan for prevention and management of possible accidents during the project cycle
- 8. A plan to ensure the health and safety of the workers and the neighbouring communities
- 9. The economic and social cultural impacts to local community and the nation in general
- 10. The project budget

11. Any other information that the proponent may be requested to provide by NEMA All these aspects will be considered accordingly. This report also seeks to ensure that all the potential environmental impacts are identified and that workable mitigation measures are adopted. The report also seeks to ensure compliance with the provision of the EMCA 1999, and Environmental (Impact Assessment and Audit) Regulations 2003 as well as other regulations. The report emphasizes the duties of the proponent and contractor during the construction phase as well as the operation phase of this project.

1.8 Methodology

1.8.1 Environmental Screening

Environmental screening was carried out to determine whether an EIA study is necessary for this project and at what level of evaluation. This took into consideration the requirements of the Environmental Management and Coordination Act (EMCA), 1999, and specifically the second 16 schedule of the same act. From the screening process, it was understood that this project will cause significant impacts on the environment.

1.8.2 Environmental Scoping

In scoping, focus was on environmental impacts of great concern. Environmental issues were categorized into physical, natural/ecological and social, economic and cultural aspects. Impacts were

14

also classified as immediate and long-term impacts. This will include assessment of the proposed project in respect of but not limited to:

- 1. Project Background: this will give the brief history of the proposed project site, the parties involved and justification of the project in terms of demand or lack of the same, the project area, relevant policy and legislation, identification of any associated project, or any planned projects including products within the region which may compete for the same resources; the project including products, by-products, processes both at implementation and operational level, resources required for successful implementation and operation of the project and the different options considered.
- 2. The proposed project objectives; both in the short and long run; and how they are linked to the overall objectives.
- 3. Present environmental conditions; description of the project site, ecological zoning as well as the state of the environment and its surroundings. Attempts will state if it is already suffering from degradation, causes of the original degradation if any established.
- Identification of Environmental Impacts; the report will distinguish between significant positive and negative impacts, direct and indirect impacts and immediate and long term impacts which are unavoidable and / or irreversible,
- 5. Analysis of the alternatives to the proposed project; this will involve description of alternatives and identifying alternatives that would achieve the same objectives. Alternatives will be compared in terms of potential environmental impacts; capital and operating costs; suitability under local conditions; and institutional training and monitoring requirements.
- 6. Community/ Stakeholder Consultations: these will be undertaken to determine how the project will affect the local people / various stakeholders.
- Cost- Benefit Analysis; to evaluate the economics of the project and establish its viability in terms of the expected environmental concerns and measures.
- 8. Evaluation; an indication of how the information gathered will be evaluated to give optimum results;
- Development of an Environmental Management Plan (EMP); to mitigate negative impacts, recommending feasible and cost effective measures to prevent or reduce significant negative impacts to acceptable levels,
- 10. Development of a Monitoring Plan; this will be used in monitoring the implementation of the mitigation measures and the impacts of the project during construction and operational phases,

including an estimate of capital and operational costs, and Make necessary recommendations pertaining to the proposed development.

1.8.3 Desktop Study

This involved review of project documents, architectural drawings, past EIA, relevant policy, legal and institutional frameworks. Documents containing climatic, demographic and hydrological data for Nairobi City were also relied upon.

1.8.4 Site Visits and Public Participation.

Field visits were meant for physical inspections of the project site in order to gather information on the state of environment. Several photos of the project site were taken for inclusion in this report. The study also sought public opinion/views through Consultation and Public Participation (CPP) exercise. Questionnaires were administered to the public and interviews held with neighbours.

1.8.5 Reporting

In the entire exercise, the proponent and EIA experts contacted each other on the progress of the study and signing of various documents. The proponent will have to submit six copies of this report alongside a CD to the National Environment Management Authority for review and issuance of an EIA license. All the materials and workmanship used in the execution of the work shall be of the best quality and description. Any material condemned by the architect shall be removed from the site at the contractors cost. Environmental concerns need to be part of the planning and development process and not an afterthought. It is therefore advisable to avoid land use conflicts with the surrounding area through the implementation of the Environmental Management Plan (EMP).

CHAPTER TWO: POLICY, LEGAL AND ADMINISTRATIVE FRAMEWORK

2.1 Introduction

The law has made provisions for the establishment of NEMA, which has the statutory mandate to supervise and co-ordinate all environmental activities in the country. The Environmental Management and Co-ordination Act, 1999, and the Environmental (Impact Assessment and Audit) Regulations, 2003, are the legislations that govern Environmental Impact Assessment (E.I.A) studies.

NEMA is the organ that has been established to exercise general supervision and coordination over all matters relating to the environment in Kenya. Furthermore, NEMA is the Government's principal instrument in the implementation of all polices relating to the environment. Policies and legislation highlighting the legal and administrative requirements pertinent to this project are presented below:-

2.2 The Water Act, 2002

Part II, section 18, of the Water Act, 2002 provides for national monitoring and information systems on water resources. Following this, sub-section 3 allows the Water Resources Management Authority to demand from any person or institution, specified information, documents, samples or materials on water resources. Under these rules, specific records may require to be kept by a facility operator and the information thereof furnished to WRMA.

Section 73 of the Act allows a person with license (licensee) to supply water to make regulations

for purposes of protecting against degradation of water sources. Section 75 and sub-section 1 allows the licensee to construct and maintain drains, sewers and other works for intercepting, treating or disposing of any foul water arising or flowing upon land for preventing pollution of water sources within his/her jurisdiction.

The waste water regulation, 2006 states that; No person shall:-

a) Discharge any effluent from sewerage treatment works, industry or other point sources into the aquatic environment without a valid effluent discharge license issued in accordance with the provisions of the Act. The proponent will not discharge any effluent into the environment as they plan to recycle the waste within the project.

b) Abstract ground water or carry out any activity near any lakes, rivers, streams, springs and wells that are likely to have any adverse impact on the quality or quantity of the water without an E.I.A license issued. The proponent proposes to apply for water connection from Nairobi Water Company hence there will be neither underground nor surface water abstraction.

2.3 Building code 2000

Section 194 requires that where sewer exists, the occupants of the nearby premises shall apply to the local Authority for a permit to connect to the sewer line and all the wastewater should be discharged into sewers. The code also prohibits construction of structures or buildings on sewer lines. The above site is in an area that has sewer and connection will be done to the same

2.4 The Occupational, Health and Safety Act, 2007

The Act applies to All Workplaces where any person is at work, whether temporarily or permanently. The purpose of this Act is to: Secure the safety, health and welfare of persons at work; and Protect persons other than persons at work against risks to safety and health arising out of, or in connection with, the activities of persons at work.

2.5 The Physical Planning Act CAP 286

The physical Planning Act has provisions to control development and use of land in particular areas, especially where a project may involve subdivisions or amalgamation of land parcels, or located in an area otherwise reserved for other uses. The proponent has already applied for a change of user from residential to offices and the same has been granted on the plot.

Sec. 36 states that a local authority may, if deemed necessary require a submission of E.I.A report together with development application if they feel the project has some injurious effects on the environment. The proponent will undertake an E.I.A report on the proposed project and has contracted qualified Experts to undertake the report.

2.6 Local Government Act CAP 265

The sections of the Local Government Act that are relevant to this project include making by-laws in respect of suppression of nuisances, imposing fees for any license or permit issued in respect of trade or charges for any services. Local authorities are given power to control or prohibit all developments which, by reason of smoke, fumes, chemicals, gases, dust, smell, noise, vibration or other cause, may be or become a source of danger, discomfort or annoyance to the neighbourhoods, and to prescribe the conditions subject to which such developments shall be carried on.

2.7 Public Health Act (Revised 1986)

Under this Act, every local authority or health authority is mandated to take all lawful, necessary and reasonable practicable measures to prevent all injurious conditions in premises, construction condition

or manner of use of any trade premises. Nuisances under this Act include any noxious matter or waste water, flowing or discharged from any premises wherever situated, into any public street, or into the gutter or side channel of any street or watercourse, or any accumulation or deposit of refuse or other offensive matter. Every municipal council and every urban area council may make by-laws as to buildings and sanitation.

2.8 National Environmental Legislative and Regulatory Framework

This project report has been undertaken in accordance with the Environment (Impact Assessment and Audit) Regulations, 2003, which operationalizes the Environmental Management and Coordination Act, 1999. The report is prepared in conformity with the requirements stipulated in the Environmental Management and Coordination Act No. 8 of 1999 (EMCA) and the Environmental Impact Assessment and audit Regulations 2003, Regulation 7 (1) and the Second Schedule.

Part II of the said act states that every person is entitled to a clean and healthy environment and has the duty to safeguard the same. In order to achieve the goal of a clean environment for all, new projects listed under the second schedule of Section 58 of EMCA No. 8 of 1999 shall undergo an Environmental Impact Assessment. This includes development activities such as this housing development. In addition to the legal compliance above, the following legal aspects have also been taken into consideration or will be taken into consideration before commencement of construction:

The Environment Management and Coordination Act (EMCA), 1999 provides for the establishment of an umbrella legal and institutional framework under which the environment in general is to be managed. EMCA is implemented by the guiding principle that every person has a right to a clean and healthy environment and can seek redress through the High court if this right has been, is likely to be or is being contravened.

Pursuant to section 25 (4) of EMCA, National Environmental Management Authority (NEMA) is required to restore degraded environmental sites using the National Environmental Restoration Fund. Currently, the restoration fund consists of 0.1 % levied from industries and other project proponents through the EIA process. Section 58 of the Act makes it mandatory for an Environmental Impact Assessment study to be carried out by proponents intending to implement projects specified in the second schedule of the Act which are likely to have a significant impact on the environment. Similarly, section 68 of the same Act requires operators of existing projects or undertakings to carry out environmental audits in order to determine the level of conformance with statements made during

the EIA study. The proponent is required to submit the EIA and environmental audit reports to NEMA for review and necessary action.

Section 72 of the Act prohibits discharging or applying poisonous, toxic, noxious or obstructing matter, radioactive or any other pollutants into aquatic environment. According to section 73 of the act, operators of projects which discharge effluent or other pollutants into the aquatic environment are required to submit to NEMA accurate information on the quantity and quality of the effluent. Section 76 provides that all effluent generated from point sources are to be discharged only into the existing sewerage system upon issuance of prescribed permit from the local authorities.

Section 87 (1) makes it an offence for any person to discharge or dispose of any wastes, whether generated within or outside Kenya, in such a manner as to cause pollution to the environment or ill health to any person.

The proponent will have to ensure that environmental protection facilities or measures to prevent pollution and ecological deterioration such as sewerage connections, solid waste management plans, and landscaping and aesthetic improvement programme are implemented and maintained throughout the project cycle. As well the proponent will have to ensure that appropriate measures to prevent pollution of underground and surface water are implemented throughout the project cycle.

2.9 The Environment (Impact Assessment and Audit) Regulations, 2003

On June 13, the 2003, the Minister of Environment, Natural Resources and Wildlife promulgated the Environment (Impact Assessment and Audit) regulations 2003 (E.I.A/EA Regulations) under section 147 of the EMCA. These regulations provide the framework for carrying out E.I.As and E.As in Kenya.

2.10 The Way Leave Act

The areas zoned for communication lines, sewer lines, power lines, water pipes e.t.c are known as way leaves. The way leave Act prohibits development of any kind in these designated areas. Thus, any developer is bound by this Act to see to it that no development takes place in these areas. The proposed project will not encroach on any way leave and will leave the required space for such services.

20

2.11 Waste Management

2.11.1 Legal Notice No. 121: Section 4-6

Part II of the Environmental Management and Co-ordination (Waste Management) Regulations, 2006 states that:-

4. (1) no person shall dispose of any waste on a public highway, street, road, recreational area or in any public place except in a designated waste receptacle.

(2) Any person whose activities generate waste shall collect, segregate and dispose or cause to be disposed off such waste in the manner provided for under these Regulations.

(3) Without prejudice to the foregoing, any person whose activities generates waste has an obligation to ensure that such waste is transferred to a person who is licensed to transport and dispose of such waste in a designated waste disposal facility. In addition, the Regulations state that: 5. (1) a waste generator shall minimize the waste generated by adopting the following cleaner production methods a). Improvement of production process through: -

- i. Conserving raw materials and energy;
- ii. Eliminating the use of toxic raw materials; and
- iii. Reducing toxic emissions and wastes

b). Monitoring the production cycle from beginning to end by: -

- i. Identifying and eliminating potential negative impacts of the product;
- ii. Enabling the recovery and re-use of the product where possible;
- iii. Reclamation and recycling

c). Incorporating environmental concerns in the design and disposal of a product.

6. A waste generator shall segregate waste by separating hazardous wastes from non-hazardous waste and shall dispose of such wastes in such facility as shall be provided by the relevant local authority. No person shall engage in any activity likely to generate any hazardous waste without a valid Environmental Impact Assessment license issued by Authority under the provisions of the Act.

2.12 Other relevant Provisions

The following are the relevant environmental treaties to which Kenya is signatory in order of ratification:

• Montreal Protocol on Substances that Deplete the Ozone Layer (1987) ratified 9 November 1988

International treaty designed to protect the ozone layer by phasing out the production of a number of substances believed to be responsible for ozone depletion.

• United Nations Convention to Combat Desertification (1994), ratified 12 June 1994

An agreement to combat desertification and mitigate the effects of drought through national action programs that incorporate long-term strategies supported by international cooperation and partnership arrangements.

• United Nations Framework Convention on Climate Change (1992), ratified 30 August 1994

International environmental treaty produced at the United Nations Conference on Environment and Development (UNCED), informally known as the Earth Summit, held in Rio de Janeiro in 1992. The treaty is aimed at reducing emissions of greenhouse gas in order to combat global warming.

• Convention on Biological Diversity (1992), ratified 11 September 1994

The International treaty was adopted at the Earth Summit in Rio de Janeiro in 1992. Its objective is to develop national strategies for the conservation and sustainable use of biological diversity. It is often seen as the key document regarding sustainable development.

• Kyoto Protocol (2004), ratified 25 February 2005

An amendment to the international treaty on climate change, assigning mandatory emission limitations for the reduction of greenhouse gas emissions to the signatory nations.

CHAPTER THREE: PROJECT DESCRIPTION

3.1 nature of the project

This E.I.A project report is based on information and consultations with the project proponent, the Architects, Quantity Surveyors, Engineers, Valuers and financial Analysists and details contained in the Drawings of the proposed project (attached at the Annex). The project highlights include: -

- **BASEMENT 1 AND 2** -floors of parking with residential units.
- **BASEMENT 3 AND 4** Adequate parking space with 122 parking bays
- **GROUND TO 1ST FLOOR:** typical floors of 15 units each.
- 5TH TO 9TH FLOOR: typical floors of 15 units each
- **10TH FLOOR (ROOFTOP)** Residents lawn and party area, squash courts, games room, infinity heated swimming pool.

3.2 Location of project site

The proposed construction site is located along City Park Drive off Limuru road. It lies on Plot L.r. no. 209/870/7 AND 209/870/8 in City Park area – Nairobi City County.


3.3 Existing developments and current land use.

The proposed project site is Undeveloped with grass and seasonal weeds as the vegetation cover. The site falls within a residential area with several town houses, flats, apartments and associated developments including a road network, electricity supply and other infrastructure. It is accessed through a well tarmacked road. The current land use of the plot is residential use.

Plate 1; Existing situation on the site







SOURCE; NAIROBI CADASTRAL

3.4 Neighbourhood Characteristics

The plot is located in an area that is compatible with other neighbouring land uses e.g. residential (view park apartments, city park apartments, west park guest house), commercial use (valley view offices park) other institutions include the Gertrude's children's hospital among others.



Figure 2; emerging and adjacent developments on site

The strategic location of this plot has however changed with the increasing demand for housing forcing the proponent to construct more accommodation facilities for the growing population.

Figure 2: An aerial view of the neighbourhood



Source; Google earth image

3.5 Proposed Development

The motivation for establishment of the project is the existing high demand for affordable houses in City Park area. The conceived project is designed to be within character of the current housing trend of the project area, where a survey revealed that Maisonettes/Town Houses/flats AND apartments are common. Thus, such developments are guaranteed of attracting the desired clientele. The proponent intends to establish a one block 10 storey residential developments (apartments). The main design components of the project include, but not limited to the following

- BASEMENT 1 AND 2 parking area with 122 parking spaces plus 16 residential units.
- **BASEMENT 3 AND 4** parking area with 144 parking spaces in each floor.
- **GROUND TO 2ND FLOOR:** comprise of typical floor plan with 15 units in each floor.
- **3RD TO 9TH FLOOR**: comprise of typical floor plan with 15 units in each floor.
- **10TH FLOOR (ROOFTOP)** comprises of a gymnasium, swimming pool and a hall for the residents

See the annexed architectural and engineering drawings of the proposed development.

3.6 Infrastructure

The development will have a comprehensive and robust infrastructure including access roads, parking areas, water storage, electricity distribution and waste disposal mechanism.

3.6.1 Electrical system

There will be connection to the existing electricity main line of the Kenya Power Company, which will be used in all phases of the project. The necessary guidelines and precautionary measures relating to the use of electricity shall be adhered to.

3.6.2 Water Reticulation system

Water from NCCWSC line will be used during construction and operation phases. More over there will be water storage tanks to increase water supply to various components of the houses.

3.6.3 Sewerage

The area has a sewer line thus all wastewater will be channeled to the main sewer after connection.

3.6.4 Solid Waste

Solid waste management will consist of dustbins stored in cubicles protected from rain and animals. The waste will then be collected by a NEMA licensed private waste management company and be composited, palletized or re-cycled depending on the waste management strategy to be adopted in line with the Environmental Management and Co-ordination (Waste Management) Regulations, 2006.

3.6.5 Security

There will be the main entrance for easy security operations around the compound a boundary wall connected with security alarms, entry control, and quick response systems will be used within the project area.

3.6.6 Fire safety

The development will provide firefighting facilities such as fire extinguishers in the form of hydrants and carbon dioxide gas extinguishers. Fire breaks have also been provided for.

3.6.7 Parking area

The drive way and parking area, which will be paved, will be spacious and provided with facilities such as drainage.

3.6.8 Perimeter Fence

A concrete boundary wall will be erected around the project site.

3.6.9 Landscaping

The site will be landscaped after construction, using plant species available locally. This will include establishment of flower gardens and lush grass lawns to improve the visual quality of the site where pavements will not have taken space.

3.7 Buildings Construction

The technology used in the design and construction of the apartments will be based on international standards, which have been customized by various housing units in Kenya.

The project will consist of residential apartments complete with associated facilities, parking's and infrastructure as presented in the architectural drawings in the appendix.

The buildings will be constructed as per the respective structural engineer's detail as provided for in the drawings presented in the Appendix. Basically, the building structures will consist of concrete appropriately reinforced with metal (steel and iron). The roof will consist of structural timber and steel members and roofing tiles. The buildings will be provided with a well-designed concrete staircase for every house.

The buildings will be provided with facilities for drainage of storm water from the roof through peripheral drainage systems into the drainage channels provided and out into the natural drainage channel/system. Drainage pipes will be of the PVC type and will be laid under the buildings and the driveway encased in concrete. This is a sparsely build area and such no need for public drainage channel. The buildings will have adequate natural ventilation through provision of permanent vents in all habitable rooms, adequate natural and artificial light, piped water stored in above ground water tanks and firefighting facilities.

3.8 Description of the Project's Construction Activities

3.8.1 Pre-construction Investigations

The implementation of the project's design and construction phase will start with thorough investigation of the site's biological and physical resources in order to minimize any unforeseen adverse impacts during the project cycle.

3.8.2 Sourcing and Transportation of Building Materials

Building materials will be transported to the project site from their extraction, manufacture, or storage sites using transport trucks. The building materials to be used in construction of the project will be sourced from Nairobi and neighbouring areas such as Athi River and Juja. Greater emphasis will be laid on procurement of building materials from within the local area, which will make both economic and environmental sense as it will reduce negative impacts of transportation of the materials to the project site through reduced distance of travel by the materials transport vehicles.

3.8.3 Clearance of Vegetation.

The site has vegetation such as grass and mature trees growing in it and other scanty shrubs. The proponent shall ensure as many indigenous trees as possible are used for revegetation.

3.8.4 Storage of Materials

Building materials will be stored on site. Bulky materials such as rough stones, ballast, sand and steel will be carefully piled on site. To avoid piling large quantities of materials on site, the proponent will order bulky materials such as sand gravel and stones in bits. Materials such as cement, paints and glasses among others will be stored in temporary storage structures, which will be constructed within the project site for this purpose.

3.8.5 Excavation and Foundation Works

The soil cover in the proposed area is thin and the rocks are exposed to the surface in some areas, with a thin layer of black cotton soil about 4 inches deep. However this shall be excavated and disposed off in approved sites (preferably exhausted quarries).

3.8.6 Masonry, Concrete Work and Related Activities

The construction of the building walls, foundations, floors, pavements, drainage systems, perimeter fence and parking area among other components of the project will involve a lot of masonry work and related activities. General masonry and related activities will include stone shaping, concrete mixing, plastering, slab construction, construction of foundations, and erection of building walls and curing of fresh concrete surfaces. These activities are known to be labour intensive and will be supplemented by machinery such as concrete mixers.

3.8.7 Structural Steel Works

The building will be reinforced with structural steel for stability. Structural steel works will involve steel cutting, welding and erection.

3.8.8 Roofing and Sheet Metal Works

Roofing activities will include sheet metal cutting, raising the roofing materials such as clay roofing tiles and structural timber to the roof and fastening the roofing materials to the roof.

3.8.9 Electrical Work

Electrical work during construction of the premises will include installation of electrical gadgets and appliances including electrical cables, lighting apparatus, sockets etc. In addition, there will be other activities involving the use of electricity such as welding and metal cutting.

3.8.10 Plumbing

Installation of pipe-work for water supply and distribution will be carried out within the entire building. In addition, pipe-work will be done to connect sewage from the premises to the septic tanks.

3.8.11 Landscaping

To improve the aesthetic value or visual quality of the site once construction ceases, the proponent will carry out landscaping. This will include establishment of flower gardens and lush grass lawns where applicable and will involve replenishment of the topsoil. It is noteworthy that the proponent will use plant species that are available locally preferably indigenous ones for landscaping.

3.9 Description of the Project's Operational Activities

3.9.1 Residence

A number of families will reside within the project site once its construction is complete. Several domestic activities such as cooking, washing, use of vehicles, and leisure and recreational activities will thus accompany residence. In addition, there will be production of domestic and sanitary wastes.

3.9.2 Solid Waste

The proponent will provide facilities for handling solid waste generated within the facility. These will include dust bins/skips for temporarily holding waste within the premises before final disposal at the designated dumping site.

3.9.3 Waste Water and storm water Management

Sewage generated from each house/unit will be discharged into the existing and proposed septic tanks in the plot and later channelled to the main sewer.

3.9.4 General Repairs and Maintenance

The Houses and associated facilities will be repaired and maintained regularly during the operational phase of the project. Such activities will include repair of building walls and floors, repairs and maintenance of electrical gadgets and equipment, repairs of refrigeration equipment, repairs of leaking water pipes, painting, maintenance of flower gardens and grass lawns, and replacement of worn out materials among others.

3.10 Description of the Project's Decommissioning Activities

Decommissioning is an important phase in the project cycle and comes last to wind up the operational activities of a particular project. It refers to the final disposal of the project and associated materials at the expiry of the project lifespan. If such a stage is reached, the proponent needs to remove all materials resulting from the demolition/ decommissioning from the site. The following should be undertaken to restore the environment.

- Remove all underground facilities from the site
- The site should be well landscaped by flattening the mounds of soil
- Planting indigenous trees and flowers
- All the equipment should be removed from the site
- Fence and signpost unsafe areas until natural stabilization occurs
- Backfill surface openings if practical

3.11 Dismantling of Equipment and Fixtures

All equipment including electrical installations, furniture partitions, pipe-work and sinks among others will be dismantled and removed from the site on decommissioning of the project. Priority will be given to reuse of this equipment in other projects. This will be achieved through resale of the equipment to other building owners or contractors or donation of this equipment to schools, churches and charitable institutions.

3.12 Site Restoration

Once all the waste resulting from demolition and dismantling works is removed from the site, the site will be restored through replenishment of the topsoil and re-vegetation using indigenous plant species.

3.13 Building Materials AND Energy Used

Several building materials will be required for construction of the Houses and associated facilities. These will include sand, ballast, hard core, timber, cement, clay tiles, metal sheets, electrical gadgets, and steel, plumbing materials, glass and paints among others. Most of these materials will be obtained locally within Athi River and Nairobi as well as surrounding areas. The main sources of energy that will be required for construction of the project will include mains electricity and fossil fuels (especially diesel). Electricity will be used for welding, metal cutting/grinding and

provision of light. Diesel will run material transport vehicles and building equipment/machinery such as bulldozers and concrete mixers.

The proponent intends to promote efficient use of building materials and energy through proper planning to reduce economic and environmental costs of construction activities.

3.14 Solid Waste Generated

Large amounts of solid waste will be generated during construction of the project. These will include metal cuttings, rejected materials, surplus materials, surplus oil, excavated materials, paper bags, empty cartons, empty paint and solvent containers, broken glass among others. The proponent will take steps to minimize the generation of such waste and to ensure proper disposal procedures.

A lot of domestic waste such as waste from foodstuffs, empty plastic containers, cartons, etc. will be generated during the operational phase of the project. The proponent will be responsible for waste management within the housing project and will put in place measures such as provision of waste handling facilities and ensuring prompt and regular waste disposal. On decommissioning, large quantities of solid waste will be generated from demolition works and equipment dismantling. The proponent will provide measures for recycling, reuse or disposal of such wastes.

3.15 Public participation

Public participation basically involves engaging members of the public to express their views about a certain project. Public participation tries to ensure that due consideration will be given to public values, concerns and preferences when decisions are made. Public participation in this project was facilitated through interviews with the project proponent and neighbors of the facility. They however reiterated that more emphasis should be put towards ensuring that the proposed project and its infrastructure would not negatively interfere with the environmental integrity of the surrounding areas. Most of those interviewed welcomed the development of this project in the area. a sample of the neighbor's comments, occupation, contacts and signatures has been appended in this report.

Public involvement is a fundamental principle of the EIA process. Timely, well planned and appropriately implemented public involvement programmes will contribute to EIA studies and to the successful design, implementation, operation and management of proposals. Specifically, public involvement is a valuable source of information on key impacts, potential mitigation measures and the identification and selection of alternatives. It also ensures the EIA process is open, transparent and robust, characterized by defensible analysis. Nearly all EIA systems make provision for some type of public involvement. This term includes public consultation (or dialogue) and public

participation, which is a more interactive and intensive process of stakeholder engagement. Most EIA processes are undertaken through consultation rather than participation. At a minimum, public involvement must provide an opportunity for those directly affected by a proposal to express their views regarding the proposal and its environmental and social impacts. The purpose of public involvement is to:

- inform the stakeholders about the proposal and its likely effects;
- canvass their inputs, views and concerns; and
- Take account of the information and views of the public in the EIA and decision making.

The key objectives of public involvement are to:

- obtain local and traditional knowledge that may be useful for decision-making;
- facilitate consideration of alternatives, mitigation measures and tradeoffs;
- ensure that important impacts are not overlooked and benefits are maximized;
- reduce conflict through the early identification of contentious issues;
- provide an opportunity for the public to influence project design in a positive manner (thereby creating a sense of ownership of the proposal);
- improve transparency and accountability of decision-making; and
- Increase public confidence in the EIA process.

Experience indicates that public involvement in the EIA process can and does meet these aims and objectives. Many benefits are concrete, such as improvements to project design. Other benefits are intangible and incidental and flow from taking part in the process. For example, as participants see their ideas are helping to improve proposals, they gain confidence and self-esteem by exchanging ideas and information with others who have different values and views.

Public participation exercise for the assessment was carried out. Interviews were carried out in the neighbourhood by the use of questionnaires (sample attached), to find out all the views from the neighbours towards the housing project. Neighbouring the site are several apartments. All of the interviewed had no objection to the proposed project save for a few environmental issues such as noise during construction and dust which have been addressed below and in the EMP.

CHAPTER FOUR: BASELINE INFORMATION

This section provides detailed information of the site where the project is undertaken. it broadly examines the physiographic factors, social and economic forces both visible and invisible as they operate and the stimuli the new project is likely to inject. All major parameters are assessed to establish their capacities and abilities. Baseline information provides a basis to ascertain the implication of the development process and determine the mitigation measures to be undertaken or suitable to ameliorate the identified impacts.

4.1 Location

The proposed development project on Plot L.r. no. 209/870/7 AND 209/870/8 is in City Park area – Nairobi City County. The parcel of land measures approximately 10Acres (4.0469Ha.) The area is served with key infrastructure such as power (electricity), good road networks, communication facilities to mention but a few. Liquid waste will be handled by use of a well maintained septic tank to be constructed on site which will be channeled to the main sewer. The proposed development is therefore in harmony with the existing neighbourhood. The project is designed to merge well with the environment by ensuring excellent state of the art architectural works. The project proponent will be bound by the entire existing relevant legislature and their consequent amendments.

4.1.1 Proposed Site and Zone Character

The project falls in an area that has been undergoing great transformation. Most developments abutting the project access road are residential and commercial developments. From the foregoing mixed use within the zone provides urban services to many residents of City Park area. Development of proposed residential apartments is bound to improve the land value of the subject plot ultimately contributing to growth and economic development of the zone, City Park area and by extension Nairobi City County.

4.2 Physical Environment

4.2.1 Climate

The climate of the area is characterized by a bimodal rainfall pattern where short rains are experienced from October to December, and long rains from March to May. April is the wettest month in the year. During the year, the area temperature varies from 12°C to 28°C and is rarely below 9°C or above 30°C. During the months of late January to late march the area experiences

warmest seasons with an average daily high temperature above 27°C. The June to august period is characterized by a cold spell with an average daily high temperature below 24°C. August is the coldest month in the year. The mean annual rainfall is about 900 mm and an annual potential evaporation of about 1600 mm. Although the potential evaporation appears to be high compared to the rainfall, it is noted that the rainfall seasons are relatively cool and evaporation values are thus low. This condition gives way to adequate rain for run-off, percolation for replenishment of ground water and sufficient moisture for crops and vegetation growth.

4.2.2 Soils

The site is characterized with both red loamy soils and black cotton soils.

4.3 Biological Environment

4.3.1 Flora

The site is located within an area characterised by mixed land uses where human activity has altered the flora. The land where the development will take place is currently used for residential purposes. There are various crops such as maize, bananas and Napier grass. Remnants of the natural vegetation are weeds, green grass and dry grass. There are few trunk trees onsite thus minimal interference of the natural flora is envisaged as the seasonal water weeds onsite shall be cleared to pave way for proposed construction works without affecting the micro climate of the area

4.3.2 Fauna

The site is situated within a mixed land use zone where human activities have altered the natural habitat for animals over the years. The project site is in an urban setting and thus the site does not serve as a unique habitat for any threatened native species except may be small insects, birds and lizards. As a result, the proposed project does raise grave concerns in relation to displacement of fauna.

4.4 Socio-Economic Environment

Kenya's real gross domestic product (GDP) grew by 5 .8per cent in 2005 against a revised growth of 4.9 percent in 2004 (CBS 2006). The major growth sectors were agriculture and forestry; transport and communications; manufacturing; and wholesale and retail trade. Economic growth is expected to be sustained in 2006. Nairobi is a major contributor to Kenya's economy: it generates over 45 per cent of GDP; employs 25 per cent of Kenyans and 43 per cent of the country's urban

workers (UN-Habitat 2006). The paradox is that the financial capacity of the Nairobi City County is extremely limited, largely because of poor resource management and a weak revenue collection system. As a result, there is a 200 per cent shortfall between the revenue collected per capita (\$7 on average) and per capita expenditure (\$21) (UN Habitat 2006).

4.4.1 LAND use:

Urban land use refers to spatial distribution of social and economic activities. Accordingly, an upto-date land use inventory is frequently required to facilitate urban planning and growth patterns as well as monitoring of urban expansion. A study by the Department of Resource Surveys and Remote Sensing (DRSRS 1994) identified eight major land-use classes in Nairobi. These include Residential Use Industrial, commercial and service centres, Infrastructure land use, Recreational areas, urban agriculture as well as Water bodies and riverine areas.

4.4.2 Economic Activity:

The economy and the environment are closely linked, as natural resources are the basis of production, manufacturing and waste disposal. Environmental resources such as forests, water and land have a vital role to play in boosting economic growth and reducing poverty. While it may be argued that economic growth brings many benefits to people, the attendant pollution loading and resource depletion poses great risks to human health and the environment.

If not managed properly this may even jeopardize the viability of the economic activities being supported. Nairobi is a major contributor to Kenya's economy: it generates over 45 per cent of GDP; employs 25 per cent of Kenyans and 43 per cent of the country's urban workers (UN-Habitat 2006). The paradox is that the financial capacity of the Nairobi City County is extremely limited, largely because of poor resource management and a weak revenue collection system. As a result, there is a 200 per cent shortfall between the revenue collected per capita (\$7 on average) and per capita expenditure (\$21) (UN Habitat 2006).

4.4.3 Population

Population is a major driver of environmental change in Nairobi and as such is a determinant of other parameters such as solid-waste-generation rates, land-use patterns and settlement, and water consumption. The population of Nairobi grew from 8,000 in 1901 to 118,579 in 1948 (Rakodi 1997). By 1962, the city had a population of 343,500 people, although some of this could be

attributed to extension of the city's boundaries. Between the 1948 and 1962 censuses, the population grew at an average rate of 5 .9 per cent per annum, compared with 7 .6 per cent in the previous 12-year period. Taking the 1999 census figures as a baseline, it is projected that the city's population by the next census in 2009 will be about 3 .1 million, and 3 .8 million by 2015 (CBS 2001).

4.4.4 Employment Trend

As Nairobi's population increases, so does the demand for jobs. Currently, 56 .6 per cent of women and 68 .6 per cent of men aged between 15 and 50 are economically active (CBS et al. 2004). Between 1989 and 1997, the combined formal and informal sector employment growth was 2 .3 per cent per annum, less than half that of the rate of population growth (Post Buckley International Inc.1998). It is estimated that about 500,000 people join the labour force annually. Most of these are unable to secure employment and thus remain unemployed or end up in traditional agriculture and in the informal sector (Odhiambo and Manda 2003). The 1997–1998 labour force survey showed that 9 per cent of people in Nairobi were employed and 24 per cent were unemployed (CBS 2003b).

4.5 Socio-economic Importance of the proposed project

The proposed project is in line with the governments' housing policy that aims to facilitate the attainment of adequate shelter and healthy living environment to all socioeconomic groups in Kenya. The project will therefore help to increase learning opportunities in the region by investing in the housing facility; the proponent will also contribute towards the economic growth of our nation through revenue collection. In particular, the proposed project will generate the following positive socio-economic impacts:

- The proposed project will serve as a source of income to the proponent thereby improving their living standards
- During the operation phase of the project, the proponent will be required to pay tax to the government hence contributing to the economic growth of our nation
- The proposed project will indirectly contribute towards enhancement of security in the neighbourhood of the area
- The proposed project will generate revenue to the County council through payment of connection and service fee.

Apart from the direct employment of construction workers, the proposed project will also benefit the following categories of individuals:

- Transporters. Investors on lorry and trailer transport will benefit greatly from the project. This benefit will extend to vehicle dealers and manufacturers, lorry drivers and turn boys.
- Cement Manufacturers. The local cement manufacturers and their employees and shareholders are direct beneficiaries of the development.
- Manufacturers and dealers of other building materials. Most of the building materials to be used are locally manufactured. Relevant companies, their workers and shareholders will be direct beneficiaries of the development.
- Sand Harvesters. Locals involved in sand harvesting in sand harvesting are to be major beneficiaries of the project. The benefit will extend to the local authority entitled to levy taxes on sand transporters.
- Ballast Quarries. There will be massive use of ballast. These will ensure that the Quarry owners and workers benefits greatly.

CHAPTER FIVE: IMPACT ASSESSMENT METHODOLOGY AND ANALYSIS OF ALTERNATIVES

5.1 Introduction

This chapter will describe the impact assessment methodology to be used for this project. The methodology has been developed by the consultant and aims to provide a relatively objective approach for the assessment of potential impacts.

5.2 Methodology

To ensure a direct comparison between various impacts, standard rating scales have been defined for assessing and quantifying the identified impacts. This is necessary since impacts have a number of parameters that need to be assessed. Five factors need to be considered when assessing the significance of impacts, namely:

1. Relationship of the impact to **temporal** scales – the temporal scale defines the significance of the impact at various time scales, as an indication of the duration of the impact.

2. Relationship of the impact to spatial scales – it defines the physical extent of the impact.

3. The severity of the impact – the **severity/beneficial** scale is used in order to scientifically evaluate how severe negative impacts would be, or how beneficial positive impacts would be on a particular affected system (for ecological impacts) or a particular affected party.

4. The **likelihood** of the impact occurring – the likelihood of impacts taking place as a result of project actions differs between potential impacts. There is no doubt that some impacts would occur (e.g. loss of vegetation), but other impacts are not as likely to occur (e.g. vehicle accident), and may or may not result from the proposed development. Although some impacts may have a severe effect, the likelihood of them occurring may affect their overall significance. Each criterion is ranked with scores assigned to determine the overall **significance** of an activity

5.3 Analysis of Alternatives

5.3.1 The No Action Alternative

The No Action Alternative in respect to the proposed project implies that the status quo is maintained i.e. no construction/development activity to take place. This option is most suitable alternative from an extreme environmental perspective as it ensures non-interference with the existing conditions. However, the need for such development is high and the anticipated insignificance environmental impacts resulting from construction have already been experienced.

This option will however, involve several losses both to the project proponent/land owner and the Kenya society and Government. The property will remain under-utilized or neglected. The No Project Option is the least preferred from the socio-economic and partly environmental perspective since if the project is not done: -

- The economic benefits especially during constriction i.e. provision of jobs for skilled and non-skilled workers will not be realized.
- There will be no generation of income by the developer and the Government.
- The social-economic status of Kenyans would remain unchanged.
- The local skills would remain under utilized
- No employment opportunities will be created for Kenyans.
- Discouragement for investors to produce this level of standard and affordable developments.

5.3.2 The relocation Alternative

Relocation option to a different site is an option available for the project implementation. At the moment, there are no alternative sites for the proposed development (i.e. the project proponent doesn't have an alternative site). This means that the proponent has to look for the land if relocation is proposed. Looking for the land to accommodate the scale and size of the project and completing official transaction on it may take a long period. In addition, it is not a guarantee that such land would be available. It's also worth noting that the said project is already underway in terms of seeking development approvals in various government departments. The project proponent would spend another long period of time on design and approvals of the plans by the relevant government departments. The project design and planning before the stage of implementation would call for costs; already incurred in the proposed development i.e. whatever has been done and paid to date would be counted as a loss to the proponent. In consideration of the above concerns and assessment of the current proposed site, relocation is not a viable option. From the analysis above, it becomes apparent that the No Project Alternative is not the appropriate alternative to the local people, Kenyans, and the Government of Kenya.

5.3.3 Alternative LAND Use Activities

The area is in a residential zone i.e. used for residence. Alternative land use activities such as farming, grazing land and car repairs will conflict with surrounding land use activities. For uniformity purposes, the proponent is interested in construction of residential houses similar both in form and character to what is existing in the neighbourhood (residential apartments).

5.3.4 Alternative to Construction Materials AND Technology

There is a wide range of construction and furnishing materials which can be sourced locally and internationally. In this construction, certified raw materials/equipments and modern technology will be used. Also, electrical appliances that save energy will be given first priority. The concrete pillars and walls will be made using locally sourced stones, cement, sand (washed and clean), metal bars and fittings that meet the Kenya Bureau of Standards requirements.

5.3.5 Solid Waste Management Alternatives

Throughout construction, the project will produce wastes such as soil, wood chips, metal scraps and paper wrappings among other. Wastes to be generated during operation phase are mainly domestic in nature. The Proponent is expected to observe EMCA (Waste Management Regulations, 2006). Priority will be given to reduction of wastes, recycling, and reuse. This will minimize environmental pollution.

5.3.6 **Project Design**

This Environmental Impact Assessment Project Report is based on information and consultations with the project proponent, the Architect and details contained in the architectural plans and drawings of the project. The project will entail construction of residential apartments.

CHAPTER SIX: ANTICIPATED IMPACTS AND MITIGATION MEASURES

A number of processes that may impact negatively on the environment, workers, neighbors, pedestrians and society at large are anticipated. The impacts may be positive or negative. This report proposes mitigation measures for the negative impacts and identifies the desirable social and economic benefits as discussed in the following paragraphs.

6.1 Negatives factors

6.1.1 Solid waste

The activities during excavation and construction will generate considerable solid waste in the form of soil, stones, tiles, timber, metal, glass, plastics and other debris. The soil generated from excavation and other solid waste will be disposed off at sites approved by the local authority. Useful wastes such as building stones, roofing tiles and timber will be recycled. Useful material not required will be stored in the contractor's yard. Waste storage receptacles will be provided within the premises to deposit solid waste before it is transported to designated disposal site by the county government. Organic waste generated by school activities should be composted for use within the schools gardens and flower beds.

6.1.2 Liquid AND human waste

Liquid waste is anticipated from wastewater during construction and water supply pipes during operation. The proponent has confirmed that the site engineers will closely supervise related activities to ensure that leakages are avoided. Storm water will be channeled to storm drainage channels. After construction, wastewater will be channeled to the sewage treatment facility or sewer. The sewage treatment will be connected to the sewer line and the waste will be pumped to the sewer line which is on the upper side of the plot due to the gradient difference.

6.1.3 Biodiversity

Some vegetation will be cleared at the development site. Grasses dominate the specific development site. Proper mitigation measures will be put in place to ensure that there will be landscaping upon completion of the project.

During construction, disturbed birds and insects will find refuge in the neighbourhood where there is sufficient vegetation to accommodate them. The proponent has confirmed that he will implement a landscaping programme after construction that will rehabilitate the disturbed areas.

43

6.1.4 Increased water demand

Demand for water will increase during construction and occupation. The contractor and the house occupants are expected to use water conservatively during construction and occupation respectively to avoid wastage. It is expected that the Nairobi City Water and Sewerage Company will continuously monitor water demand and improve supply with the new developments taking place in the area. The proponent is advised to drill a borehole and harvest rainwater to supplement the NCWSC water supply.

6.1.5 Air pollution

Air quality will be affected by dust during excavation for the foundation, burning material, hydrocarbons, nitric/nitrous and sulphuric/sulphurous oxides from vehicles and other automotive machinery in use. The proponent has been advised to fence the site during construction, to spray water on all loose soil and debris, to provide workers with masks, and to properly service all automotive machinery to reduce emission of exhaust fumes. If these measures are implemented, the amount and harmful effects of air pollutants will be minimal and temporary. As stated earlier, excavation of the foundation and other air pollution generating activities will have minimal impact; in any case, most of the pollutants will be dissipated widely by the wind, thus reducing concentration at the source and in the immediate neighbourhood.

6.1.6 Noise pollution

Increased noise levels are anticipated, mostly from excavation of the foundation, heavy vehicles supplying construction material and workers' generated noise. However, all machines that will not be in use should be switched off to minimize amount of noise generated.

6.1.7 Traffic hazard

Vehicular traffic will comprise of Lorries supplying building material to the site and more traffic is anticipated during occupation. Erection of warning signs that construction is in progress, and strict observation of highway safety code will greatly reduce chances of vehicle accidents.

6.1.8 Health and safety of workers, students and neighbours

Health and safety of the workers, students and neighbours is of critical concern. The main concerns are physical injuries, site accidents, exhaust fumes and noise. Workers will be exposed to possible

machinery injury, dust, gaseous emissions from transport vehicles and other automotive machinery on site, noise, and falling material such as masonry stones, timber, and steel. Health risks associated with gas emissions from exhaust are considered to be relatively low. Dust and fumes will have a bigger impact on workers, as they will be working at the sources of emission. The amount of dust so generated will be minimal if buffer fences are erected and water sprayed on all loose soil and other debris.

The following are the predictable negative impacts with the proposed mitigations,

| PREDICTABL | IMPACT | SIGNIFICA | PROPOSED MITIGATIONS |
|-----------------|--------|-----------|--|
| E NEGATIVE | STAGE | NCE | |
| IMPACTS | | | |
| | | Madamata | Fence the site to minimize the amount of dust |
| Air AND dust | C, D | Moderate | |
| pollution | | | generated during excavation, construction and |
| | | | demolition during project decommissioning. |
| | | | > Buildings under construction should be |
| | | | covered with dust arrestors during |
| | | | construction. |
| | | | > Spray water on loose soil and debris during |
| | | | excavation and construction phases. |
| | | | Minimize emission of exhaust fumes through |
| | | | servicing of machinery in use. |
| | | | Provide site workers with nose masks. |
| Noise Pollution | C, D | Low | Provide workers with ear plugs and muffs. |
| | | | > Ensure Lorries supplying building materials |
| | | | and other site machinery are well serviced to |
| | | | reduce noise emission. |
| | | | > Machinery that makes excessive noise should |
| | | | fixed with silencers. |
| | | | > Designate one gate exclusively for material |
| | | | delivery and deliver materials during non- |
| | | | school hours and weekends. |

| Solid waste | C, O, D | Moderate | Dispose solid waste and construction debris at dumping sites approved by the county government. Reuse/Recycle useful material in the construction. Store unused useful materials in the contractor's yard. Compost or incinerate waste as appropriate. |
|---------------------------|---------|----------|--|
| Liquid AND Human waste | C,O,D | Moderate | Compost or incinerate waste as appropriate. Provide toilets for workers during construction. Channel all wastewater and human waste during occupation to the sewage treatment facility. From the sewage treatment facility the waste will be pumped to the sewer line which passes near the plot. |
| Vehicle accidents | C,D | Low | Erect warning signs that construction is in progress. Vehicles to drive carefully and observe road safety rules. Pedestrians to observe road safety rules and regulations. Remove all objects that would obstruct visibility or pose site accident risks. Designate one gate exclusively for material delivery and deliver materials during non-school hours and weekends. |
| Increased traffic | 0 | Low | Designate one gate exclusively for material delivery and deliver materials during non-school hours and weekends. Provide adequate on plot parking for the occupants |

| Occupational | C, D | Moderate | Sensitize workers on safety measures required |
|-----------------|---------|----------|--|
| health and | | | during construction. |
| safety of | | | > Provide workers with appropriate personal |
| students and | | | protective clothing, helmets and boots. |
| workers | | | provide well stocked first aid kits |
| | | | fence off construction sites |
| | | | > Buildings under construction should be |
| | | | covered with dust and debris arrestors during |
| | | | construction. |
| Increased water | С, О | Moderate | > Harvest rainwater and dig a borehole to |
| consumption | | | supplement NWSC water supply. |
| | | | Use water conservatively. |
| Fire | C, O, D | High | ➢ Install fire alarms and firefighting equipment. |
| | | | \succ Drill the workers, students and occupants on |
| | | | firefighting skills. |
| Surface water | C, O, D | High | > Channel liquid and human waste to the |
| pollution | | | sewage treatment facility. From the sewage |
| | | | treatment facility waste should be pumped to |
| | | | the sewer line which passes near the plot. |
| Soil erosion | C,O,D | High | > Spray soil with water during excavation and |
| | | | construction |
| | | | Contain soil erosion |
| | | | > Landscape the site with grass, flowers, |
| | | | ornamentals and other vegetation on project |
| | | | completion |

Legend: C: Construction phase; O: Operation phase; D: Decommissioning phase. Source: Consultants Compilation.

6.2 Positive Impacts

6.2.1 Employment during Construction AND Operation

Employment for different cadre of professionals and other workers will be created during, construction, occupation and decommissioning phases. These workers include professionals (e.g. architects and engineers, technicians, electricians, artisans, masons, carpenters, plumbers) and manual workers. As is usual at the construction sites, kiosk-type food providers will feed workers and earn a living. These activities will create employment and generate incomes for the workers and their families. These outcomes are desirable and are in line with government goals of employment and wealth creation.

6.2.2 Improved Business

The project will improve income of various suppliers of construction material such as building stones, hard-core, ballast, sand, cement, steel, tiles, timber, glass, sanitary ware and paints. Business around the area will also realize increased sales.

6.2.3 Increased housing facilities.

This project when completed will ensure more modern housing facilities in the neighbourhood. This will greatly help at solving the current shortage of housing.

6.2.4 Land Use Intensification

The development will result to a more economical use of the land without significant environmental degradation.

CHAPTER SEVEN: ENVIRONMENTAL MANAGEMENT PLAN (EMP) GUIDELINES

7.1 Introduction

Integrating environmental issues in business management, such as those related to real estate development is that it increases efficiency while enhancing the project proponent financial and environmental management. These issues, which are normally of financial concern, are: costs, product quality, investments, level of productivity and planning.

Environmental planning and management as a concept seeks to improve and protect environmental quality for both the project site and the neighbourhood through segregation of activities that are environmentally incompatible. Environmental planning and management integrates land use structure, social systems, regulatory law, environmental awareness and ethics.

Environmental management plan (EMP) for development projects such as the proposed residential apartment complex development is aimed at providing a logical framework within which identified negative environmental impacts can be mitigated and monitored. In addition, EMP assigns responsibilities for action to various actors, and provides time frame within which mitigation measures can be done.

EMP is a vital output for an environmental impact assessment as it provides a checklist for project monitoring and evaluation. A number of mitigation measures are already incorporated into the project design.

The EMP outlined in Table 8-1 has addressed the identified potential negative impacts and mitigation measures for the proposed residential development.

7.2 Environmental Monitoring and Evaluation

Environmental monitoring and evaluation are essential in the project lifespan as they are conducted to establish if the project implementation has complied with the set environmental management standards as articulated in the Environmental Management and Coordination Act (EMCA) No. 8 of 1999, and its attendant Environmental (Impact Assessment and Audit) Regulations, 2003.

In the context of the proposed project, design has made provisions for an elaborate operational monitoring framework for the following among others:

- Disruption of natural environment and modification of microclimate
- Air and noise pollution
- Proliferation of kiosks
- Workers accidents and health infections during construction process

Table 7.1- 1: Environmental Management and Monitoring Plan

| ENVIRONMENTAL | MITIGATION MEASURES | RESPONSIBILITY | COST (KES) | MONITORING |
|---|--|--|--|--|
| IMPACT | | | | MEASURES |
| Commissioning of the Construction Works | - Site hand-over and Ground breaking | Project team (Lead Consultant/Architect, contractor Proponent) | Part of/Covered in the Project Cost | Presence of the project Team |
| Securing the Construction Site | - Construction of Perimeter Wall and Hoarding | Contractor | Part of/Covered in the Project Cost | Presence of Perimeter Fence |
| Housing for Construction/ Site staff | Construction of Labour Camp | Contractor | 200,000 | Presence of Labour Camp |
| Security for Construction Material | Construction of Site Stores Construction materials to be delivered in small quantities to minimize storage problems | Contractor | 100,000 | Presence of Site store |
| Extraction and Use of Building Materials | Availability and sustainability of the extraction sites as they are non-renewable in the short term Landscape changes e.g. displacement of animals and vegetation, poor visual quality and opening of depressions on the surface | Contractor/Proponent/projec t team | Part of/Covered in the Project Cost | Material site rehabilitation |
| Collapse of Building during Construction | Ensuring Building Strength and stability Use of appropriate construction materials and reinforcements as per specifications Ensuring building components are as per designs Ensure proper timelines are followed e.g. curing time | Contractor/project team | Part of/Covered in the Project Cost | Presence of the project Team |
| Disturbance of Traffic flow during construction Construction phases | Proper signage Awareness creation Education to truck drivers | Contractor/Project team and general public | 450,000 | Presence of site Notice Board /Hoarding Presence of Security guards to control traffic Presence of warning signs |
| Soil Excavation leading to site disturbance | Excavate only areas to be affected by buildings Dumping of excess excavated materials to sites designated by NEMA and Council Restoration of sites Excavated | Contractor | 2,000,000 | Landscaping after completion of construction |

| ENVIRONMENTAL IMPACT | MITIGATION MEASURES | RESPONSIBILITY | COST (KES) | MONITORING MEASURES |
|---|---|--|---|---|
| Soil Erosion | Create and Maintain soil traps and embankments.Landscaping after completion of construction | Contractor/Proponent Architect/Site engineer Landscape Architect | 400,000 | Lack/Absence of Soil Erosion |
| Noise Pollution and Vibration | Ensure use of serviced and greased equipment Switch off engines not in use Construction work to be confined to between 8am to 5pm Ensure use of earmuffs by machine operators | Proponent and Contractor | Part of Routine operation procedure | Lack of complaints |
| Air Quality | Water sprinkling of driveways or the use of biodegradable hydrant e.g. Terrasorb polymer will reduce dust emission during construction Ensure servicing of vehicles regularly | Proponent and Contractor | Part of Routine operation procedure | Lack of complaints Workers wearing protective clothing and earmuffs |
| Risks of Accidents and Injuries to Workers | Education and awareness to all construction workers Ensure use of appropriate personal protective clothing Provide First Aid Kits on site Ensuring Building Strength and stability Proper supervision | Proponent Contractor | Part of Routine operation procedure | Presence of well- equipped First Aid kit Presence of Security Guards on site Presence of a register on the site |
| Health and Safety | Provide First Aid Kits on site Proper signage and warning to public of heavy vehicle turning Ensuring Building Strength and stability Provide clean water and food to the workers The contractor to abide by all construction conditions especially clause B12 which stipulates health safety and workforce welfare | Proponent Contractor | Part of Routine operation procedure | Presence of well- equipped First Aid kit Presence of Security Guards on site Presence of a register on the site |
| Solid Waste Generation | Ensure waste materials are disposed of on County and NEMA approved sites Ensure re-use of materials that can be re-used Use of the 3rs – Reduce, Re-use, Re-cycle | Proponent Contractor | 500,000 | - Absence of Solid waste on the site |
| Energy Consumption | - Use electricity sparingly since high consumption of | Proponent | 800,000 | - Presence of KPLC |

| | electricity negatively impacts on these natural resources and their sustainability - Use of Standby Generators | Contractor | | power lines - Presence of Generators |
|--|--|-----------------------------------|--|--|
| Excessive Water Use | - Excessive water use may negatively impact on the water source and its sustainability | Proponent | 900,000 | - Presence of NCWSC water lines |
| | | Contractor | | Metering of waterBore-hole presence |
| OCCUPATION PHASE | | | | |
| Architectural incompatibility leading to | - Harmonize building scale with existing developments in neighbourhood. | Architect | Part of/Covered in the Project Cost | - Compatibility with the neighbourhood |
| distortion of neighbourhood aesthetic image | - Harmonize detail, material and finishes for roofs and walls with existing development in the neighbourhood. | Proponent Contractor | | |
| - Solid Waste Generation and | - Regular inspection and maintenance of the waste disposal systems during operation phase | Proponent | 800,000 | - Presence of NEMA |
| Management | Establish a collective waste disposal and management system Provide waste disposal bins to each house well protected from adverse weather and animals Ensure waste materials are disposed of on Council and NEMA approved sites Use of the 3rs – Reduce, Re-use, Re-cycle | Estate Managers | | registered waste management companies - Presence of waste handling bins - Absence of wastes |
| Liquid Waste Generation and Management | Regular inspection and maintenance of the waste disposal systems during the operation phase Connection to Sewer system/septic tank | Proponent Estate Managers | 800,000 | Conventional sewer line and or septic tank Presence of waste handling bins Absence of wastes |
| Increased loading on Infrastructure services | Have paved local access road and walkway systemEncourage rainwater harvesting | Contractor | 900,000 | Absence of run-offPresence of good roads |
| - Increased vehicular and/or pedestrian traffic | Provision of increased water storage capacity Provide adequate storm water drainage system | Proponent | | - Pavements and drainage channels |
| - Increased demand on water, sanitation services | | Estate Managers | | |
| Traffic | - Provide adequate parking facilities within the project site | Contractor/Proponent Residents | Routine operation procedure | - Presence of amble parking in the premises |
| ENVIRONMENTAL IMPACT | MITIGATION MEASURES | RESPONSIBILITY | COST (KES) | MONITORING MEASURES |

| ENVIRONMENTAL IMPACT | MITIGATION MEASURES | RESPONSIBILITY | COST (KES) | MONITORING MEASURES |
|---|---|--|------------|---|
| Increased social conflict | Increased Housing stock in the area and Kenya Increased economic activities –employment generation. Encourage formation of community policing and formation of neighbourhood associations | Contractor Proponent Neighbourhood associations Estate Managers | | |
| Storm Water impacts | - Provide roof gutters to collect and direct roof water | Proponent | 340,000 | Absence of Flooding and |
| | drains Construct drains to standard specifications Develop a storm water drainage system and linkage to natural drains | Contractor | | dampness in the building |
| Disruption of existing natural environment and modification of micro- climate – - Increased development density - Increased glare/solar reflection - Reduced natural ground cover/surface run-off - Obstruction of ventilating winds | Development restricted to follow zoning policy/approved density – building line, plot coverage and plot ratio. Careful layout and orientation of buildings to respect wind and sun direction. Adequate provision of green and open space planted with grass, shrub and tree cover. Minimum use of reflective building material and finishes for roof, wall and pavement. | Project team (Contractor Proponent, Architect or Lead Consultant, etc) | | Proper orientation Planted trees/Landscaping |
| Insecurity | Ensure secure perimeter wall where applicable Have a single entry point that is manned 24 hours | Contractor, Proponent Neighbourhood associations Estate Managers | 400,000 | Presence of perimeter wall Presence of day and night security guards |
| DECOMMISSIONING PHA | SE | | | |
| Building Safety | Assess the condition of buildings to ascertain usefulness | Engineer/Proponent | 900,000 | Engineer and Tests on the building |
| Land and Building use | Ascertain the Planning development policy | County Authority Physical Planner | 1,000,000 | Consultants present |

| Accidents/Injuries | Securing the Site by fencing off | Contractor/Proponent | 1,000,000 | Presence of perimeter fence |
|--------------------------|--|----------------------|-----------|-----------------------------|
| Un-disconnected Services | Ensure disconnection of all services | Contractor | 600,000 | Absence of cabling |
| e.g. Power, Water, | Remove all surface and underground cables and | | | |
| telephone, sewer etc | wiring | | | |
| Solid Waste Generation | - Ensure waste materials are disposed of on | Proponent/Contractor | 800,000 | Absence of Debris |
| (demolition waste) | Council and NEMA approved sites | | | |
| | - Ensure re-use of materials that can be re-used | | | |
| | -Use of the 3rs – Reduce, Re-use, Re-cycle | | | |
| Noise and Vibration | - Ensure use of serviced equipment | Proponent/Contractor | 800,000 | Lack of complaints from |
| | - Switch off engines not in use | | | the neighbours |
| | - Demolition work to be confined to between | | | |
| | 8am to 5pm | | | |
| | - Ensure use of earmuffs by workers | | | |

CHAPTER EIGHT: ENVIRONMENTAL HEALTH AND SAFETY (EHS)

8.1 EHS Management and Administration

The EHS is a broader and holistic aspect of protecting the worker, the workplace, the tools / equipments and the biotic environment. It is an essential tool in determining the EIA study. The objective of the EHS on the proposed project is to develop rules that will regulate environmentally instigated diseases and occupational safety measures during construction and the operation phases of the proposed project by:

- Avoidance of injuries
- Provision of safe and healthy working environment for workers' comfort so as to enhance maximum output.
- Control of losses and damages to plants, machines, equipment and other products.
- Enhance environmental sustainability through developing sound conservation measures.

8.2 Policy, Administrative and Legislative Framework

It is the primary responsibility of the contractor to promote a safe and healthy environment at the workplace and within the neighborhood in which the proposed project will be constructed by implementing effective systems to prevent occupational diseases and ill-health, and to prevent damage to property. The EHS Management Plan when completed will be used as a tool and a checklist by the contracted engineers in planning and development of the construction of this project.

8.3 Organization and implementation of the EHS Management Plan

The contactor shall use the EHS plan at the proposed project site both during construction and operation. The engineer will use it during construction phase with the assistance of an EHS consultant who shall enforce its provision throughout the life of the project.

8.4 The Guiding Principles to be adopted by the contractor

The company will be guided by the following principle: -

• It will be a conscious organization committed to the promotion and maintenance of high standards of health and safety for its employees, the neighboring population and the public at large.

- Ensuring that EHS activities are implemented to protect the environment and prevent pollution.
- Management shall demonstrate commitment and exercise constant vigilance in order to provide employees, neighbors of the project and the environment, with the greatest safeguards relating to EHS.
- Employees will be expected to take personal responsibility for their safety, safety of colleagues and of the general public as it relates to the EHS management plan.

8.5 EHS management strategy to be adopted by the contractor

The following strategies will be adopted to achieve the above objectives:

- Create an Environment Health and Safety Management committee and incorporate EHS as an effective structure at various levels and units to manage and oversee EHS programs in all construction and operation phases of the project
- Maintain an effective reporting procedure for all accidents.
- Provide appropriate tools and protective devices for the success of the project.
- Encourage, motivate, reward and support employees to take personal initiatives and commitment on EHS.

8.6 Safety Agenda for both the proponent and contractor

There will be a permanent EHS agenda during construction.

(a) Contractors

The EHS management plan code of practice shall be applicable to the contractors working in the premises, and shall be read and signed. It shall be incorporated into the contract to perform work. This should also remind the contractor of his/her;

- Legal requirements.
- Statutory obligations.
- Obligation to lay-down a system for reporting accidents
- Responsibility to ensure that his/her employees are supplied with personal protective equipment and where applicable as per the EHS management plan for the whole project.
- Responsibilities as it relates to contracting an EHS consultant in liaison with the proponent

• Obligation to ensure that he obtains detail of jobs and areas where permit-to-work must be issued

(b) All residents' and workers' responsibility

• Know the location of all safety equipment, and learn to use them efficiently

8.7 Safety requirement at the project site during construction and operation Period

(a) The contractor

The contractor will ensure that:

- Safe means of entry and exit at the proposed project site.
- Ensure adequate briefing of job at hand on the safe system of work before commencement of work.
- The EHS coordinator must be in attendance at all times throughout the duration of the project.
- The EHS consultant must maintain constant assessment of the risk involved as the work progresses
- A safety harness must be worn before entry into all confined spaces
- An EHS consultant must be posted at the entrance at the project site to monitor progress and safety of the persons working at the construction site.

(b) The Traffic / Drivers

Within the construction premises, the following traffic rules will be observed: -

- Observe speed limits and all other signs and obey traffic rules.
- Use the vehicle for the purpose to which it is intended only.

c) Fire hazard at the construction site,

Workers at the site shall ensure that: -

- Oxy-acetylene cylinders are not contaminated with grease or oil.
- Oxy-acetylene cylinders are not subjected to direct sunlight or heat.
- Oxy-acetylene cylinders are not to be used or stored standing in a vertical position.
- When in use, ensure the inclination should never be over 30° from the vertical.

8.8 Welding at the construction site

It is the responsibility of the contractor during construction to: -

- Ensure that welding clamp is fixed such that no current passes through any moving parts of any machine.
- Ensure that all welding clamps are in good operating condition and conduct current without arcing at the point of contact.
- Ensure that welding clamps are free from any contact with explosive vapors i.e. Oil spillage, Fuel tanks, Coal dusts and miscellaneous combustible material (e.g. Cotton rags filter bags, rubber belting, and wood shavings).
- Ensure that any slag or molten metal arising from welding activities does not start up fires by:
 - Clearing combustible material to a distance of at least 3 meters away from the working area or covering area with metal or asbestos sheet.
 - ✓ Appropriate fire extinguisher is to be kept available for immediate use at all times

Emergency procedure during construction and operation

An emergency situation means:

- Unforeseen happening resulting in serious or fatal injury to employed persons or the neighbouring communities.
- Fire or explosion, Natural catastrophe.

In the event of such an emergency during construction, the workers shall:

- Alert other persons exposed to danger.
- Inform the EHS coordinator, Do a quick assessment on the nature of emergency.
- Call for ambulance on standby, When emergency is over the EHS coordinator shall notify the workers by putting a message: "ALL CLEAR"

CHAPTER NINE: DECOMMISSIONING

9.1 Introduction

Decommissioning is an important phase in the project cycle and comes last to wind up the operational activities of a particular project. It refers to the final disposal of the project and associated materials at the expiry of the project lifespan. If such a stage is reached, the proponent needs to remove all materials resulting from the demolition/ decommissioning from the site. The following should be undertaken to restore the environment.

- Remove all underground facilities from the site
- The site should be well landscaped by flattening the mounds of soil and Planting indigenous trees and flowers
- All the equipment should be removed from the site
- Fence and signpost unsafe areas until natural stabilization occurs
- Backfill surface openings if practical

The table below shows the proposed decommissioning plan:

| Expected | Recommended Measures | Responsible | Time Frame | Cost (KShs) |
|------------------------|---|-----------------|-------------|-------------|
| Negative | | Party | | |
| Impacts | | | | |
| 1. Construction | Machinery/Structure & Wastes | I | I | |
| Scraps material | Use of an integrated solid waste management | Project Manager | During | |
| and other debris | system i.e. through a hierarchy of options. | & Contractor | decommissio | 3,000,000 |
| | Wastes generated as a result of facility | | ning | |
| | decommissioning activities will be | | | |
| | characterized in compliance with standard | | | |
| | waste management procedures. | | | |
| | The contractor will select disposal locations | | | |
| | and the local council based on the properties | | | |
| | of the particular waste generated. | | | |

| | All buildings, machinery, equipment, | Project Mana | aner | During | _ |
|-------------------|---|--------------|------|--------------|-----------|
| | | & Contractor | - | decommissio | - |
| | structures and partitions that will not be used | & Contractor | | | |
| | for other purposes should be removed and | | | ning | |
| | reused or rather sold/given to scrap material | | | | |
| | dealers. | | | | |
| | Where recycling/reuse of the machinery, | Project Mana | ager | During | - |
| | equipment, structures and other waste | & Contractor | r | decommissio | |
| | materials is not possible the materials should | | | ning | |
| | be taken to approved dumpsites. | | | | |
| Rehabilitation of | project site | I | | I | I |
| Vegetation | -Implement an appropriate re-vegetation | Project | Duri | ng | 2,000,000 |
| disturbance | programme to restore the site to its original | Manager & | deco | ommissioning | |
| Land | status. | Contractor | | | |
| deformation: soil | -During the vegetation period, appropriate | | | | |
| erosion, drainage | surface water runoff controls will be taken to | | | | |
| problems | prevent surface erosion; | | | | |
| | -Monitoring and inspection of the area for | | | | |
| | indications of erosion will be conducted and | | | | |
| | appropriate measures taken to correct any | | | | |
| | occurrences; | | | | |
| | -Fencing and signs restricting access will be | | | | |
| | posted to minimize disturbance to newly- | | | | |
| | vegetated areas; | | | | |
| Social- Economic | c impacts | I | I | | <u> </u> |
| -Loss of income | The safety of the workers should surpass all | Project | Duri | ng | 3,000,000 |
| -Loss of housing | other objectives in the decommissioning | Manager & | deco | ommissioning | |
| facilities | project. | Contractor | | | |
| | -Adapt a project – completion policy; | | | | |
| | identifying key issues to be considered. | | | | |
| | -Compensate and suitably recommend the | | | | |
| | 1 7 1 | | | | |

| workers to help in seeking opportunities | | |
|--|--|--|
| elsewhere. | | |
| -offer alternative housing facilities | | |

CHAPTER TEN: CONCLUSION AND RECOMMENDATIONS

10.1 Overview

From the foregoing analysis, the social and economic rating for this project is highly positive. Evaluation of alternatives has already shown that options are limited and costly. Already the proponent has sunk a substantial amount of money in the project up to design stage. Further delay of the project is denying all stakeholders the anticipated benefits of the investment. On the other hand, redesigning or relocation will lead to loss of time and money that is already tied in the preliminary costs of the project. The project does not pose any serious and negative environmental impacts. Adequate mitigation measures have been proposed to address any of the negative impacts arising from the project. The project will create employment and improve income earnings. The project will boost the diminishing housing supply in the country and more in urban areas.

During the preparation of this report for the proposed apartment's complex development it is observed and established that most of the negative impacts on the environment are rated low and short term with no significant effect. The positive impacts are highly rated and will benefit all stakeholders and the parklands residents at large. The project proponents have proposed to adhere to prudent implementation of the environmental management plan. They are obtaining all necessary permits and licenses from the relevant authorities and have qualified and adequate personnel to do the project as proposed. They have proposed adequate safety and health mitigation measures as part of the relevant statutory requirements

10.2 Conclusion

This study is recommendable and should be approved by NEMA for issuance of an EIA license subject to annual environmental audits after it has been completed and occupied. This will be in compliance with the Environmental Management and Coordination Act of 1999 and the Environmental Impact Assessment and Audit regulations, 2003. Above all the proponent should carry out Environmental Audit 12 months after the project is completed.

The proponent should therefore be licensed to implement this project subject to adherence to the environmental management plan proposed in this report and the statutory requirements.

References

- *i*. Kenya gazette supplement Acts 2000, Environmental Management and Coordination Act Number 8 of 1999. *Government printer, Nairobi*
- ii. Kenya gazette supplement Acts Building Code 2000 by government printer, Nairobi
- *iii.* Kenya gazette supplement Acts Land Planning Act (Cap. 303) government printer, Nairobi
- *iv.* Kenya gazette supplement Acts Local Authority Act (Cap. 265) government printer, Nairobi
- v. Kenya gazette supplement Acts Penal Code Act (Cap.63) government printer, Nairobi
- vi. Kenya gazette supplement Acts Physical Planning Act, 1999 government printer, Nairobi
- *vii.* Kenya gazette supplement Acts *Public Health Act (Cap. 242) government printer, Nairobi*
- *viii.* Kenya gazette supplement number 56. Environmental Impact Assessment and Audit Regulations 2003. *Government printer*, Nairobi
- ix. Kenya National Housing Policy in 2004.
- Naivasha District Development Plan (2004-2008). Ministry of Planning and National Development. Government printers, Nairobi
- xi. Steinneman, 2000 Environmental Impact Assessment, a Guide for Reviewers