

DESIGNATED LABORATORIES BY GAZETTE NOTICE

	Laboratory	Function	Parameter	Authorized Signatory
1.	Universal Corporation limited P.O. Box 1748-00902 Kikuyu Tel. 066-31459/32305/31758 Fax 066-31461 Location: Kikuyu Town Opp. Past Post Office Email: ucl.co.ke	Assessment / analysis of: <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Assurance Manager/ Pharmacist • Quality Control Manager
2.	Polucon Services (Kenya) Ltd P.O Box 99344-80100 Mombasa. Tel. 041-4470777/3/4, 2003672 Fax 041-2490539 Email: laboratory@polucon.com Location: Nyali Road off Links Road Nyali Mombasa	Assessment / analysis of: <ul style="list-style-type: none"> • Water • Effluent • Noise • Air 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Laboratory Manager • Head of Environmental Department • Assistant Laboratory Manager
3.	Directorate of Occupational Safety & Health Services (DOSHS) Ministry of labour & Human Res. Dev. P.O.Box 34120-00100 Nairobi Tel. 550825/9663 Email:doshdept@yahoo.com Location: Commercial Street, Industrial Area Nairobi	Assessment/ analysis of: <ul style="list-style-type: none"> • Noise 	<ul style="list-style-type: none"> • Noise Level • Air Quality 	<ul style="list-style-type: none"> • Senior Medical Officer • Principal Safety & Occupational Health Officer • Assistant Director • Laboratory Technologist
4.	Quality Assurance Systems Ltd P.O Box 56871-00200 Nairobi. Tel. 020- 2049892/2034681 Fax 020 2049892 Email: info@quas-limited.com Location: Qas Plaza Mombasa Rd Nairobi	Assessment/ analysis of: <ul style="list-style-type: none"> • Noise • Air 	<ul style="list-style-type: none"> • Noise Level • Air Quality 	<ul style="list-style-type: none"> • Managing Director • Quality Manager • Deputy Quality Manager • Head of Laboratory
5.	Catholic Diocese of Nakuru Water Programme Laboratory P.O Box 938,Nakuru Tel. 051 2216264/5 Fax. 021-2214151 Location: Nakuru-Nairobi Highway	Assessment/ analysis of; <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Control Supervisor • Laboratory Supervisor

6.	University of Nairobi Institute of Nuclear Science and Technology, P.O Box 30197 -00100, Nairobi Tel. 020-318262 Ext 28483 Fax 020-245566 E-mail: inst@uonbi.ac.ke Location; Main Campus Harry Thuku Road Nairobi	Assessment/ analysis of; • Water • Effluent • Soil • Air	• Physical • Chemical • Microbiology	• Director • Lecturer
7.	Crop Nutrition Laboratory Services Ltd P.O Box 66437-00800 Nairobi Tel. 020 2044735/3561192 Fax: 020 2044735 Email: healthy-soils@cropnuts.com Location: Coopers Centre, Kaptagat Road, Off Kangemi flyover ,Waiyaki Way, Loresho Nairobi	Assessment/ analysis of; • Soil • Plant Material • Water	• Physical • Chemical • Microbiology	• Managing Director • General Manager • Laboratory Manager
8.	Nakuru Water and Sewerage Company Ltd Water Quality Testing Laboratory P. Box 16314-20100 Nakuru Tel. 051-2212269/214148 Fax: 051-2213532 E-mail: nawassco@wananchi.com Location: Lake Nakuru National Park	Assessment/ analysis of; • Potable Water • Effluent • Sludge	• Physical • Chemical • Microbiology	• Managing Director • Technical Manager • Laboratory Officer in Charge • Quality Control Officer
9.	Saosa Tea Factory Laboratory James Finlay (Kenya) Limited P.O Box 160-20200 Kericho Tel. 052-21403 Fax: 052-21018 E-mail: ftsklab@finlay.co.ke Location: Finlay inlet Road, Kericho	Assessment/ analysis of; • Water • Effluent	• Physical • Chemical • Microbiology	• General Manager • Quality System Manager • Quality Controller
10.	Intertek Testing Services (EA) PTY Ltd P.O. Box 611-80100 Mombasa Tel. 041-2224645/2224693 Fax: 041-2228251/2222862 E-mail: ops.cbe-mombasa@intertek.com	Assessment/ analysis of; • Water • Effluent	• Physical • Chemical • Microbiology	• Laboratory Manager • Laboratory Supervisor • Laboratory Technician

	Location: David Kayanda Road, Kizingo Mombasa.			
11.	Analabs Ltd P.O. Box 162-00625 Nairobi Tel. 020- 3517832 Fax: 020-4182855 E-mail: admin@analabs.co.ke Location: Coopers Centre, Kaptagat Road, Loresho Nairobi	Assessment/ analysis of; <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Aflatoxins. 	<ul style="list-style-type: none"> • Managing Director • Technical Manager & Head of Laboratories. • Technical Manager • Deputy Technical Manager
12.	Eldoret Water and Sanitation Company Ltd P.O. Box 8418-30100 Eldoret Tel. 053-2063403/2061915 Fax: 053-2063556 E- mail: info@eldowas.org Location: Kambi Somali Road Eldoret.	Assessment/ analysis of; <ul style="list-style-type: none"> • Water • Waste Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Quality Assurance Manager • Head of Technical Services
13.	Aquatech Industries Ltd P.O. BOX 18573-00500 Nairobi. Tel. 2729405/2719186 Fax: 2719186 E-mail: aquatech@aquatech-industries.com Location: Abcon House, Masaba Road.	Assessment/ analysis of; <ul style="list-style-type: none"> •Water •Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Technical Manager • Laboratory Manager • Analyst
14.	Ivory Consult Ltd PJ Place, Enterprise Road, Industrial Area. P.O BOX 76604-0508 Nairobi Tel. +254 (20)550631, 550622, 0721763851, 0738550684 Fax. +254 (20)550930 E-mail: laboratory@ivoryconsult.com Location: PJ Place, Enterprise Road, Industrial Area.	Assessment/ analysis of; <ul style="list-style-type: none"> •Water •Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Managing Director • Operating Director
15.	GMP Services Limited. PGC Complex P.O BOX 39769-00623 Nairobi Tel. +254 202316848 E-mail: info@gmpaccl.com Website: www.gmpaccl.com	Assessment/ analysis of; <ul style="list-style-type: none"> •Water •Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Technical Manager • Quality Assurance Manager • Laboratory Heads

	Location: Mukhtech Building, Lusaka Road off Dunga Round About, Nairobi.			
16.	Bureau Veritas Laboratory P.O Box 41622-80100 Mombasa <u>Tel:+254(41)314463/314022</u> Fax +254 (41)226015 Email: <u>It.d.mombasa@bureauveritus.co</u> <u>m</u> Location: Moi Avenue, Mombasa	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Branch Manager, • Laboratory Manager • Laboratory Analyst.
17.	Precision Experts Limited Laboratory P.O Box 42806 -80100 Mombasa Tel+254729170640 Email: <u>info@precisionexpert.co.ke</u> Location: Shimanzi Road, Mombasa	Assessment/ Analysis <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Manager • Laboratory Head
18.	Lake Victoria South Water Service Board P.O Box 3325-40100 Kisumu <u>Tel:+254(0)57-</u> <u>2025128,+254(0)716525251</u> <u>+254(00202157233,</u> Fax:+254(0)572025127 Email: <u>info@lvswaterboard.go.ke</u> Location: Lavictors House, Millimani, Kisumu	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head
19.	Spectralab Analytical Services Ltd P.O Box 50208-00200 Nairobi <u>Tel:020651177,0775602222</u> Mobile:0774088111 Email: info@Spectralab.Co.Ke Location: Mezzanine Floor, 53-Credit Bank Building, Butere Road, Nairobi.	Assessment/ Analysis <ul style="list-style-type: none"> • Water • Effluent • Sludge • Soil • Plant material • Food • petroleum 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Pesticides • Hydrocarbons 	<ul style="list-style-type: none"> • Laboratory head • Technical manager • Senior chemist

20.	Aqualytic Laboratories Ltd P.O Box 4600-056 Nairobi Tel:0722547344,020-5249675 Email: lab@aqualiticlabs.com Location: Ramco Court, Mombasa Road	Assessment/ Analysis of <ul style="list-style-type: none"> • Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Manager • Technical Manager • Senior Laboratory Technologist
21.	Inorganic Laboratory Gas Measurement Section KEBS P.O Box 54974-00200 Nairobi Tel;254206005490,6005506 Mobile:0722202137/8,07346004 171/2 Email: info@kebs.org Location: Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Air quality 	<ul style="list-style-type: none"> • Regional Manager • Head of Testing
22.	Angie Aqua Solutions Ltd P.O Box 20999-00200 Nairobi Tel: 0700220727, 0796177342 Email:angieaquasolution@gmail.com Location: Fair Bank Arcade, Maimahiu Road	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory head • Laboratory analyst
23.	Lab Works (Ea) Ltd P.O Box 47846-00100 Nairobi Tel: 0726209641,0202724481 Email: info@labworksea.com Longonot Road, Upper hill. Location: Nairobi	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent • Air • Soil • Noise 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology • Noise level 	<ul style="list-style-type: none"> • Laboratory Manager • Technical Manager • Senior Field Supervisor
24.	CSI International Ltd P. O Box 47846-00100 Nairobi Tel:0705204610,0725692535 Email: info@csinternationalke.co.ke Howse & McGeorge Centre, Factory St, Building No. 10, Industrial Area, Off Bunyala Road, Behind KEMSA. Location: Nairobi	Assessment /analysis of <ul style="list-style-type: none"> • Water • Effluent • Air 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Head of laboratory • Laboratory manager • Quality assurance manager
25.	Masinde Muliro University of Science & Technology (MMUST) P.O Box 190-50100, Kakamega	Assessment/ Analysis of <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Laboratory Head • (Chairman of Department)

	<p>Tel:0718282462, 0702597361, 056-30871. FAX: 056-302153 Email: info@mmust.ac.ke Location: Kakamega</p>	<ul style="list-style-type: none"> • Soil 	<ul style="list-style-type: none"> • Microbiology 	
26.	<p>Aquatreat Solutions Ltd P.O Box 26559-00100 Nairobi Tel;+,0202317314/81 Mobile: 0724083450,0722202189 Email: info@aquatreat.co.ke Location: Nairobi</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Drinking Water 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Quality Manager • Analyst
27.	<p>EUROLAB Services Ltd P.O Box 5050-00200 Nairobi Tel: 0722241766, 0752435126 Email:info@eurolabLtd.com Location: Utawala, Nairobi</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air • Noise 	<ul style="list-style-type: none"> • Air Quality • Noise Level 	<ul style="list-style-type: none"> • Deputy Head/ Technical Manager • Inspector • Director
28.	<p>Associated Battery Manufactures Ltd. P.O Box 47846-00100 Nairobi Tel: 0722206887,0206531218-25 Email: batman@abm.co.ke Location: Athi River, Machakos.</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Ambient Air Analysis 	<ul style="list-style-type: none"> • Process Coordinator • Technical Signatory
29.	<p>Instrumentation Engineers (E.A) Ltd P.O. BOX 18986-00500, Unit No. 6 31, Enterprise Road, Nairobi. Tel. +254-20-2108606, Mobile: +254722357991 Email: info@instrumentation-engineers.com</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Measurement of Gaseous pollutants 	<ul style="list-style-type: none"> • Managing Director • Head of Laboratory
30.	<p>Nyeri Water and Sewerage Company Limited P.O. BOX 1520-10100, Nyeri Tel. 061-2034548/4623/4622, Mobile: 0722461359/0734732481 Email: info@nyewasco.co.ke</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Water • Effluent 	<ul style="list-style-type: none"> • Physical • Chemical • Microbiology 	<ul style="list-style-type: none"> • Laboratory Head • Deputy Head of Laboratory
31.	<p>Kenya Pipeline Company Limited-Analytical Laboratory P.O Box 73442-00200 Nairobi Tel;+254-20-2606500-4 Mobile: 0722245835 Email: Qcm@kpc.co.ke Nanyuki Road, Industrial Area</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Drinking Water • Effluent • Soil 	<ul style="list-style-type: none"> • Physical • Chemical 	<ul style="list-style-type: none"> • Quality Control Manager • Chief Quality Control Officer, • Senior Chemist

32.	<p>Quest Laboratories Limited P.O Box 3097-00506,Nairobi Tel:020 551988/7 Fax:020 554636 Location: Baricho Road, Industrial Area Nairobi</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Air Quality 	<ul style="list-style-type: none"> • Technical Manager • Laboratory Manager
33.	<p>Kenya Bureau of Standards (KEBS)- Nairobi P.O BOX 54974-00200, Nairobi Tel:+254 020 605490, 605506 Fax:+254 020 609660 Email:info@kebs.org Location:</p>	<p>Assessment/ Analysis of</p> <ul style="list-style-type: none"> • Air 	<ul style="list-style-type: none"> • Ambient Air Analysis 	<ul style="list-style-type: none"> • Chief Principal Laboratory analyst (Head of Chemistry) • Principal • Laboratory Analyst(Deputy Head of Chemistry) • Laboratory Analyst II