

**ENVIRONMENTAL IMPACT ASSESSMENT PROJECT REPORT FOR THE PROPOSED  
FARM EXTENSION (OPEN FIELD AND WATER RESERVOIR CONSTRUCTION) AT  
AQUILA DEVELOPMENT COMPANY LIMITED.**



**THIS REPORT HAS BEEN PRODUCED IN ACCORDANCE WITH THE  
ENVIRONMENTAL MANAGEMENT AND CO-ORDINATION (AMENDMENT) ACT,  
2015 AND THE ENVIRONMENTAL IMPACT ASSESSMENT AND AUDIT  
REGULATIONS, 2003**

**BY**

**PAUL ONANA**

**NEMA Reg. No. 1853**

**NOVEMBER 2017**

**CERTIFICATION**

This Environmental Impact Assessment Study was commissioned by the management of Aquila Development Company Limited in fulfillment of requirements of the Environmental Management and Coordination (Amendment) Act, 2015 and all applicable rules.

**Occupier:**

.....

Name of Officer

.....

Designation

.....

Signature / Date / Official Stamp

**Lead Expert: PAUL ONANA**

**License No. 1853**

Signature / Date

.....

**NEMA Acknowledgement:**

.....

Name of NEMA Officer

.....

Signature / Date / Stamp

This is to certify that the environmental experts hereunder as per the requirements of the National Environment Management Authority (NEMA) Kenya carried out an Environmental Impact Assessment (EIA) for the Proposed Project and declare that the information given herein is true to the best of our knowledge.

**EIA/EA EXPERTS**

Name of expert	Details	Signature
Mr. PAUL ONANA	EIA/EA Lead Expert  Expert Registration No. 1853  Mobile phone No: 0720343403  E-mail address: paulonanah@yahoo.com	
MR. DAVID MACHARIA	EIA/EA Associate Expert  Expert Registration No. 8701  Mobile phone No: 0716311586  E-mail address: mashdavie@gmail.com	
MR.PETER MUTAVA	EIA/EA Associate Expert  Expert Registration No. 7509  Mobile phone No: 0718645434  E-mail address: petermmutava@gmail.com	
MR.JAMES MUCHEMI	EIA/EA Associate Expert  NEMA/EIA/ER/8837  Mobile phone No: 0720011650  E-mail address: muchemijames0@gmail.com	

**PROPONENT**

Name	Contact person and telephone	Signature
AQUILA DEVELOPMENT COMPANY LIMITED	Ms. Lilian	

## ABBREVIATIONS

CDM	Clean Development Mechanisms
EIA	Environmental Impact Assessment
EMCA, 2015	Environmental Management and Coordination Act 2015
EMMP	Environmental Monitoring and Management Plan
EMP	Environmental Management Plan
Ha	Hectares
KM	Kilo Meters
KPLC	Kenya Power and Lighting Company
NEAP	National Environmental Action Plan
NEMA	National Environmental Management Agency
PPE	Personal Protective Equipment
PR	Project Report
TBD	To Be Determined
TOR	Terms of Reference

## CONTENTS

---

CHAPTER ONE .....	1
1.0 INTRODUCTION .....	1
1.1 SCOPE.....	1
1.2 OBJECTIVES .....	1
1.3 TERMS OF REFERENCE .....	1
1.4 METHODOLOGY AND CRITERIA.....	2
CHAPTER TWO.....	5
2.0 POLICY LEGAL AND ADMINISTRATIVE FRAMEWORK .....	5
2.1 LEGAL FRAMEWORK.....	7
2.2 INTERNATIONAL OBLIGATIONS.....	13
2.3 ADMINISTRATIVE FRAMEWORK.....	14
CHAPTER THREE .....	16
3.0 BASELINE INFORMATION OF THE STUDY AREA .....	16
3.1 PHYSICAL ENVIRONMENT .....	16
3.1.1 BACKGROUND INFORMATION OF THE PROJECT AREA .....	16
3.1.2 LOCATION.....	16
3.1.4 GEOGRAPHICAL CONDITIONS .....	16
3.1.5 SOIL AND GEOLOGY.....	17
3.1.6 SOCIO-ECONOMIC PROFILE.....	17
4.0 PROJECT PROCESS AND IMPLEMENTATION .....	19
4.1 CONSTRUCTION ACTIVITIES AND INPUTS .....	19
4.2 PROJECT ALTERNATIVES CONSIDERED.....	20
4.3 Project Description .....	22
4.4 The Proposed Location of the Project.....	24
5.1 Project design considerations for the open field farming.....	25
5.2.1 Dam .....	25
Design of the Dam .....	25

Project design considerations for the dam.....	25
5.3 Impact Assessment Project Report .....	26
5.4Part VI – environmental impact assessment .....	26
5.5 Site Location .....	28
CHAPTER SIX .....	29
6.0 PUBLIC CONSULTATION .....	29
CHAPTER SEVEN .....	31
7.0 DESCRIPTION OF ANTICIPATED IMPACTS AND MITIGATION MEASURES .....	31
POTENTIAL IMPACTS FROM THE GREEN HOUSE PROJECT .....	31
7.1 Preparation Phase .....	31
7.2 OPERATIONAL PHASE .....	35
7.3 DECOMMISSIONING PHASE .....	39
CHAPTER EIGHT .....	42
8.0 DESCRIPTION OF ANTICIPATED IMPACTS AND MITIGATION MEASURES .....	42
POTENTIAL IMPACTS FROM THE DAM PROJECT.....	42
8.1 CONSTRUCTION PHASE.....	42
8.1.1Positive Impacts .....	42
8.2 OPERATIONAL PHASE .....	45
8.2.1Positive Impacts .....	45
8.2.3Negative Impacts and Mitigation Measures .....	45
8.3 DECOMMISSIONING PHASE .....	47
8.3.1 Positive impacts .....	47
8.3.2 Negative Impacts and Mitigation Measures .....	48
CHAPTER NINE.....	49
9.0 ENVIRONMENTAL MANAGEMENT AND MONITORING PLANS.....	49
CHAPTER TEN .....	57
10.0 ENVIRONMENTAL MANAGEMENT AND MONITORING PLANS.....	57

## ACKNOWLEDGEMENT

We would like to acknowledge the management of Aquila Development Company Limited for providing all the necessary support to facilitate the undertaking of this EIA of the proposed farm extension in Aquila Development Company Limited.

We also express our gratitude to the Company's Management and staff for their cooperation and responses during on-site assessment activities at the company and the immediate neighbors consulted for their candid and invaluable comments. This goes a long way in showing a high level of commitment by Aquila Development Company Limited in protecting and maintaining a healthy and sustainable environment.

**Table 1: PROPONENTS INFORMATION**

Name	AQUILA DEVELOPMENT COMPANY LIMITED.
Situation of Workplace	i. County: NAKURU ii. Town: NAIVASHA
Contact Details	Postal Address: 357 Code: 20117 Town: NAIVASHA
Type of Industry	FLORICULTURE
Date of the Assessment	28 <sup>TH</sup> NOVEMBER 2017
Project	FARM EXTENSION

## **EXECUTIVE SUMMARY**

In Kenya, an EIA must be carried out prior to any project that is likely to have an impact(s) on the environment and on social and economic well-being of the community involved. The two projects (farm extension and water reservoir construction) to be undertaken are among such developments that require the critical and strategic assessment as stipulated in the Environmental Management and coordination (amendment) Act, 2015 and Environmental Impact Assessment and audit regulation (2003). This is done so as to ensure sustainable environmental management.

The project involves the extension of farming land to 40 acres plus construction of 5000m<sup>3</sup> water reservoir. Environmental experts who are registered by the National Environment Management Authority (NEMA) conducted the EIA study and prepared this report for approval by the same.

For a long time, the world over, policy makers directed all the efforts in economic development without due regard to the resource base on which the economic development depend on. As a result, there has been unprecedented environmental degradation due to lack of environmental conservation resulting to unsustainable development. More recently investors and developers, spurred on by regulators world over, have recognized the need for change in order to safeguard the environment.

In reference to the above, environmental concerns have now been integrated in the planning and implementation processes of any proposed project in Kenya. The key objective is to mitigate conflicts with the EIA to be undertaken on projects of such nature and magnitude; to enhance Sustainable Environmental Management as well as controlling and revitalizing the much degraded environment. The environmental management is coordinated by NEMA in Kenya. Pursuant to the prevailing legal requirements as envisaged in the EMCA,2015 and to ensure sustainable environmental management, the project proponent commissioned undertaking of the EIA study for the proposed project; and incorporated substantial environmental aspects as advised by NEMA.



## **CHAPTER ONE**

### **1.0 INTRODUCTION**

The main objective of the EIA study is to evaluate the effects/impacts of proposed development in relation to the general environmental aspects i.e. physical, biological, and socio-economic environments. It aims at influencing the protection and coexistence of the development with the surroundings as well as the compatibility of the proposed development to the area; to ensure and enhance sustainable environmental management during implementation and operational phases.

#### **1.1 SCOPE.**

The scope of the assessment study covered the physical extent of the project's site and its immediate environs, construction works of the proposed development, installation of basic utilities and services as required by the physical planning act. The output of the study was the production of an EIA project report for submission to NEMA for the purposes of seeking approval and subsequent acquisition of an EIA license to proceed with the project.

#### **1.2 OBJECTIVES**

The environmental Impact Assessment Study of the developments was conducted in order to:

- Determine the Impacts the project may have on the Environment.
- Assist decision makers arrive at a decision whether to grant or deny a license for the proposed project.
- Propose cost-effective mitigation measures for the significant negative impacts of the project on the environment.
- Coming up with an Environmental Management Plan (EMP) to address environmental and social impacts of the project to the affected population during construction, operational and decommissioning phases of the project.

#### **1.3 TERMS OF REFERENCE**

- A critical look into project objectives.
- Assessment of the proposed location of the project.
- A concise description of the baseline information, national environmental legislative and regulatory framework, and any other relevant information related to the project.

- Evaluation of the technology, procedures and processes to be used, procedures and processes to be used in the implementation of the project.
- Evaluation of the materials to be used in the construction and implementation of the project and their extended sources.
- Description, evaluation and analysis of the foreseeable potential environmental effects of the project broadly classified into physical, ecological/biological and socio-economic aspects (direct, indirect, cumulative, irreversible, short-term and long-term effects anticipated)
- Evaluation of waste management.
- Evaluation and analysis of alternatives including the proposed project, no project alternative, project site, design and technologies.
- An Environmental Management Plan (EMP), proposing the measures for eliminating, minimizing or mitigating adverse impacts on the environment.
- Propose measures to prevent health and safety hazards and to ensure security in the working environment for the employees and the management in case of emergencies. This encompasses prevention and management of the foreseeable accidents and during both the construction and operational phases.
- Such other matters as NEMA may require.

## **1.4 METHODOLOGY AND CRITERIA**

### **METHODOLOGY**

The E.I.A methodology involved:

- Discussions with site representatives
- Site survey and observation
- Documents and data review
- Public Consultation
- Reporting

#### **Discussions/Meeting with Site Representatives**

Opening and Closing meetings were held between the farm representatives and the auditor. The opening meeting was to brief the site representatives on the objectives and scope of the Environmental Impact Assessment Study. At the end of the site assessment, a closing meeting was held to point-out assessment findings.

### **Site Survey and Observation**

This was done during the Aquila Development Company Limited visit. The expert was allowed to personally scrutinize, identify environmental concerns that may arise from the project, interpret the situation on the ground and make judgment.

### **Documents and Data Review**

Literature review on relevant documentation related to the study was carried out. The proponent provided upon request, the land ownership documents, certificate of work registration, Layout plans and architectural designs of the proposed project.

### **Public Consultation**

This was carried out to gather the opinion of the neighbors and relevant stakeholders concerning the proposed greenhouse extension and dam construction project at Aquila Development Company Limited. The general trend was that consulted persons were made to understand that the consultants were not speaking on behalf of Aquila Development Company Limited, but that the meeting was part of the data gathering process for an EIA study. Both closed and open ended questionnaires were administered to the business neighbors (*Copies attached*).

### **Reporting**

All the findings of the assessment have been documented in this report as per the provisions of NEMA stated in the Environmental Management and Coordination (Amendment) Act 2015 and as stipulated in the Legal Notice No. 101, Environmental (Impact Assessment and Audit) Regulations of 2003.

### **Criteria**

EIA Regulations stipulates the general criteria for undertaking EIA studies. The Environmental Impact Assessment criteria are further enhanced through endorsement of recent EHS and related legislations.

Subsequently, the criteria for the EIA focused on the:

- (a) Applicable Environmental Regulations which include:
  - Environmental Management and Coordination (Amendment) Act, 2015

- Environment Management and Coordination (Environmental Impact and Assessment) Regulations, 2003
- Environment Management and Coordination (Water Quality) Regulations, 2006
- Environment Management and Coordination (Waste Management) Regulations, 2006
- OSHA 2007
- Local Government Act
- Water Act

(b) Aquila Development Company Limited EHS Policy which the farm is required to comply with.

## CHAPTER TWO

### 2.0 POLICY LEGAL AND ADMINISTRATIVE FRAMEWORK

According to the Kenya National Environment Action Plan (NEAP, 1994) the Government recognized the negative impacts on ecosystems emanating from economic and social development programs that disregarded environmental sustainability. Following on this, establishment of appropriate policies and legal guidelines as well as harmonization of the existing ones have been accomplished or is in the process of development. The NEAP process introduced environmental assessments and auditing in the country culminating into the enactment of the Policy on Environment and Development under the Sessional Paper No. 6 of 1999. An EA is a tool used on ongoing development projects commenced prior to the coming into force of the EIA/EA regulations and new projects undertaken after completion of an EIA. It is a legal requirement in Kenya and provided for under section 47 of EMCA 2015.

The following is a summary of some laws and regulations that protect the environment from environmental degradation. The Sectoral acts are still applicable, however, for the purpose of this report, special attention should be given to the provisions in EMCA. According to Kenya subsidiary legislation, 2003 Part V of the EIA and EA regulations, Environmental Audit and Monitoring is mandatory. This mainly covers;

- ❖ On-going Projects commenced prior to the coming into force of these regulations; or
- ❖ New projects undertaken after completion of an Environmental Impact Assessment study report.

The policy recommends the need for enhanced re-use/recycling of residues including wastewater, use of low non-waste technologies, increased public awareness raising and appreciation of a clean environment. It also encourages participation of stakeholders in the management of wastes within their localities.

The key national laws governing the compliance for Environmental Management of Aquila Development Company Limited are;

- Environmental Management and Co-ordination(Amendment) Act, 2015
- Environmental Management and Coordination (Waste Management) Regulation, 2006.
- Environmental Management and Coordination (Water Quality) Regulation, 2006

- Environmental Management and Coordination (Controlled Substances) Regulation, 2007
- The Public Health Act (Cap. 242)
- The Occupational Safety and Health Act (OSHA), 2007
- The Factories and Other Places of Work (Medical Examination Rules), 2005
- The Factories and Other Places of Work (Fire Risk Reduction Rules), 2007
- The Factories and Other Places of Work (Safety and Health Committee Rules), 2004
- The Factories and Other Places of Work (First Aid Rules), 1977
- The air quality standards by the World Health Organization (WHO) and World Bank
- The County Governments act
- The Water Act, 2002 (Cap 372) including the Water Quality Regulation (2006) and the Wetland Regulation (2009)
- Energy Act, 2006
- Energy Management Regulations (2012).
- Environmental Management and Coordination (Noise and Excessive Vibration Pollution Control) Regulations, 2009

Under the general provisions (PART I) of these rules:

Noise pollution means the emission of uncontrolled noise that is likely to cause damage to human health or damage to the environment, Excessive vibration means the presence of vibrations which: -

- Is of such intensity, duration, frequency or character as to annoy, disturb, or cause or tend to cause adverse psychological effects on persons, or to damages or tend to damage personal or real property; and
- Exceed 0.5 centimeters per second beyond any source property boundary or 30 meters from any moving source.

## **NATIONAL POLICY AND LEGAL FRAMEWORK**

Kenya Government's environmental policy aims at integrating environmental aspects into national development plans. The broad objectives of the national environmental policy include:

- ❖ Optimal use of natural land and water resources in improving the quality of human environment
- ❖ Sustainable use of natural resources to meet the needs of the present generations while preserving their ability to meet the needs of future generations

- ❖ Conservation and management of the natural resources of Kenya including air, water, land, flora and fauna.
- ❖ Promotion of environmental conservation through the sustainable use of natural resources to meet the needs of the present generations while preserving their ability to meet the needs of future generations
- ❖ Meeting national goals and international obligations by conserving bio-diversity, arresting desertification, mitigating effects of disasters, protecting the ozone layer and maintaining an ecological balance on earth.

## **2.1 LEGAL FRAMEWORK**

Adherence to national statutes and regulations on environmental conservation suggest that the proponent has a legal duty and social responsibility to ensure that the ongoing development safeguard the status of the environment, natural resources, public health and safety. Environmental management activities were previously implemented through a variety of instruments such as policy statements and sectoral laws as well as through permits and licenses. Most of these statutes are sector-specific, covering issues such as public health, soil erosion, protected areas, endangered species, water rights and water quality, air quality, noise and vibration, cultural, historical, scientific and archaeological sites, land use, resettlement, etc. Some of the key national laws that govern the management of environmental resources in the country are hereby discussed however it is worth noting that wherever any of the laws contradict each other, the Environmental Management and Co-ordination (Amendment) Act, 2015 prevails.

### **Environment Management and Co-ordination (Amendment) Act, 2015**

This Act provides for the establishment of appropriate legal and institutional framework for the management of the environment and its related matters. Part II section 3 of the Environment Management and Co-ordination (Amendment) Act, 2015 states that every person in Kenya is entitled to a clean and healthy environment in accordance with the Constitution and relevant laws and has the duty to safeguard and enhance the environment. In order to partly ensure this is achieved, section 43 of the Act directs that the proponent of any project specified in the Second Schedule shall undertake a full environmental impact assessment study and submit an environmental impact assessment study report to the Authority prior to being issued with any license by the Authority. Section 47 gives provision on Environmental Auditing.

### **Environmental (Impact Assessment and Audit) Regulations, 2003**

The Regulation provides the guidelines that have been established to govern the conduct of environmental assessments and environmental audits in Kenya. The guidelines require that the EIA study be conducted in accordance with the issues and general guidelines spelt out in the Second and Third schedules. These include coverage of the issues on schedule 2 (ecological, social, landscape, land use and water considerations) and general guidelines on schedule 3 (impacts and their sources, project details, national legislation, mitigation measures, a management plan and environmental auditing schedules and procedures).

### **Conservation of Biological Diversity and Resources, Access to Genetic Resources and Benefit Sharing Regulations, 2006**

The Act states that no person shall engage in any activity that may have an adverse impact on any ecosystem lead to the introduction of any exotic species, or lead to unsustainable use of natural resources, without an Environmental License issued by the Authority.

### **Wetlands, River Banks, Lake Shores and Sea Shore Management Regulation, 2009**

This Act applies to all wetlands in Kenya whether occurring in private or public land. It contains provisions for the utilization of wetland resources in a sustainable manner compatible with the continued presence of wetlands and their hydrological, ecological, social and economic functions and services.

### **Noise and Excessive Vibration Pollution Control Regulations, 2009**

These Regulations determine that no person or activity shall make or cause to be made any loud, unreasonable, unnecessary or unusual noise that annoys, disturbs, injures or endangers the comfort, repose, health or safety of others and the environment. In determining whether noise is loud, unreasonable, unnecessary or unusual, the following factors may be considered:

- Time of the day;
- Proximity to residential area;
- Whether the noise is recurrent, intermittent or constant;
- The level and intensity of the noise;
- Whether the noise has been enhanced in level or range by any type of electronic or mechanical means; and,



- Whether the noise is subject to be controlled without unreasonable effort or expense to the person making the noise.

These regulations also relate noise to its vibrational effects and seek to ensure no harmful vibrations are caused by controlling the level of noise. Any person/s intending to undertake activities in which noise suspected to be injurious or endangers the comfort, repose, health or safety of others and the environment must make an application to NEMA and acquire a license subject to payment of requisite fees and meeting the license conditions.

### **Waste Management Regulations (2006)**

The Waste Management Regulations are meant to streamline the handling, transportation and disposal of various types of waste. The aim of the Waste Management Regulations is to protect human health and the environment. The regulations place emphasis on waste minimization, cleaner production and segregation of waste at source.

### **Air Quality Regulations, 2009**

The objective of these Regulations is to provide for prevention, control and abatement of air pollution to ensure clean and healthy ambient air. The general prohibitions state that no person shall cause the emission of air pollutants listed under First Schedule (Priority air pollutants) to exceed the ambient air quality levels as required stipulated under the provisions of the Seventh Schedule (Emission limits for controlled and non-controlled facilities) and Second Schedule (Ambient air quality tolerance limits).

### **The Constitution of Kenya, 2010**

- ❖ Article 42 states that everyone has a right to a clean and healthy environment.
- ❖ Article 69 every person has a duty to cooperate with State organs and other persons to protect and conserve the environment and ensure ecologically sustainable, development and use of natural resources.
- ❖ Article 70 provides avenue for redress on infringement of the rights covered under article 42
- ❖ Article 72 provides that the Parliament shall enact legislations giving effect to the provisions of the constitution.

### **Occupational Health and Safety Act, 2007**

This is an Act of Parliament to provide for the safety, health and welfare of workers and all persons lawfully present at workplaces, to provide for the establishment of the National Council for Occupational Safety and Health and for connected purposes. The Act has the following functions among others:

- ❖ Secures safety and health for people legally in all workplaces by minimization of exposure of workers to hazards (gases, fumes & vapors, energies, dangerous machinery/equipment, temperatures, and biological agents) at their workplaces
- ❖ Prevents employment of children in workplaces where their safety and health is at risk.
- ❖ Encourages entrepreneurs to set achievable safety targets for their enterprises.
- ❖ Promotes reporting of work-place accidents, dangerous occurrences and ill health with a view to finding out their causes and preventing of similar occurrences in future.
- ❖ Promotes creation of a safety culture at workplaces through education and training in occupational safety and health.

Failure to comply with the OSHA, 2007 attracts penalties of up to KES 300,000 or 3 months jail term or both or penalties of KES 1,000,000 or 12 months jail term or both for cases where death occurs and is in consequence of the employer.

### **Water Act, 2002**

The new Water Act (2002) of the Laws of Kenya seeks to make better provisions for the conservation, control of pollution; apportionment and use of the water resources in Kenya, and for purposes they are incidental thereto and connected therewith. The Act vests ownership and control of water in government subject to any rights of user. Under this provision the responsibility to regulate access, use and control of water resources is vested in the Water Resources Management Authority(WRMA). The Water Act protects water bodies and sources from pollution and controls their use. It will ensure that the proposed project requirements can be provided by the existing water system and that the project design will work to conserve the available water both during construction and the operation phase of any project.

### **Public Health Act (Cap. 242)**

This Act provides for the impetus for a healthy environment and gives regulations to waste management, pollution and human health. This Act controls the activities of the project with

regard to human health and ensures that the health of the surrounding community isn't jeopardized by the activities of the project.

### **Physical Planning Act (Cap. 286)**

The Act provides for the preparation and implementation of physical development plans and for related purposes. It gives provisions for the development of local physical development plan for guiding and coordinating development of infrastructure facilities and services within the area of authority of County, municipal and town council and for specific control of the use and development of land. The Act also promotes public participation in the preparation of plans and requires that in preparation of plans proper consideration be given to the potential for socio-economic development needs of the population, the existing planning and future transport needs, the physical factors which may influence orderly development in general and urbanization in particular, and the possible influence of future development upon natural environment. Any change of use of the actual development without authority constitutes an offence. Similarly, anyone who deposits refuse, scrap or waste materials in a designated area without the consent of the planning authority or the relevant local authority shall be guilty of an offence under the regulations. The general sentence under the regulations is a fine of not exceeding five thousand shillings or imprisonment not exceeding six months, or to both, such fine and imprisonment. This Act gives precedence for the need of undertaking an environmental impact assessment on all projects, inviting public participation and taking into account possible influence of the future development upon natural environment.

### **The penal code**

The chapter on "offences against health and convenience" contained in the penal code enacted in 1930 strictly prohibits the release of foul air into the environment which affects the health of the other person. Any person who voluntarily violates the atmosphere at any place to make it noxious to the health of persons in general, dwelling or carrying of business in the neighborhood or passing along public ways is guilty of a misdemeanor, i.e. imprisonment not exceeding two years with no option of fine.

### **Local Government Act (Cap. 265)**

This law empowers a local authority to apply through the Minister of Lands to meet its different development purposes. Such requests and purposes are deemed to be public purposes within the meaning of the Land Acquisition Act (cap 295). Such a local authority may, within such

land, establish and maintain a conservation area. This project has met the above- mentioned Acts' requirements one of which is the undertaking of this study. Others include the permits issued by the local authority.

### **Forest Act, 2005**

The Forest Act, 2005 was enacted in November 2005 to repeal the Forest Act, Cap 385. The Act provides for the establishment, development and sustainable management, including conservation and rational utilization of forest resources so as to enhance their role in the stabilization of soils, ground water, protecting water catchments, moderating climate by absorbing greenhouse gases, provide the main locus of Kenya's biological diversity and a major habitat for wildlife. Its provisions apply to all forests and woodlands on state, local authority and private land of the country declared as provisional forest by the Minister. The administration of forests is headed by the established Kenya Forest Service managed by a board, regional forest conservation committees work under and community participation is integrated through forest community associations and forest user associations. The Act also establishes the forest management and conservation fund headed by a finance committee. The Act requires formulation of forest management plans for use in management of state, local and provisional forests, joint management of forests is allowed but governed by management agreement with the forest service. Indigenous forests and woodlands shall be managed on a sustainable basis and presidential decree for protection of trees can be issued. Variation of forest boundaries or revocation of state or local authority forests and state forest concession are subject to an independent EIA and public consultation. Director of Kenya Forest Service (KFS) is required to maintain register of all licenses issued under the Act. Provisions of part VI and part XII of EMCA'99 shall apply mutatis mutandis to and in respect of a license under this Act and any EIA as well as reference to the National Environment Tribunal required under this Act. The provisions of EMCA'99 regarding reference to the Tribunal established under that Act shall apply to the settlement of disputes arising under Forest Act, 2005. Offences under the Act are punishable under the law and citizens can petition High court for a declaration of contravention of the Act provisions. Thus the Act directs, regulates and harmonizes development and use of forests in the country. In addition, the Act provides a vital link with the Environment Management and Coordination Act.

Land Control Act, Cap. 302

The proposed project will be carried out on private land. It is worth noting that the Government can compulsorily acquire private land for public interest.

### **National Construction Authority Act 2011.**

The national construction act is set to streamline, overhaul and regulate the construction industry in Kenya for sustainable development. The NCA establishes the authority and confers on its power to register contactors within the construction industry. The act requires all the contractors, both foreign and local contractors to be registered with the authority. The act also regulates the practices of foreign contractor by limiting their work to only tender work. The foreign contractors are licensed for only a specific period and once they satisfy they are in Kenya for that specific time. The foreign contractors must also produce a certificate of compliance. Furthermore, they must lodge an affidavit with the NCA that once the project they have been licensed is over, they shall wind up their business. This prevents them from engaging in any other construction in the country.

### **The Agriculture Act CAP 318**

This is the principle law governing agricultural production in Kenya and the proponent must adhere to all the provisions of this Act in his day to day operations.

### **4.3.16 Wildlife Conservation & Management Act Cap 376 (Amended, 2010)**

The Act and its related amendments regulate wildlife conservation within the country. The Act also created the Kenya Wildlife Service in 1997 and gives the agency the power to oversee the establishment and management of the Parks and reserves in Kenya and undertake to protect the fauna and flora within the National parks including entering into agreements with organizations of person to ensure that wildlife corridors continue to be provided for migration of wild- life. Alienation of any park can only be undertaken by a resolution from parliament. The Act gives KWS the powers to maintain an armed wing and pro-vides the sweeping powers for the organization to enter into premise search and arrest anybody handling live or dead animal or part of animal and prosecute in a court of law.

## **2.2 INTERNATIONAL OBLIGATIONS**

Kenya is party to a number of Multi-Lateral Environmental Agreements (MEAs) on environmental protection. Aquila Development Company Limited must therefore comply with these agreements. These include;

- ❖ African Convention on the Conservation of Nature and Natural Resources, 1968(revised in 2003).
- ❖ Convention on Wetlands (Ramsar convention)1971

- ❖ UNESCO Convention Concerning the Protection of the World Culture and Natural Heritage (1972)
- ❖ Kyoto Protocol
- ❖ Vienna Convention for the Protection of the Ozone Layer Supplemented by The 1987 Montreal Protocol on Substances that Deplete The Ozone Layer(1985)
- ❖ Basel Convention on the Control of Trans-Boundary Movement of Hazardous Wastes and Their disposal (1989)
- ❖ Bamako Convention on the Ban of the import into Africa and the Control of Trans-Boundary Movement and Management of Hazardous Wastes within Africa (1991)
- ❖ Convention on Biological Diversity (1992) Biodiversity
- ❖ United Nations Framework Convention on Climate Change (UNFCCC, 1992)
- ❖ Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade (1998)

## **2.3 ADMINISTRATIVE FRAMEWORK**

### **County Environment Committees**

County Environmental Committees also contribute to decentralized environmental management and enable the participation of local communities. These environmental committees consist of the following:

- Representatives from all the ministries;
- Representatives from local authorities within the County;
- Two representatives from Public benefit organizations involved in environmental management in the County;
- A representative of each regional development authority in the County.

### **National Environment Management Authority (NEMA)**

The responsibility of NEMA is to exercise general supervision and co-ordination over all matters relating to the environment and to be the principal instrument of government in the implementation of all policies relating to the environment.

### **Standards and Enforcement Review Committee (SERC)**

In addition to NEMA, EMCA 2015 provides for the establishment and enforcement of environmental quality standards to be set by a technical committee of NEMA known as the

SERC. A work plan was set up by SERC to include committees to draw up standards; these include the following:

- Water Quality Regulations
- Waste Management Regulations
- Controlled Substances Regulations
- Conservation of Biological Diversity
- Noise Regulations
- Air quality Regulations
- Wetlands, River Banks, Lake Shores and Sea Shore Management) Regulation, 2009

## **CHAPTER THREE**

### **3.0 BASELINE INFORMATION OF THE STUDY AREA**

#### **3.1 PHYSICAL ENVIRONMENT**

##### **3.1.1 BACKGROUND INFORMATION OF THE PROJECT AREA**

Aquila Development Company Limited is located in Nakuru County, Naivasha Sub county. Nakuru County is one of the counties found in the former Rift Valley Province. It is bordered by Baringo and Laikipia counties to the North, Nyandarua and Kiambu counties to the West, Kajiado and Narok counties to the South and Kiricho and Bomet Counties to the East. It lies between 0°34' South and 1° 07'South and longitudes 0°30 'S and 36°0 'East

##### **3.1.2 LOCATION**

Aquila Development Company Limited is located in Ndabibi village, Kongoni Division in Nairobi Subcounty. The farm can either be accessed either through Nairobi-Naivasha-Moi South Lake road or Nairobi-Mai Mahiu- South Lake road. The farm lies North of Lake Naivasha, South of Gathonia residential village, West of Shalimar, Bila Shaka, Butyline farms and East of Rainforest farms.

##### **3.1.3 PHYSICAL FEATURES AND CLIMATIC CONDITIONS**

There are several geographic features in the Nakuru County namely Lake Naivasha and Lake Nakuru. These features have an adverse effect on the climatic and weather patterns experienced in the county however climate change and global warming also affects the weather components in the region. The average altitude of the county is approximately 1850 metres above the sea level and this explains the temperature regimes experienced in the county. The average temperatures range between 10 degrees Celsius and 20 degrees Celsius, the cold season is experienced in July and August while the hot season is experienced in January and March. The rains are received in two seasons whereby the long rains are experienced in April, May and August while the short rains are experienced between October and December. The average annual rainfall is approximated to be 850mm per year and this enables the farmers in Nakuru County to practice crop farming. The predominant soil type is loam and contains all the plant nutrients required for plant growth. Due to the good soil cover in the region, soil erosion is not major problem here.

##### **3.1.4 GEOGRAPHICAL CONDITIONS**

The County's total area is 2,325.8 km<sup>2</sup>, a total population density of 1,603,325 as per the year 2009 National population census. It has eleven constituencies: Nakuru town West, Nakuru town East, Kuresoi South, Kuresoi North, Molo, Rongai, Subukia, Gilgil, Bahati, Njoro and Naivasha Constituencies.



### **3.1.5 SOIL AND GEOLOGY**

The geology of Nakuru county comprises mainly of volcanic soils and rocks (lava and pyroclastics) of Tertiary – Quaternary age, which has been affected by a series of faulting, and are overlain by recent sediments. The most extensive soils in the area are volcanic soils with few thin layers of organic soils in few places. The landscape is of tectonic origin resulting from tectonic volcanic activity and erosion. The soils in the county vary in both fertility and distribution. Shallow soils are formed in hilly areas while deep well drained soils are found on the slopes and plateaus.

### **3.1.6 SOCIO-ECONOMIC PROFILE**

#### **3.1.6.1 Population and human settlements**

Nakuru County is home to 1, 603, 325 people (male - 50.2% and female - 49.8%), according to the 2009 National Census. It is a cosmopolitan county, with its population originating from all the major tribes of Kenya.

The population density in Nakuru County has been increasing in the last 40 years. The density was 52 persons per Km<sup>2</sup> in 1969. It increased to 69 persons per Km<sup>2</sup> in 1979 and then to 102 and 145 persons in 1989 and 1999 respectively.

The current settlement patterns have historical origin from colonial times. The pattern is dichotomous in nature i.e. urban and rural with difference in both economic and spatial characteristics. The rural settlements are generally homogenous and engage in primary production with agriculture as the dominant economic activity. Urban settlements are heterogeneous, densely populated and engage in non-agriculture economic activities such as commerce and industry and also service delivery.

The settlement schemes in Nakuru County were initiated in 1960's and 1970's. One of the factors that have had a major impact in settlement development in the county is the rapidly growing population without corresponding development of off-farm economic opportunities. Roads network also attracts a lot of settlements along the main highways and all weather roads. Agriculture is the backbone of Nakuru's economy. The county's weather is conducive for large-scale farming, horticulture and dairy farming. Food crops grown in Nakuru County include maize, wheat, beans, peas, cabbages, tomatoes, kales and carrots. The produce is consumed locally and sold to consumers in neighboring towns and cities.

There are 898 primary schools and 334 secondary schools in Nakuru County, serving 358,556 pupils and 25,475 students respectively. The county's Teacher to Pupil Ratio is 1: 49 for public primary schools and 1:36 for public secondary schools.

### **3.1.7 FOREST DIVERSITY**

The County falls in the highland Savannah zone, characterized by few scattered trees with expansive grass cover. Most of the natural vegetation has been cleared giving way to manmade environmental hazards. There are four gazetted forests, which have both natural and planted strips

## CHAPTER FOUR

### 4.0 PROJECT PROCESS AND IMPLEMENTATION

The farm extension project will involve addition of open field farming land and construction of a water reservoir(dam) that will serve the farm. Since a lot of water can be harvested during rainy seasons as surface run off, the 5000m<sup>3</sup> dam will be constructed to serve as reservoir for the harvested water. In addition, water from an existing borehole will be channeled to the reservoir. The development will be done on an area of 40 acres.

The entire farming extension project will incorporate environmental guidelines as well as health and safety measures.

### 4.1 CONSTRUCTION ACTIVITIES AND INPUTS

#### The project inputs

- Construction raw materials  
The construction of the water reservoir will include polyethylene paper, sand, cement, water pipes and impermeable plastic material for laying on the base of the reservoir. The construction of the pump house will include bricks, sand, cement and rood materials. All these will be to the approved standards and shall be obtained from licensed dealers and especially those that have complied with the environmental management guidelines and policies.
- Construction machinery.  
Include but not limited to excavators, trucks, concrete mixers and other relevant construction equipment. These will be used for the transportation of materials, and in the construction activities. Some of the machinery will use petroleum products to provide propulsion energy.
- A construction labor force of both skilled and non-skilled workers who will require services such as water supply, washing and sanitation facilities.
- Water for construction purposes. This will be obtained from the current water supply system within the farm.

#### Construction activities

- Procurement of construction materials from approved dealers.
- Appropriate storage of the construction materials.
- Site preparation i.e. Excavation of the dam.

- Disposal of the resulting debris/ waste materials.
- Electrical, civil, mechanical engineering and sanitary works: to be done by professionals.
- Excavation at the of the water reservoir.
- Fixing of the lining polyethylene paper.

## **4.2 PROJECT ALTERNATIVES CONSIDERED**

### **4.2.1 ALTERNATIVES FOR THE OPEN FIELD FARMING**

#### **The Proposed Project Alternative**

Under this alternative, the project report will be presented to NEMA. This report will evaluate and examine the impacts of the project on the environment. After the evaluation, an EIA License would be issued, signifying NEMA's approval of the project's implementation. However, the development will ensure that all environmental measures are complied with during the construction period and during operation.

The alternative consists of the proponents with the inclusion of NEMA guidelines and regulations and procedures. This is as stipulated in EMCA 2015, which aims at the reduction environmental impacts associated with development.

#### **The No Action Alternative**

Under this alternative, NEMA would decline approval of the proposed development. In addition, there would be no alternative site for the same development. This would mean that the proposed development would not take place. The socio-economic impacts resulting from the proposed project would not be realized. On the other hand, the anticipated insignificant environmental impacts resulting from the construction would not occur.

#### **The comparisons of alternatives**

Under the proposed project alternative, the development would provide a standard environment for the Aquila Development Company Limited workers, occupants and visitors. This would be done with respect to the Public Health Act, OSH Act, 2007, the Local Government Act and other relevant legislation. During the construction and operation phases, the project will provide employment opportunities and create a positive impact on the economy. Provided the mitigation measures are implemented, including sound farm management practices, impacts on soils and drainage, good air and water quality are anticipated under this alternative.

Commitment associated with this alternative would ensure that potential negative impacts are avoided or reduced to levels of insignificance.

#### **4.2.2 ALTERNATIVES FOR THE DAM**

Prior to the choice of the proposed project, the following alternatives were considered and these include:

##### **No Project Alternative**

This was rejected as it counters development, since the farm needs more water to cater for its increasing demand for the resource. In addition, the socio-economic impacts resulting from the proposed project would not be realized and the other hand, the anticipated insignificant environmental impacts resulting from the construction would not occur.

##### **Exploitation of groundwater**

This is not feasible as investigations revealed that further exploitation of groundwater was much expensive as compared to dam construction. In addition, the ground water will reduce faster than the rate of recharge. Therefore, use of the dam will be more logical since it will depend on harvested rain water from the green houses and storm water.

##### **Reservoir Construction**

This is the proposed project in which the project report will be presented to NEMA. This report will evaluate and examine the impacts of the project on the environment. After the evaluation, an EIA License would be issued, signifying NEMA's approval of the project's implementation. However, the development will ensure that all environmental measures are complied with during all stages of the project.

This option was considered the best option since it shall guarantee sustainable water supply to the flower farm, utilize rain water that would otherwise be wasted.

##### **The comparisons of alternatives**

Under the proposed project alternative, the development would provide a standard environment for the Aquila Development Company Limited's workers, occupants and visitors. This would be done with respect to the Public Health Act, OSH Act, 2007, the Local Government Act and other relevant legislation. During the whole project cycle, the project will provide employment opportunities and create a positive impact on the economy. Provided the mitigation measures are implemented, including sound construction management practices, impacts on soils and drainage, good air and water quality are anticipated under this alternative. Commitment

associated with this alternative would ensure that potential negative impacts are avoided or reduced to levels of insignificance.

### **4.3 Project Description**

The proponent- Aquila Development Company Limited- is proposing to construct a dam and extend its open field farming to 40 acres. The dam will be excavated in the middle of the proposed open field in the area as highlighted in the figure below.




Figure1. Project Drawing

#### **4.4 The Proposed Location of the Project**

The proposed location of the two projects is within the Aquila Development Company Limited vicinity. The portion of land to be developed measures approximately 40 acres. The land is owned by Aquila Development Company Limited. The certificate of title is as annexed. The area is covered with grass and small bushes. The fauna observed on site were insects, birds, camels, antelopes and zebras. The type of soil is volcanic soil. Drainage issues and soil conservation will therefore be highly addressed during the planning and design of the proposed project.



## CHAPTER 5 PROJECT DESIGNS

### 5.1 Project design considerations for the open field farming


#### 5.1.1 General considerations

The design considerations incorporate aspects of modern architecture, and modern open field farming activities including:


- Clearing of the vegetation on the site (these include the thickets currently on site and grasses).
- Ground leveling and earth moving and excavations for the construction works of the site proposed offices, Power room, main store and pump room.
- Transportation of construction materials
- Construction of the pump house, landscaping, paving and fittings of finishes and other utilities in the facilities of the farm
- Cultivation and harrowing of the farm
- Barbed wire perimeter fencing
- Laying of drip pipes for the drip irrigation
- Planting of the proposed produce

### 5.2 CONSTRUCTED DAM DESIGN

#### 5.2.1 Dam



#### Design of the Dam



#### Others Measurement:

1. Reservoir Bottom size --- 23x 48mtrs

#### Project design considerations for the dam

## **General considerations**

In the realization of the designs for the proposed project, the following was considered:

1. Excavation of the site to the desired length, width, depth and elevation.
2. Construction of embankment and related facilities;
3. The construction of spillway and related facilities;
4. Construction of drains to harvest storm water and
5. Construction/installation of Pump House, pump assemblage and pipeline for transporting water to the greenhouses for irrigation

### **5.3 Impact Assessment Project Report**

“Environmental impact assessment” means a systematic examination conducted to determine whether or not a programme, activity or project will have any adverse impacts on the environment;

“Project report” means a summary statement of the likely environmental effect of a proposed development referred to in section 58;

“Proponent” means a person proposing or executing a project, programme or an undertaking specified in the Second Schedule;

### **5.4Part VI – environmental impact assessment**

58.(1) Notwithstanding any approval, permit or license granted under this Act or any other law in force in Kenya, any person, being a proponent of a project, shall, before financing, commencing, proceeding with, carried out, executing or conducting or causing to be financed, commenced, proceeded with, carried out, executed or conducted by another person any undertaking specified in the Second Schedule to this Act, submit a project report to the Authority, in the prescribed form, giving the prescribed information and which shall be accompanied by the prescribed fee.

- The proponent of a project shall undertake or cause to be undertaken at his own expense and environmental impact assessment study and prepare a report thereof where the Authority, being satisfied, after studying the project report submitted under subsection (1), that the intended project may or is likely to have or will have a significant impact on the environment, so directs.

- The environmental impact assessment study report prepared under this subsection shall be submitted to the Authority in the prescribed form, giving the prescribed information and shall be accompanied by the prescribed fee.
- The Minister may, on the advice of the Authority given after consultation with the relevant lead agencies, amend the Second Schedule to this Act by notice in the Gazette.
- Environmental Impact Assessment studies and reports required under this Act shall be conducted or prepared respectively by individual experts or a firm of experts authorized in that behalf by the Authority. The Authority shall maintain a register of all individual experts or firms of all experts duly authorized by it to conduct or prepare environmental impact assessment studies and reports respectively. The register shall be a public document and may be inspected at reasonable hours by any person on the payment of a prescribed fee.
- The Director-General may, in consultation with the Standards Enforcement and Review Committee, approve any application by an expert wishing to be authorized to undertake Environmental Impact Assessment. Such application shall be made in the prescribed manner and accompanied by any fees that may be required.
- Environmental impact assessment shall be conducted in accordance with the environmental impact assessment regulations, guidelines and procedures issued under this Act.
- The Director-General shall respond to the applications for environmental impact assessment license within six months.
- Any person who upon submitting his application does not receive any communication from the Director-General within the stipulated time may within nine months of such submission start his undertaking.

**59.(1)** Upon receipt of an environmental impact assessment study report from any proponent under section 58(2), the Authority shall cause to be published in each of two successive weeks in the Gazette and newspaper circulating in the area or proposed area of the project once at least in each of two successive weeks in some one and the same a notice which shall state: -

- A summary description of the project;
- the place where the project is to be carried out;
- the place where the environmental impact assessment study, evaluation or review report may be inspected; and

- a time limit of not exceeding ninety days for the submission of oral or written comments by any member of the public on the environmental impact assessment study, evaluation or review report.

(2) The Authority may, on application by any person extend the period stipulated in subparagraph (d) so as to afford reasonable opportunity for such person to submit oral or written comments on the environmental impact assessment report.

### **5.5 Site Location**



*Plate 1: Proposed site for the Project*

## **CHAPTER SIX**

### **6.0 PUBLIC CONSULTATION**

This was carried out to gather the opinion of the neighbors and relevant stakeholders concerning the proposed project at Aquila Development Company Limited. The general trend was that consulted persons were made to understand that the consultants were not speaking on behalf of Aquila Development Company Limited, but that the meeting was part of the data gathering process for an EIA study.

Considering the benefits that neighbors have got from the flower farm, more than 95% of the respondents were in favor of the proposed project. Most people in the area are employed in Aquila Development Company Limited and have benefited from different projects by the farm such as the road connecting the farm to the Naivasha –Maai mahiu highway. The consultation was done through administering of questionnaires to the residents around the farm and copies of the same are attached. The respondents were in agreement that the following would be the benefits of the project to the community;

- Employment opportunities
- Creation of income for investors, contractors, professional, technicians, artisans and manual workers.
- Increase in cultural and social interactions.
- Better land utilization.
- Increased business shall be realized.
- Improvement of infrastructural systems within the neighborhood.
- Transfer of skills to the locals.
- Reuse of water resources for irrigation.

However, the respondents were concerned with the following issues;

- The health and safety of workers may be compromised due to accidents, pollution and general disturbance.
- Increased waste materials during construction phase.
- Health and safety issues of the workers during all the stages.
- Pollution of the nearby river.
- Exhaust emission.

- Oil leaks
- Waste generation.
- Impact to soil especially when laying the foundation (earthworks) of such development.
- Increased noise and vibration mostly during construction phase.
- Irrigation and soil drainage can cause soil acidification and increased PH whilst the use of chemical fertilizers and pesticides contributes to reducing soil capillarity (runoff) as well as its consistency
- Impact/pressure to the existing infrastructure i.e. water, power and drains and access roads.
- Air pollution as a result of dust particles emanating from demolition, earthworks and construction activities. Exhausts from the involved machinery will lead to increased levels of hazardous gases such as carbon dioxide and nitrogen oxides.

However, it was made clear that mitigation measures would be proposed to deal with all the negative issues identified.

## CHAPTER SEVEN

### **7.0 DESCRIPTION OF ANTICIPATED IMPACTS AND MITIGATION MEASURES POTENTIAL IMPACTS FROM THE GREEN HOUSE PROJECT**

This Section identifies both positive and negative impacts associated with the proposed project. These impacts are hereby identified at three distinct phases of the project i.e. -Construction Phase, Operation Phase and Decommissioning Phase.

#### **7.1 Preparation Phase**

##### **7.1.1 Positive Impacts**

- **Creation of employment opportunities**-Some people in the Project area and the neighboring areas will be employed to render both manual and skilled labor during the implementation of the proposed farm Project. As a result, many will benefit from improved livelihood and increased income from employment in the farm.
- **Provision of market for construction materials**-The project will require supply of materials for the construction of some of the facilities required in the farm such as the pump houses among others. Some of these construction materials will be sourced locally and from the surrounding areas. These include sand, stones, cement, hardcore, etc. This will provide a ready market for such construction material suppliers including hardware shops.
- **Increased revenue to the county and national government**-the implementation of the project will lead to improved government revenue from the acquisition of statutory licenses.
- Creation of income for investors, contractors, professional, technicians, artisans and manual workers.
- Increase in cultural and social interactions.
- Better land utilization.
- Increased business shall be realized.
- Improvement of infrastructural systems within the neighborhood.
- Transfer of skills to the locals.

### **7.1.2 Negative Impacts**

The following negative impacts are associated with the implementation of the proposed Project.

**Loss of biodiversity**-In the implementation phase, vegetation mainly grass and thickets will be cleared to pave way for the proposed farm. The disturbance and destruction of vegetation in the site will negatively affect the biophysical environment. In addition, most organisms will lose their habitats. These include antelopes, zebras, warthogs and buffaloes. This impact is moderate as the farm will require removal of much of the thickets.

#### **Mitigation**

- The proponent is committed to replanting more grass in the unused areas of the farm and planting of more indigenous trees and also living 15% of the farm under tree cover.
- Create protected areas for conservancy of affected animals.

#### **Increased energy Demand**

During the construction Phase of the project, Electricity will be used for welding, metal cutting/grinding and provision of light. Diesel will run material transport vehicles and building equipment/machinery.

#### **Mitigation Measures**

- Minimize energy consumption by switching off electrical equipment, appliances and lights when not being used.
- Monitor energy use during the construction of the project and set targets for efficient energy use.

**Increased water demand**-During the implementation phase water will be used for dust suppression, drinking by the workers, washing of machinery and the construction works. This will increase demand for water in addition to the existing demand. Water will be mostly used in the preparation of concrete for construction works.

#### **Workers accidents and hazards during construction**

Construction workers are likely to have injuries and be exposed to hazards as a result of the construction of some of the proposed Project components. The construction works unavoidably expose workers to occupational health and safety risks. Use of manual labor is expected to take place resulting in increased occupational safety risks.



## **Mitigation Measures**

- Implement all necessary measures to ensure health and safety of the workers and the general public during construction phase as stipulated in OSHA, 2007.
- PPEs should be provided.
- First Aid boxes be provided and trained first aiders be available in case of an accident.
- Have a general register for recording of accidents and incidents.

**Extraction sites and use of construction materials** -Construction materials that will be used in the construction such as; hard core, stones, cement and sand will be obtained from quarries, hardware shops and sand harvesters who extract such materials from natural resource banks such as rivers and quarries. Since substantial quantities of these materials will be required for the construction of the facilities, the availability and sustainability of such resources at the extraction sites will be negatively affected as some are not renewable in the short term. In addition, the sites from which the materials will be extracted may be significantly affected in several ways including landscape changes, clearance of vegetation and opening of depressions on the surface leading to human and animal health impacts.

**Noise, dust and exhaust emissions**- noise pollution is likely to occur due to offloading of construction materials at the proposed site, site preparation by use of tractors and earth moving machines. Potential impacts on the air quality during implementation phase will be due to exhaust emissions, noise and dust on site caused by the earth moving machines and offloading trucks. These will cause a potentially significant air quality impact by emitting pollutants through exhaust emissions and dust since most of the access roads are murrum roads. Dust emission is also likely to occur during site clearance and spreading of top soil during implementation of the proposed Project.

### **Mitigation:**

- The workers involved in the site preparation and construction will be required to wear personal protective equipment such as nose masks and ear plugs to reduce the impacts of dust and air emissions on their health.
- Proper and prompt maintenance of construction plants and equipment to control emission of hazardous fumes and noise emanating from machines.
- Ensure that machines are switched off when not in use.

- Workers need to be in their respective PPEs during working hours.
- Sprinkle water on graded access routes when necessary to reduce dust generation by construction vehicles.
- Avoid excavation works during extremely dry weather if possible.

**Waste management** -Construction activities create solid wastes that need to be disposed. Such wastes include: plastic containers, cement bags and other packaging materials; and Metal, glass, plastic containers and other unwanted materials. These wastes may have a direct impact on the neighboring areas, residents and domestic animals. Disposal of the same solid wastes off-site could also be a social inconvenience if done in wrong places. The off-site effects could be un-aesthetics view, pest breeding, unhygienic conditions and pollution of physical environment.

### **Mitigation**

Solid waste generation

- Provide solid waste handling facilities such as waste bins.
- Ensure that solid waste generated is regularly disposed of appropriately at authorized dumping sites.
- Ensure that the waste is managed efficiently through recycling, reuse and proper disposal procedures.
- Proper waste management will be taken into consideration and proper dumping done according to the Environmental Management and Coordination (Waste Management) Regulations, 2006.

### **General safety and security of the premises and surrounding areas**

Ensure the general safety and security at all times by providing day and night security guards and adequate lighting within and around the premises.

#### **Mitigation Measures**

- Ensure the general safety and security at all times by providing day and night security guards and adequate lighting within and around the premises.

**Increased Motor traffic**-during implementation phase of the project, there will be increased traffic on the existing roads and this may lead to damage to the road.

## **Mitigation Measures**

- It imperative for the proponent to take this into consideration and repair any road that gets damaged by the implementation vehicles to avoid conflict with the people neighboring the project site.

**Oil spills and leaks**-these are prevalent in such construction activities and in areas where petroleum products are used. Such products contain damaging elements to the environment since they contain traces of heavy metals such as lead and mercury among others.

## **Mitigation Measures**

- Machines that utilize oil and petroleum products should be adequately serviced to ensure they do not leak.
- In case of any leak the affected soil should be collected and burned to get rid of the waste.

## **7.2 OPERATIONAL PHASE**

### **7.2.1 Positive Impacts**

#### **Positive Impacts**

- Creation of income for investors, contractors, professional, technicians, artisans and manual workers.
- Increase in cultural and social interactions.
- Better land utilization.
- Improvement of infrastructural systems within the neighborhood.
- Transfer of skills to the locals.
- Increase in the government revenue.
- Reuse of water resources for irrigation.
- The proposed farm will act as a catalyst to improve livelihoods among the community members thereby alleviating poverty through provision of employment.
- Increased income to the central and county governments through payment of various taxes.
- Improved horticultural production and contribution to food security.
- Increased market for goods and services around the area
- It will also improve the value of the land around the site.

## **7.2.2 NEGATIVE IMPACTS**

### **Increased water usage**

Horticultural production is a water intensive venture, thus with the operation of the proposed Project there will be increased water use. The following activities among others will lead to increased water usage: irrigation of the farm, Cleaning and drinking and cleaning of vehicles.

#### **Mitigation:**

Minimize water consumption and ensure more efficient and safe water use

- Promptly detect and repair water pipe and tank leaks
- Ensure taps are not running when not in use
- Install water conserving taps that turn-off automatically when water is not being used.
- Install a discharge meter at water outlets to determine and monitor total water usage.
- The workers in the farm need be sensitized to use water efficiently.

### **Waste Management**

During the operation of the farm, different kinds of waste will be generated. This will mainly include organic waste from the plant remains and chemical waste through the spraying of the plants. This will require a proper waste management system in order to minimize the impact of the waste on the environment.

#### **Mitigation**

Solid waste generation

- Provide solid waste handling facilities such as waste bins
- Ensure that solid wastes generated in the farm are regularly disposed of appropriately at authorized dumping sites.
- Ensure that the wastes are managed efficiently through recycling, reuse and proper disposal procedures

### **waste water disposal**

Liquid waste is likely to be generated from the irrigation activities in the farm. Wastewater treatment method for the proposed project is the use of a septic tank and wetland respectively. The effluent in the wetland will be biologically treated and be reused for irrigation where possible.

## **Mitigation**

- Incorporation of collective liquid waste management. The project is designed such that there will be provision of a designated spot for the waste water which is well protected from rain and animals. This wastes will thus be channeled to the dam through drainage channel from the site in bulk and as one unit such that the careless disposal and hence proliferation of wastes within the surrounding areas will be curbed.
- Conduct regular inspections for drainage pipe blockages or damages and fix appropriately

## **Increased energy Demand**

During the operational Phase of the project, more energy will be needed more especially for lighting. As a result, the company will have to pay more electricity bills.

## **Mitigation Measures**

- Minimize energy consumption by switching off electrical equipment, appliances and lights when not being used.
- Monitor energy use during the operation of the project and set targets for efficient energy use.
- Investing in solar energy as an environmental best practice so that the company saves on electricity bills.

## **Pollution**

Activities such as adding of fertilizers and pest and weed control will lead to pollution of the soil, Water bodies that are nearby and ground water.

## **Mitigation Measures**

- Polyculture. Research has proved that, growing different kinds of plants in one piece of land reduces the susceptibility of pests and herbs. For instance, planting of different varieties of flowers or herbs will see to it that less chemicals are used for pest or weed control.
- Crop rotation
- Introduction of Biological pest control, such as Pheromones. Entomopathogenic fungi. Bacteria and viruses. The release of other organisms, such as natural pest predators and parasites. Genetic engineering practices, such as insect breeding interference.
- Introduction of trap crops, which attract pests away from the valuable crops (flowers and herbs)

- Organic farming such as use of manure is highly encouraged to reduce chances of soil contamination.

**Minimization of health and safety impacts** by implement all necessary measures to ensure health and safety of the workers and the general public during operation of the project as stipulated in OSHA, 2007.

#### **Mitigation Measures**

- Implement all necessary measures to ensure health and safety of the workers and the general public during operation of the project as stipulated in OSHA, 2007.

#### **General safety and security of the premises and surrounding areas**

Ensure the general safety and security at all times by providing day and night security guards and adequate lighting within and around the premises.

#### **Mitigation Measures**

- Ensure the general safety and security at all times by providing day and night security guards and adequate lighting within and around the premises.

#### **Increased energy use**

The proposed Project will require energy for lighting, and even pumping water. These could be in the form of using generators, electricity. Energy from manual labor will also be needed. In addition, transportation will also require use of fuel. This will eventually have an effect on the amount of money spent on energy.

#### **Mitigation Measures**

- Minimize energy consumption by switching off electrical equipment, appliances and lights when not being used.
- Monitor energy use during the operation of the project and set targets for efficient energy use.
- Investing in solar energy as an environmental best practice so that the company saves on electricity bills.

## **Oil spills**

The machinery used in the farming and operation of the project may lead to accidental oil spills and contamination of the environment.

### **Mitigation Measures**

- Machines that utilize oil and petroleum products should be adequately serviced to ensure they do not leak.
- In case of any leak the affected soil should be collected and burned to get rid of the waste.

## **Increased soil Erosion and pollution**

Intensive agriculture and tillage reduces the soil organic matter, making soils less able to absorb and retain water and thus more prone to erosion and run off.

## **Workers accidents and hazards during construction**

The operation of the farm may lead to increased occupational accidents to the workers and also lead to health and safety problems.

### **Mitigation Measures**

- Implement all necessary measures to ensure health and safety of the workers and the general public during construction phase as stipulated in OSHA, 2007.
- PPEs should be provided.
- First Aid boxes be provided and trained first aiders be available in case of an accident.
- Have a general register for recording of accidents and incidents.

## **7.3 DECOMMISSIONING PHASE**

### **7.3.1 Positive impacts**

#### **Rehabilitation**

Upon decommissioning of the proposed project, rehabilitation of the project site will be carried out to restore the site to its original status or to a better state than it was originally. This will include replacement of topsoil and re-vegetation which will lead to improved visual quality of the area.

### **Employment Opportunities**

For demolition to take place properly and in good time, several people will be involved. As a result, several employment opportunities will be created for the demolition staff during the demolition phase of the proposed project.

### **Revenue Generation**

Useful materials such as metal frames can be recovered and sold thereby generating revenue. The materials can also be reused in other projects and as a result saving on the cost that would otherwise be used to purchase these materials.

### **7.3.2 Negative Impacts**

#### **Noise and Vibration**

The demolition works will lead to significant deterioration of the acoustic environment within the project site and the surrounding areas. This will be as a result of the noise and vibration that will be experienced as a result of demolishing the proposed project.

#### **Mitigation Measures**

- Such noise emissions should be minimized as much as possible from the source point while workers should be provided with appropriate personal protective wear especially if the levels exceed 85dB for a continuous eight hours exposure.
- Ensure that machines are switched off when not in use.

#### **Solid Waste Generation**

Demolition of the building and related infrastructure will result in large quantities of solid waste. The waste will contain the materials used in construction including concrete, metal, drywall, wood, etc. Although demolition waste is generally considered as less harmful to the environment since they are composed of inert materials, there is growing evidence that large quantities of such waste may lead to release of certain hazardous chemicals into the environment.

#### **Mitigation measures**

A comprehensive waste management plan shall be put in place during this phase. The plan shall, as much as possible utilize the principle of waste reduction, reuse, recycling, and recovery.

#### **Dust**



Large quantities of dust will be generated during demolition works. This will affect demolition staff as well as the neighboring residents.

**Mitigation Measure**

- Workers need to be in their respective PPEs during working hours.
- Sprinkle water on graded access routes when necessary to reduce dust generation by construction vehicles.
- Avoid excavation works during extremely dry weather if possible.

## **CHAPTER EIGHT**

### **8.0 DESCRIPTION OF ANTICIPATED IMPACTS AND MITIGATION MEASURES POTENTIAL IMPACTS FROM THE DAM PROJECT**

This Section identifies both positive and negative impacts associated with the proposed project. These impacts are hereby identified at three distinct phases of the project i.e. -Construction Phase, Operation Phase and Decommissioning Phase.

#### **8.1 CONSTRUCTION PHASE**

##### **8.1.1 Positive Impacts**

- Employment opportunities
- Creation of income for investors, contractors, professional, technicians, artisans and manual workers.
- Increase in cultural and social interactions.
- Better land utilization.
- Increased business shall be realized.
- Improvement of infrastructural systems within the neighborhood.
- Transfer of skills to the locals.
- Rain water harvesting for irrigation.

##### **8.1.2 Negative Impacts**

###### **8.1.2.1 Health and Safety of Workers**

During construction there will be a risk of injuries from machines, inhalation of dust during excavation and risk of falling in the excavated area.

###### **Mitigation Measures**

- Workers should be provided with full personal protective equipment (PPE) to beef up their health and safety standards.
- Well stocked first aid boxes should be availed in case of any incidents or accidents and a general register should be available to record such occurrences.
- The area should be fenced off to keep away unwanted persons.

### **8.1.2.2 Generation of Waste**

During excavation, a lot of soil will be excavated. Some of the excavation material will be rendered unusable and thus will have to be disposed of. This also applies to some of the soil/rocks which may not be reusable after excavation processes are complete. All these materials need to be collected, transported and disposed of appropriately in approved designated areas. It is encouraged that other alternative uses of these materials should be found.

#### **Mitigation Measures**

- The soil generated will be used to level the area of land around the dam as well as landscaping some areas in the farm.
- Waste bins need to be provided for collection of wastes such as cement packaging bags.

### **8.1.2.3 Noise pollution**

The construction works on site will most likely have noise emission due to the moving machines and other normal construction activities. This may prove to be a potential source of disturbance to the surrounding neighbors and a health hazard to the workers themselves.

#### **Mitigation Measures**

- Such noise emissions should be minimized as much as possible from the source point while workers should be provided with appropriate personal protective wear especially if the levels exceed 85dB for a continuous eight hours exposure.
- Ensure that machines are switched off when not in use.

### **8.1.2.4 Generation of exhaust emissions**

Exhaust emissions are likely to be generated during the construction period by the various construction machinery and equipment. Motor vehicles used to mobilize the work force and materials for construction would cause a potentially significant air quality impact by emitting pollutants through gaseous exhaust emissions.

#### **Mitigation Measures**

- Proper and prompt maintenance of construction plants and equipment to control emission of hazardous fumes and noise emanating from machines.
- Ensure that machines are switched off when not in use.

#### **8.1.2.5 Storm water**

Storm water runoff either from the site or from the neighboring compounds may run into the site thereby causing interference to the construction operation.

##### **Mitigation Measure**

- Drainage channels should be dug on the area lying on the upper side of the dam to ensure storm water does not enter the excavated area in case of rain

#### **8.1.2.6 Dust emissions**

Particulate matter pollution is likely to occur during the site clearance, excavation and loading and transportation of the construction waste.

##### **Mitigation Measure**

- Workers need to be in their respective PPEs during working hours.
- Sprinkle water on graded access routes when necessary to reduce dust generation by construction vehicles.
- Avoid excavation works during extremely dry weather if possible.

#### **8.1.2.7 Oil leaks and spills**

These are prevalent in such construction activities and in areas where petroleum products are used. Such products contain detrimental elements to the environment since they contain traces of heavy metals such as lead, mercury and sulphur among others.

##### **Mitigation Measures**

- Machines that utilize oil and petroleum products should be adequately serviced to ensure they do not leak.
- In case of any leak the affected soil should be collected and burned to get rid of the waste.

#### **8.1.2.8 Enhanced erosion / changes in topography due excavation.**

The excavation works will make soil loose hence making it prone to being eroded by wind or water.

##### **Mitigation measures**

- Compacting the embankment so as to reduce chances of erosion

- The excavated soil to be deposited around the dam area also needs to be compacted to reduce erosion.
- Have soil erosion prevention mechanisms in place

#### **8.1.2.9 Increased pressure on infrastructure**

The project will lead to increased pressure on existing infrastructure such as roads, service lines etc. due to the increased number of people who will be using these facilities which will directly translate into increased in volume of the relevant parameter.

#### **Mitigation Measures**

- Have designated routes for people and vehicles so as to reduce the conflict that may arise such as pressure on soil.
- Sprinkle water in the specific routes to reduce erosion and air pollution.

#### **8.1.2.10 Impacts on Flora and Fauna**

There will be minimal impacts on Flora since the proposed site has only grass on it.

### **8.2 OPERATIONAL PHASE**

#### **8.2.1 Positive Impacts**

- Employment opportunities.
- Increased production for the company due to availability of more water for irrigation.
- Opportunity for fish farming.

#### **8.2.3 Negative Impacts and Mitigation Measures**

##### **8.2.3.4 Breeding Site for Mosquitoes**

During operation of the dam, there is a possibility of mosquitoes breeding in some parts of the dam.

#### **Mitigation Measures**

- Monitor and control the possible creation of mosquito breeding site.

#### **8.2.3.5 Accumulation of Aerobic and Anaerobic Waste.**

Wastes would find their way in the dam either through run-off or by being carelessly dumped. Aerobic wastes would undergo decomposition and trigger growth of algae and loss of dissolved oxygen in the dam which would not favor fish farming. Anaerobic wastes will accumulate in the dam and occupy space that would otherwise be occupied by water.

#### **Mitigation Measures**

- Ensure no wastes enter the dam especially due to run-off by having a point to sieve all incoming wastes.
- Wastes that find their way in the dam should be removed.

#### **8.2.3.6 Soil Erosion**

During rain seasons, water will flow towards the direction of the dam considering the gradient of the area. If water overflows from the dam, it may erode the embankment and the adjacent area.

- Ensure that the dam has a spillway/Outlet to drain excess water especially during rain seasons so that the embankment is not tempered with.

#### **8.2.3.7 Risk of Drowning**

During the operational stage of the dam, if the area is left accessible to everyone, it would pose a risk of someone falling in it or acts of suicide.

- Fencing off the dam to ensure it is only accessible to the required personnel.
- Put warning signs (written in English and Kiswahili languages) at strategic sites.
- Have floaters available in case of accidental entry into the dam

#### **8.2.3.8 Opportunistic growth of aquatic macrophytes**

Some plants may grow in the dam and can either be on the surface or submerged. They would include water lily etc. Such plants are important in removing nitrates and phosphates in water. However, in this case, if at all the water has such wastes due to surface run-off from greenhouses, the water can still be reused since its only purpose is irrigation.

#### **Mitigation measures**

- Monitor for any unusual floral species.

- Remove such species when seen.

#### **8.2.3.9 Increased pressure on infrastructure**

The project will lead to increased pressure on existing infrastructure such as roads, service lines etc. due to the increased number of people who will be using these facilities which will directly translate into increased in volume of the relevant parameter.

#### **Mitigation Measures**

- Have designated routes for people and vehicles so as to harmonize the conflict that may arise.

#### **8.2.3.10 Siltation**

When it rains the run-off will contain particles of soil etc. There is therefore a need for having a mechanism of removing such sediments before entering the dam so that no space in the dam will be occupied by unwanted material other than water.

#### **8.2.3.11 Impacts on Hydrology**

There will be minimal impacts on ground water since an impermeable plastic paper will be laid at the base and embankment of the earth dam to prevent water loss to the ground. However once the dam is full and the excess water is released, it should be collected at a common point to be tested before being released to the immediate environment. If the water will be found to contain such parameters such as pH, color, odour, suspended solids etc that are not up to required standards, it should be treated before release.

### **8.3 DECOMMISSIONING PHASE**

At the end of the design life, the dam shall be decommissioned and abandoned. A comprehensive plan shall be prepared for the restoration and subsequent protection of the land.

#### **8.3.1 Positive impacts**

- Employment opportunities
- Revenue Generation from of sale of recovered material such as the impermeable paper.
- Reuse of the pumping machine which see the company saving on resources.

## **8.3.2 Negative Impacts and Mitigation Measures**

### **8.3.2.1 Noise and Vibration**

The refilling works will lead to significant deterioration of the acoustic environment within the project site and the surrounding areas. This will be as a result of the noise and vibration that will be experienced as a result of depositing the soil in the dam and compacting the soil.

#### **Mitigation Measures**

- Ensure the workers are in their PPEs to reduce effects of noise to their health.

### **8.3.2.2 Solid Waste Generation**

Demolition of the wire fence will result in large quantities of solid waste. Other waste will include the impermeable paper laid at the base of the dam.

#### **Mitigation measures**

- A comprehensive waste management plan shall be put in place during this phase. The plan shall, as much as possible utilize the principle of waste reduction, reuse, recycling, and recovery.

### **8.3.2.3 Dust**

Large quantities of dust will be generated during refilling of the dam. This will affect the workers as well as the neighboring residents.

#### **Mitigation measures**

- The workers should be provided with respirators to counter the effect of dust.



## CHAPTER NINE

### 9.0 ENVIRONMENTAL MANAGEMENT AND MONITORING PLANS

**TABLE 3: ENVIRONMENTAL MANAGEMENT PLAN DURING CONSTRUCTION OF THE DAMS**

<b>Expected Negative Impacts</b>	<b>Mitigation Measure</b>	<b>Responsibility</b>	<b>Time Frame</b>	<b>Cost</b>
Health and Safety of Workers	<ul style="list-style-type: none"> <li>Workers should be provided with full personal protective equipment (PPE) to beef up their health and safety standards.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	5,000
	<ul style="list-style-type: none"> <li>Well stocked first aid boxes should be available in case of any incidents or accidents and a general register should be available to record such occurrences.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	5,000
	<ul style="list-style-type: none"> <li>The area should be fenced off to keep away unwanted persons.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	20,000
Generation of Waste	<ul style="list-style-type: none"> <li>The soil generated will be used to level the area of land around the dam as well as landscaping some areas in the farm.</li> <li>Waste bins need to be provided for collection of wastes such as cement packaging bags.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period  One-off	None

Noise Pollution	<ul style="list-style-type: none"> <li>Such noise emissions should be minimized as much as possible from the source point while workers should be provided with appropriate personal protective equipment especially if the levels exceed 85dB for a continuous eight hours exposure.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	None
	<ul style="list-style-type: none"> <li>Ensure that machines are switched off when not in use.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	None
Generation of exhaust emissions	<ul style="list-style-type: none"> <li>Proper and prompt maintenance of construction plants and equipment to control emission of hazardous fumes and noise emanating from machines.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	5,000 per Month
	<ul style="list-style-type: none"> <li>Ensure that machines are switched off when not in use.</li> </ul>	Contractor/ Aquila Development Company Limited's Management		None
Storm water	<ul style="list-style-type: none"> <li>Drainage channels should be dug on the area lying on the upper side of the dam to ensure storm water does not enter the excavated area in case of rain</li> </ul>	Civil Engineer Mechanical engineer and Aquila Development Company Limited's Management	2 Months	5,000

Dust emissions	<ul style="list-style-type: none"> <li>Workers need to be in their respective PPEs during working hours.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	2 Months	TBD
	<ul style="list-style-type: none"> <li>Sprinkle water on graded access routes when necessary to reduce dust generation by construction vehicles.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	2,000 per Month
	<ul style="list-style-type: none"> <li>Avoid excavation works during extremely dry weather if possible.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	None
Oil spills and Leaks	<ul style="list-style-type: none"> <li>Machines that utilize oil and petroleum products should be adequately serviced to ensure they do not leak.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Construction Period	5,000 per month
	<ul style="list-style-type: none"> <li>In case of any leak the affected soil should be collected and burned to get rid of the waste.</li> </ul>	Contractor/ Aquila Development Company Limited's Management		None
Enhanced erosion / changes in topography due excavation.	<ul style="list-style-type: none"> <li>Have soil erosion prevention mechanisms in place, such as compaction of soil on the base of the reservoir and its embankment to reduce chances of erosion.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	1 Month	None

**TABLE 4: ENVIRONMENTAL MANAGEMENT PLAN DURING OPERATION OF THE DAMS**

<b>Expected Negative Impacts</b>	<b>Mitigation Measure</b>	<b>Responsibility</b>	<b>Time Frame</b>	<b>Cost</b>
Breeding Site for Mosquitoes	<ul style="list-style-type: none"> <li>Monitor and control the possible creation of mosquito breeding site.</li> </ul>	Aquila Development Company Limited's Management	Throughout the operation Period	TBD
Accumulation of Aerobic and Anaerobic Waste.	<ul style="list-style-type: none"> <li>Ensure no wastes enter the dam especially due to run-off by having a point to sieve all incoming wastes.</li> </ul>	Aquila Development Company Limited's Management	Throughout the operation Period	TBD
	<ul style="list-style-type: none"> <li>Wastes that find their way in the dam should be removed.</li> </ul>	Aquila Development Company Limited's Management	Continuous	TBD
Soil Erosion	<ul style="list-style-type: none"> <li>Ensure that the dam has a spillway/Outlet to drain excess water especially during rain seasons so that the embankment is not tempered with as well as the immediate environment.</li> </ul>	Aquila Development Company Limited's Management	2 Months	None
Risk of Drowning	<ul style="list-style-type: none"> <li>Fencing off the dam to ensure it is only accessible to the required personnel.</li> </ul>	Aquila Development Company Limited's Management	2 Months	50,000

	<ul style="list-style-type: none"> <li>Put warning signs (written in English and Kiswahili languages) at strategic sites.</li> <li>Have floaters near the area.</li> </ul>	Aquila Development Company Limited's Management.	One-Off Throughout the operation Period	None TBD
Opportunistic growth of aquatic macrophytes.	<ul style="list-style-type: none"> <li>Monitor for any unusual floral species.</li> </ul>	Aquila Development Company Limited's Management	Throughout the operation Period	None
	<ul style="list-style-type: none"> <li>Remove such species when seen.</li> </ul>	Aquila Development Company Limited's Management	Throughout the operation Period	None
Increased pressure on infrastructure	<ul style="list-style-type: none"> <li>Have designated routes for vehicles and human in the site to avoid the conflict that is likely to arise.</li> </ul>	Aquila Development Company Limited's Management	2 Months	None
Health and Safety of workers	<ul style="list-style-type: none"> <li>Workers should be provided with full personal protective equipment (PPE) to beef up their health and safety standards.</li> </ul>	Aquila Development Company Limited's Management	Throughout the operation Period	TBD
	<ul style="list-style-type: none"> <li>Well stocked first aid boxes should be available in case of any incidents or accidents and a general register should be available to record such occurrences.</li> </ul>	Aquila Development Company Limited's Management	Throughout the operation Period	2,000
Siltation	<ul style="list-style-type: none"> <li>The drains leading to the direction of the dam are cemented so that no soil is carried with it.</li> </ul>	The Civil Engineer and Aquila Development Management.	Throughout the operation Period	TBD

	<ul style="list-style-type: none"> <li>• Soil that would be deposited in the dam should be removed.</li> </ul>	Aquila Development Company Limited's Management.	Continuous	TBD
Impacts on Hydrology	<ul style="list-style-type: none"> <li>• Have a common point to collect excess water from the dam so that it is tested and treated before being released to the river</li> </ul>	Aquila Development Company Limited's Management.	Throughout the operation Period	TBD

**TABLE 5: ENVIRONMENTAL MANAGEMENT PLAN DURING DECCOMMISSIONING OF THE DAMS.**

<b>Expected Negative Impacts</b>	<b>Mitigation Measure</b>	<b>Responsibility</b>	<b>Time Frame</b>	<b>Cost</b>
Noise and Vibration	<ul style="list-style-type: none"> <li>Ensure the workers are in their PPEs to reduce effects of noise to their health.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	TBD
	<ul style="list-style-type: none"> <li>Switch of Machines when not in use.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	None
Solid Waste Generation	<ul style="list-style-type: none"> <li>Waste that will be recovered need to be reused since it will comprise of plastic and metal waste from the fencing wire.</li> </ul>	Contractor/Aquila Development Company Limited's Management	One-off	None
Dust	<ul style="list-style-type: none"> <li>The workers should be provided with respirators to counter the effect of dust.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	TBD
Health and Safety of workers	Workers should be provided with full personal protective equipment (PPE) to beef up their health and safety standards.	Contractor/Aquila Development Company Limited's Management	Throughout the Cycle	TBD

	Well stocked first aid boxes should be availed in case of any incidents or accidents and a general register should be available to record such occurrences.	Contractor/ Aquila Development Company Limited's Management	Throughout the Cycle	
Rehabilitation Of The Project Site.	Implement An Appropriate Re-Vegetation Programme To Restore The Site To Its Original Status And Consider Use Of Indigenous Plant Species In Re-Vegetation	Contractor/Aquila Development Company Limited's Management	One-off	TBD
	Trees should be planted at suitable locations so as to interrupt slight lines (screen planting), between the adjacent residential area and the development.	Contractor/Aquila Development Company Limited's Management	One-off	TBD



## CHAPTER TEN

### 10.0 ENVIRONMENTAL MANAGEMENT AND MONITORING PLANS

**TABLE 6: ENVIRONMENTAL MANAGEMENT PLAN DURING IMPLEMENTATION PHASE OF OPEN FIELD**

activity	Mitigation Measure	Time Frame	Responsibility	Cost
Impact on Biodiversity and soil erosion	<ul style="list-style-type: none"> <li>-Design a landscape plan that enhances landscape aesthetic value using local and native vegetation.</li> <li>- Ensure proper demarcation of the project area to be affected by the project works in order to restrict any disturbance of flora and fauna only on the actual project area and to avoid spillover effects on the neighboring areas.</li> <li>- Have strict control of vehicles to ensure that they operate only within the area to be disturbed by access routes and other works.</li> <li>- Minimize soil erosion and associated sediment release from the project site.</li> <li>-Excavated materials should be controlled and properly disposed to avoid blocking of storm water drainage system and subsequent soil erosion</li> <li>-Create a migratory corridor for wild animals as they move to and from grazing fields.</li> </ul>	During construction	Proponent/engineer	Implementation budget
Management of waste & use of raw materials	<ul style="list-style-type: none"> <li>-Segregate waste by separating hazardous waste from non-hazardous waste for appropriate disposal</li> <li>- Provide adequate and suitable solid waste collection containers</li> <li>- Containers for storing hazardous waste including used oil should be securely banded, labeled and disposed as required by Waste Management Regulations, 2006</li> <li>- Contract a NEMA licensed waste collection company to collect solid waste from the site</li> </ul>	During construction	Contractor/proponent	Implementation budget

	<p>for appropriate disposal at approved sites.</p> <ul style="list-style-type: none"> <li>-Accumulate scrap metals in a scrapping yard and contract a scrap metal dealer with a valid license for appropriate disposal/recycling</li> <li>- Minimize waste generated by adopting cleaner operation methods such as conserving materials, enabling recovery and re-use of the waste product where possible</li> <li>-Use durable, long- lasting materials which will not need to be replaced as often, thereby reducing the amount of construction waste generated over time.</li> <li>-Provide facilities for proper handling and storage of materials to reduce the amount of waste caused by damage or exposure to the elements of nature i.e. sunshine, wind, rain etc.</li> <li>-Use materials that have minimal packaging to avoid generation of packaging waste</li> <li>- -Have an accurate budget &amp; estimation of actual material requirements in order to ensure that materials are not extracted or purchased in excessive quantities.</li> <li>-Consider reusing materials and use of recycled ones in order to reduce the amount of raw materials extracted from natural resources as well as reducing impacts at the extraction sites</li> </ul>			
Noise pollution & excessive vibrations	<ul style="list-style-type: none"> <li>- Minimize noise and vibration in the project site and surrounding areas through sensitization of drivers to switch off vehicle engines while offloading materials.</li> <li>- Instruct the drivers to avoid unnecessary gunning of vehicle engines or hooting especially when passing through sensitive areas such as residential areas, wildlife areas and hospitals.</li> <li>- Insulate all generators &amp; heavy duty equipment or place them in enclosures to minimize high noise levels</li> </ul>	During construction	Contractor/ proponent	Implementation budget

Minimization of accidents & hazards	<ul style="list-style-type: none"> <li>-All excavations, shafts, pits or openings more than two meters deep should be covered or barred by suitable means when access is not needed.</li> <li>- No materials should be stored near such excavations.</li> <li>- All excavation walls over 1.2 meters deep should be reinforced with timber to prevent collapse to persons working inside.</li> </ul>	During site preparation	Contractor	Implementation budget
Traffic impacts	<ul style="list-style-type: none"> <li>-The contractor shall take all possible precaution to safe guard the safety of wheeled traffic and pedestrian.</li> <li>- Ensure strict enforcement of on and off - site speed limits as well as limiting unnecessary traffic within the project site</li> <li>- Provide parking areas for the trucks.</li> <li>- Provide entry and exit points into the site.</li> <li>-Erect proper warning signs at a safe distance on the access roads to warn motorist of heavy vehicles turning.</li> <li>-Ensure trucks do not damage the road structures and drainage systems.</li> <li>- Ensure only serviceable trucks are used during transportation hence less break downs.</li> <li>-Ensure that transportation of the materials take the shortest period possible.</li> <li>-Transport most of the materials during off peak hours when the traffic is low.</li> </ul>	During site preparation	proponent	Implementation budget
Occupational Health and Safety	<ul style="list-style-type: none"> <li>-Ensure that the contractor adheres to the occupational health and safety rules and regulations stipulated in the Occupational Safety and Health Act 2007 and the Factories(Building Operations and Works of Engineering Construction) Rules of 1984.</li> <li>- Provide workers with insurance cover such as workmen's compensation.</li> <li>-First aid facilities should be availed at the site office. These include properly stocked first ad boxes &amp; trained personnel to handle first aid.</li> <li>- Provide proper scaffolds for construction at high level</li> </ul>	During operations	proponent	Implementation budget

	<ul style="list-style-type: none"> <li>- Document and display on-site emergency procedures</li> <li>- Use appropriate signage to direct and control flow of traffic</li> <li>-The construction site should be registered as per OSHA 2007 and the DOHSS should be notified of the construction works before commencement.</li> <li>- A general accidents register should be kept on- site.</li> <li>-Provide and enforce use of PPEs including overalls, helmets, safety boots &amp; gloves among others where necessary.</li> <li>-Ensure proper storage of materials and equipment to avoid accidents occurring from falling.</li> <li>-Provide temporally sanitary facilities during construction.</li> <li>- Water surfaces before and during excavation and construction to reduce dust generation.</li> <li>- Restrict un-necessary movement of public to the site in order to avoid accidents. All access to the hazardous areas should be secured with a fence and warning notices.</li> <li>- Ensure portable fire extinguishers are provided and in working condition near probable ignition sources</li> </ul>			
Oil spills	<ul style="list-style-type: none"> <li>- Ensure that all equipment is in good serviceable condition.</li> <li>- Ensure that no fuels or oils are stored on site but procure them when needed.</li> </ul>	During site preparation	Contractor/ proponent	Implementation budget

<p>Dust generation &amp; exhaust emissions</p>	<ul style="list-style-type: none"> <li>-Dust emissions from piles of soil or from any other material during earthwork, excavation, &amp; transportation should be controlled by wetting.</li> <li>-Piles and heaps of soil should not be left over after site preparation is completed.</li> <li>-Excavated sites should be covered with suitable solid material and vegetation planted around the compound.</li> <li>-Minimize dust through strict enforcement of onsite speed controls as well as limiting unnecessary traffic within the project site.</li> <li>- Ensure that traffic routes on site are sprinkled with water regularly to reduce amount of dust generated by the vehicles.</li> <li>- Sensitize truck drivers to avoid unnecessary racing of vehicle engines at loading/offloading areas, &amp; to switch off or keep vehicle engines at these point</li> </ul>	<p>During site preparation</p>	<p>Contractor/ proponent</p>	<p>Implementation budget</p>
--	---	--------------------------------	----------------------------------	------------------------------

**TABLE 7: ENVIRONMENTAL MANAGEMENT PLAN FOR THE OPERATION OF OPEN FIELD**

<b>Activity</b>	<b>Mitigation Measure</b>	<b>timeframe</b>	<b>responsibility</b>	<b>Cost</b>
Waste water disposal	<ul style="list-style-type: none"> <li>- Construct an adequate wetland for waste water treatment.</li> <li>- Ensure that drainage channels are not blocked or damaged since such vices can lead to release of the effluent, resulting in land (soil) and water pollution</li> </ul>	Continuous	proponent	TBD
Efficient waste Management	<ul style="list-style-type: none"> <li>-Provide proper waste handling facilities such as waste storage chamber /receptacles for temporarily holding solid waste generated.</li> <li>- Contract a NEMA licensed waste company for proper waste disposal</li> <li>-Raise awareness among workers about waste management</li> </ul>	Continuous	proponent	-
Energy consumption	<ul style="list-style-type: none"> <li>-Switch off equipment and lights when not being used.</li> <li>- Consider the possibility of using alternative sources of energy especially renewable ones such as solar</li> <li>-Install energy-efficient lighting systems within the farm.</li> <li>- Sensitize farm workers on energy conservation through efficiency use of energy.</li> </ul>	Continuous	proponent	-
Efficient water use	<ul style="list-style-type: none"> <li>- Dispose waste more responsibly by dumping at designated sites only</li> <li>-Put in place measures for quick detection and repair of pipe and tank leaks</li> <li>-Sensitize staff and visitors to use water more efficiently</li> <li>-Ensure taps are not running when not in use.</li> </ul>	Continuous	proponent	-

Occupational Health and Safety	<ul style="list-style-type: none"> <li>-Educate the staff on the occupational health &amp; safety rules and regulations stipulated in the Occupational Safety and Health Act 2007 and the Factories Rules of 1984.</li> <li>- Provide workers with insurance cover for such as workmen’s compensation.</li> <li>-First aid facilities should be availed at the site office and strategic places in the farm. These include properly stocked first aid boxes &amp; properly trained personnel to handle first aid.</li> <li>- Provide ear muff, dust masks and other PPEs to staff working in dusty and noisy areas.</li> <li>- Document and display emergency procedures</li> <li>- Use appropriate signage to direct and control flow of traffic</li> <li>- A general accidents register should be maintained and all incidences and accidents recorded and reported as appropriate.</li> <li>-Provide and enforce use of personal protective equipment</li> <li>-Ensure proper storage of materials, products and equipment to avoid accidents.</li> <li>-Provide adequate sanitary facilities to the staff and visitors</li> <li>- Ensure portable fire extinguishers are provided and in working condition near probable ignition sources</li> <li>-Adequate and clean water supply for drinking.</li> </ul>	During operation	proponent	implementation budget
--------------------------------	--	------------------	-----------	-----------------------

Emergency/ hazard response/ preparedness plan	-There must be a well-designed and documented emergency preparedness plans including fire emergency procedures. -signage around the farm warning the staff of possible danger and educate them on how to respond to emergencies. - installation and regular inspection and servicing of fire extinguishers should be undertaken by a reputable service provider and records of such inspections maintained	Continuous	proponent	-
Fire protection	- Fire safety signs should be prominently displayed within the buildings -Have a designated fire assembly point.	During operation	proponent	-
Electrical Safety	-Circuits must not be overloaded -Distribution board switches must be clearly marked to indicate respective circuits -There should be no live exposed connections - Electrical fittings near all potential sources of ignition should be flame proof - All electrical equipment should be earthed	Continuous	proponent	-
Chemical fertilizers	-these need to be applied in the required quantities and at the appropriate time to reduce the amounts that seep into the soil and potentially to nearby water bodies	During operation	proponent	-
Oil and grease spills	-All servicing and maintenance of farm machinery must be done at the designated garage and oil interceptors provided to minimize the occurrence of such accidental spills	During operation	proponent	-
Poisoning protection	-All poisonous chemicals to be properly stored and issued only to the people authorized to use them and only in the required quantities. -Label all poisonous chemicals to reduce the chances of ingestion. -All people manning the chemical stores must wear personal protective equipment	During implementation and operation	proponent	Project budget



**TABLE 8: ENVIRONMENTAL MANAGEMENT PLAN DURING DECOMMISSIONING OF THE OPEN FIELD**

<b>Expected Negative Impacts</b>	<b>Mitigation Measure</b>	<b>Responsibility</b>	<b>Time Frame</b>	<b>Cost</b>
Noise and Vibration	<ul style="list-style-type: none"> <li>• Ensure the workers are in their PPEs to reduce effects of noise to their health.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	TBD
	<ul style="list-style-type: none"> <li>• Switch of Machines when not in use.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	None
Solid Waste Generation	<ul style="list-style-type: none"> <li>• Waste that will be recovered need to be reused since it will comprise of plastic and metal waste from the fencing wire.</li> </ul>	Contractor/Aquila Development Company Limited's Management	One-off	None
Dust	<ul style="list-style-type: none"> <li>• The workers should be provided with respirators to counter the effect of dust.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	TBD
Health and Safety of workers	<ul style="list-style-type: none"> <li>• Workers should be provided with full personal protective equipment (PPE) to beef up their health and safety standards.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Throughout the Cycle	TBD
	<ul style="list-style-type: none"> <li>• Well stocked first aid boxes should be availed in case of any incidents or accidents and a general register should be available to record such occurrences.</li> </ul>	Contractor/ Aquila Development Company Limited's Management	Throughout the Cycle	TBD

Rehabilitation of the project site.	<ul style="list-style-type: none"> <li>• Implement an appropriate re-vegetation programme to restore the site to its original status and Consider use of indigenous plant species in re-vegetation</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	TBD
	<ul style="list-style-type: none"> <li>• Trees should be planted at suitable locations so as to interrupt sight lines (screen planting), between the adjacent residential area and the development.</li> </ul>	Contractor/Aquila Development Company Limited's Management	Continuous	TBD

## **CHAPTER ELEVEN**

### **11.0 RECOMMENDATION AND CONCLUSION**

The development of new projects is now preceded by critical analysis and assessment of the proposed activities through the conduct of an EIA, as required by NEMA. An EIA identifies both positive and negative impacts of the proposed development towards the environment and community, and provides easing methods for the latter.

The analysis of this report has evidenced that the implementation and operation phases of the proposed project will have positive impacts to the proponent and the community at large. These impacts will include creation of jobs and business opportunities, compliance with the Public Health Act and Local Government Act and general development of the site. However, there are some environmental concerns associated with this development such as increased pressure on existing infrastructure (water, drainage system, etc.), interference with air and soil quality mostly during the construction phase, increased solid waste generation, among others. The report has therefore included a comprehensive EMMP to mitigate these impacts effectively. The strategy will ensure sustainable execution of the proposed activities and protection of the environment and the community.

The expert's recommendation is that the project should be subjected to the outlined mitigation measures and they should be strictly adhered to. The project proponent shall work closely with NEMA, the County government and the general public to achieve these goals and embrace clean production/development mechanisms (CDM) in the aim of realizing the 2030 agenda on Sustainable development.

On the basis of the mitigation measures developed, the project will have no adverse effects to the environment and on social welfare of the surrounding community. The licensing authority is therefore urged to issue a license for the commencement of the project.

## **CHAPTER TWELVE**

### **12.0 REFERENCES**

1. Republic of Kenya (2015), The Environmental Management and Coordination (Amendment) Act
2. Republic of Kenya (2003), The Environmental (Impact Assessment and Audit) Regulations
3. Republic of Kenya (2009), Wetlands, River Banks, Lake Shores and Sea Shore Management Regulation,
4. Republic of Kenya (2010), The Constitution of Kenya
5. Republic of Kenya (2009), The Noise and Excessive Vibration Pollution Regulations
6. Republic of Kenya (2005), The Noise Prevention and Control Rules
7. Republic of Kenya (2007), The Occupational Safety and Health Act
8. Republic of Kenya (2006), The Waste Management Regulations
9. Republic of Kenya (2006), The Water Quality Regulations
10. Aquila Development Company Limited. - policies and documents relating to safety, health and environment.

## **ANNEXES**

1. Evidence of Public Participation
2. Land Ownership Documents
4. Site Layout plans
5. Project Designs
6. EIA Expert License.
7. Certificate of Workplace Registration

